



2022/23

# 「Childcare」

# Welcome to eibe

**Dear customer,**

Children have an irrepressible energy and the urge to learn and discover something new every day. Playing, romping, moving freely - playing outside is healthy, makes you strong, smart, creative and happy. That is why the motto is: Let's get out and go to the playground!

Especially in times when, due to the pandemic, physical activity programmes are often less offered in childcare facilities, schools and sports clubs, children should be able to live out their urge to move in the playground and in the great outdoors.

Our eibe designers have once again put in a lot of effort and have been inspired by fantastic stories, children's games, nature and technology to come up with ravishing play ideas. With great technical know-how and decades of experience in the production of playground equipment, we have been able to transform the many creative ideas into new and extraordinary playground equipment with a lot of play value, fun factor and pedagogical demand.

In this catalogue, you can discover our high-quality play worlds for the little ones with all the enchanting new products - for example, the minimondo balloon ride on page 31, lovingly designed down to the last detail.

On the following pages, we present you the strong assortment of our popular eibe brands, revised in design and technology. With completely new modularity, the minimondo and paradiso brands now offer even more functional possibilities for individual design.

All our innovations are geared towards sustainability and environmental protection. From the CO2-neutral main material wood for our playground equipment to comprehensive investments to increase material efficiency and to reduce energy consumption, emissions and waste - environmental protection has been a guiding corporate principle for many years and is practised with enthusiasm.

Against this background and using our long experience, we offer you competent advice and comprehensive service in addition to a wide range of products: from planning to delivery and assembly to inspection. Together with you, we plan the playground that suits your needs and develop suitable concepts also for special play and location situations.

We hope you enjoy browsing through our catalogue!

Our consultants, playground planners and the entire  
eibe service team are happy to help you  
and look forward to hearing from you.

Sincerely yours,  
Your eibe team





Visit us at  
[www.eibe.net](http://www.eibe.net)

# Contents

THEME	PAGE
Play units for nurseries	24
Play systems 3-7 years	92
Themed play units	144
Slides	184
Play houses	192
Sand and water play	204
Awnings	238
Trampolines	246
Balancing and climbing	248
Swings	278
Aerial cableways	308
Rocking & Spring rockers	315
Roundabouts	333
Play panels & Experiencing the senses	346
Furniture & Equipment	352
Goals & Accessories	366
Impact protection & Foundations	374



# 「Children need movement!」

Growth, development and health are directly promoted by exercise, preferably in the fresh air, this is proven by countless studies. But how can this be done optimally?

Why not leave the planning of facilities that motivate children to move to the experts at eibe! We design attractive play worlds that meet **EVERY** requirement – and really take **ALL** relevant aspects into account: Pedagogy, safety, durability, environmental protection, sustainability, maintenance and an optimal price-performance ratio. One of the first steps towards a perfect play world is to divide the outdoor facility into sensible areas that offer children a wide variety of possibilities:

eibe is a committed member of various trade associations that aim to make playgrounds safer, more appealing and more conducive to physical activity.

Recommendations from the Federal Association of Playground Equipment and Leisure Facility Manufacturers (BSFH) assign functionalities to movement spaces that optimally support children in their motor and mental development.



## SAND PLAY

Playing with sand and water is an important part of creative development. Baking tables, sand lifts and sand troughs as well as water play provide playtime fun. Pay attention to sun protection.

## GARDENING

Whether kitchen garden, wilderness, pond - the cycles of nature are educational and exciting. Even the smallest garden becomes a „big school“.

## VEHICLES AND ROLLING

Paved paths in the terrace area create a safe terrain for all vehicles and rolling play equipment.

## COVERED TERRACE

A covered terrace is the link between indoor and outdoor areas: space for play and fun – in the fresh air, yet protected.

## BALL GAMES

Open spaces are ideal for ball games: the play spaces work together. Promoting balance, motor skills, coordination, responsiveness, social interaction!

## ACTIVE MOVEMENT

Spacious designed movement landscape, challenge and reward at the same time. With lookouts and quiet corners.

## RETREAT

Imaginative, attractive retreat island: playhouses, tactile and sound games, climbing structures - also for smaller children and for quiet play.

## SWINGING

Enhances the active movement area: Different swing seats offer small and big children safe fun and many opportunities to try things out.

## MOBILE BUILDING SITE

A small area – if possible close to a storage room. Playful building construction promotes fine motor skills, creativity and social skills. A wide variety of materials create new impulses.

You will find a reference to the respective BSFH area on each page at the top right:



Swinging

# 「Company & Philosophy.」

**Holistic approach – the three focal points of our corporate philosophy:**



## 「Nature & Environment」

The protection of nature and the environment has maximum priority for us.



## 「Play & Movement」

The focus is on people: their physical and mental health.



## 「Responsibility & Service」

The quality must be right – this applies to products, services and advice.



What began as a small carpenter's workshop back in the 15th century is now a successful, internationally operating family business for playground equipment.

The heart of the company still beats in Röttingen, where one of the most modern development and production facilities for playground equipment in Germany is located.

We always pursue the same goal: our playground equipment should encourage children, challenge young people, accompany adults and senior citizens and create fun in movement. eibe – with Tilo Eichinger as managing director – has established itself as one of the leading manufacturers of playground equipment.

## **OUR JOB, YOUR REQUIREMENTS:**

From campsites to adventure parks, from public playgrounds to schools: thanks to our huge, combinable range, we are guaranteed to find the perfect solution for your requirements. Of course, you can also rely on us when it comes to planning and implementing completely individual play worlds.

## **OUR TARGET GROUP FOCUS:**

### **Architects**

Expert advice and conception for complex topics and tricky tasks beyond simple playground concepts.

### **Park & Zoo**

Perfect large-scale and themed play worlds with high recognition value.

### **Cities & communities**

High-quality, attractive play equipment for public playgrounds with a long service life.

### **School & Education**

Playground concepts for children and young people, pedagogically tested for holistic play.

### **Childcare**

Well thought-out play equipment for nurseries and childcare centres that promote child development through play.

### **Leisure & Tourism**

Attractive, high recognition value, top quality: great play equipment for the hotel & catering industry.

### **Housing**

Playground equipment for every budget and at an excellent price/performance ratio.



# 「Sustainability – a corporate goal!」



## SUSTAINABILITY, ENVIRONMENTAL PROTECTION, ECO-BALANCE

eibe is a true “environmental protection pioneer”. For us as a company, it is important that all products are produced as sustainably and environmentally friendly as possible. From the raw material wood to the production route to the catalogue printing: we work in a resource-saving way, pay attention to fairly produced materials and attach importance to the highest transparency in all areas.

## Environmental protection is deeply anchored in the company’s philosophy:

- Wood from exemplary forestry, guaranteed 100% FSC® certified (COC).
- Environmental management and environmentally friendly products – in addition to the greatest possible avoidance of residual waste, we cover 90% of our heat requirements with residual wood, shavings and sanding dust.
- Ecologically compatible manufacturing processes and means of production – from electric forklifts to chrome-free impregnation.

## OUR CERTIFICATIONS



### FSC®

The FSC® trademark on wood and wood products stands for transparency and credibility worldwide. It ensures that people and nature are treated fairly and responsibly.



### EMAS

EMAS is a joint system for environmental management and environmental auditing (Eco-Management and Audit Scheme) of the European Union. The certification according to ISO 14001 and the validation by EMAS certify eibe to make an effective contribution to environmental protection in all areas of the company.



### CLIMATE PROTECTION IN THE WOOD INDUSTRY

“Climate Protection Wood Industry” is an initiative of the Main Association of the German Wood Industry (Hauptverband der deutschen Holzindustrie - HDH) in cooperation with the Society for Climate Protection for the Wood Industry – GKH Ltd. (Gesellschaft für Klimaschutz für die Holzindustrie – GKH GmbH)

The goal of the initiative is a climate-neutral industry. On the basis of energy and CO<sub>2</sub> balances, the participating companies are supported in identifying sources of emissions and taking operational environmental and energy management measures – and ultimately becoming climate neutral.



### ENVIRONMENTAL PACT OF BAVARIA

The Bavarian Environmental Pact (UMWELTPAKT BAYERN) is an agreement between the Bavarian State Government and the Bavarian industry. Voluntariness, assumption of personal responsibility for environmental protection and cooperative action are part of the basic understanding. Currently, more than 2600 companies are involved in the Environmental Pact for Sustainable Business.



# Ecological foresight.

***“Wood is good for the environment and good for the future. Playgrounds made of wood convince with unique haptics and charisma – and an unbeatable eco-balance!”***

*Tilo Eichinger*

We have made it our mission to motivate children to be more active. This is best achieved with well thought-out play concepts, the sensible integration of new trends and natural, exciting materials. That's why we rely on wood – and thus on one of the most versatile and sustainable materials!

Wood is also hard to beat in terms of look and haptics.

As a building material, wood is characterised above all by its long service life and low maintenance requirements. eibe play equipment is produced using ecologically compatible manufacturing processes.

Only wood from European forestry is used for our play equipment, which is 100% FSC®-COC certified.



## BY THE WAY:

Our catalogue is printed and delivered climate neutrally on FSC paper.



## HOW WE PUT OUR ENVIRONMENTAL THINKING INTO PRACTICE:

- Saving energy costs and reducing emissions through heat recovery and direct air supply.
- Residual wood, chips and sanding dust are transported centrally to the storage silos and from there to the company's own heating system. In this way, more than 90 % of the heating requirements of the entire company are covered.
- Use of resistant woods for outdoor use, chrome-free impregnation according to DIN regulations.
- Increase in work efficiency due to shorter transport routes.
- Investment in forklifts with air filters to keep the air in the halls clean.
- Conversion of forklifts from diesel drive to electric drive.
- Replacement of the lights in the production halls and warehouses with LED lights.



# Wood and environmental protection.

For over 50 years, we at eibe have been developing and producing high-quality and educationally valuable play equipment. It is of great concern for us to manufacture play equipment that is as environmentally friendly and sustainable as possible.

We have been a member of the Bavarian Environmental Pact from the very beginning. Certifications such as FSC, EMAS or membership of the Initiative Climate Protection in the Timber Industry document our commitment to environmental protection.

For our products, we rely on environmentally friendly and ecologically sensible materials and only use raw materials that are free of harmful substances.

That's why we use environmentally friendly and ecologically sound materials for our products and only use raw materials that are free of harmful substances. As former carpenters, we are real wood experts! We know the value of this raw material and are familiar with strict processing criteria.

Wood is one of the best raw materials of all when it comes to CO<sub>2</sub> neutrality and resource conservation. The harmful greenhouse gas carbon dioxide (CO<sub>2</sub>), which every tree extracts from the atmosphere during its growth phase, is harmlessly bound as carbon (C) in wooden products over their entire service life. eibe play equipment made of wood thus acts like a CO<sub>2</sub> battery over its entire product life cycle.





We use wood mainly in the form of sawn timber, squared timber or round timber. Larch laminated timber is particularly convincing with its natural durability, as is robinia wood, which can be installed outdoors without any treatment due to

its resistance. We carry out long-term tests on our products and are actively involved in the DIN/EN standards committee – after all, environmental protection starts with product development!

## DID YOU KNOW...

that the forest removes about one tonne of CO<sub>2</sub> from the air with every solid metre of wood that grows? In the process, 250 kg of carbon is bound in the wood, bark, twigs, leaves and roots and 750 kg of oxygen is released. In durable wood products, the carbon remains stored for many years. In Germany,

this amounts to around 118 million tonnes of stored CO<sub>2</sub> in wood products. Only at the end of the product life cycle is the stored CO<sub>2</sub> released. This in turn is absorbed by renewable trees, creating a closed, neutral CO<sub>2</sub> cycle.



# Highest play value!

At eibe, play value is a central criterion of our corporate philosophy. Because we are only satisfied when every single aspect, every requirement of our play equipment is fulfilled in terms of real value: When eibe play worlds are valuable on all levels, we have achieved our goal.

## WHY IS MOVEMENT SO IMPORTANT?

Encouraging children to move is more important than ever. Children's everyday lives are characterised by many hours of sitting still. But it is not only the health aspects that need to be taken into account:

Because education is also promoted by movement!

## All these aspects are promoted at eibe play worlds:

- Fitness and the joy of movement
- Social competence
- Creativity and imagination
- Fine and gross motor skills
- Promotion of all senses
- Knowledge and 3D thinking
- Joy of experimenting
- Exploring the elements
- Relaxation and sense of order
- Basics of living together





## **MAXIMUM INNOVATION!**

- International pioneer in design and product development
- Pedagogically valuable and child-friendly concepts
- Optimal mix of fun, innovation and functionality
- Concepts that encourage imagination, perfectly tailored to the target group
- “Play worlds that inspire.  
Play spaces with soul!”

**Holistic concepts for great play fun – developed and recommended by educators and pedagogues.**

eibe wants to give children all the time in the world: to marvel, discover and play. We see our playgrounds as a holistic living space where children are comprehensively encouraged in a stimulating environment. Our declared goal: imaginative play worlds of best quality that inspire children and give them added educational value.

To achieve this, we think outside the box and work closely with experts in education, physical education and sport.



RESPONSIBILITY & SERVICE – WE GUARANTEE QUALITY.

# 「The eibe full service.」


## THE QUALITY MUST BE RIGHT. THIS APPLIES TO PRODUCTS, SERVICES AND ADVICE.

eibe offers professional all-round service from planning to installation. Your wishes are implemented by specialists in creative complete concepts. Together with you we fix project stages and determine costs.

### The tasks involved in planning a play world are many and varied.

Play value, attractiveness, educational demands are just as important planning factors as durability, safety and ecological sustainability. We at eibe are a competent partner – even if special site-specific requirements or special target groups have to be taken into account.

We offer you full service: from A to Z, internationally and with globally active partners directly on site.





## THIS IS HOW YOU BENEFIT:

- Personal expert advice
- Individual and creative concept development
- Well thought-out playground planning according to international guidelines
- Professional project management and on-time realisation
- Tailor-made financing according to your needs



RESPONSIBILITY & SERVICE – WE GUARANTEE QUALITY.

# 「eibe. Digital & International.」

## AT HOME IN RÖTTINGEN, PRESENT ALL OVER THE WORLD.

With more than 300 employees in Europe, our group of companies with headquarters in Röttingen is one of the most modern development and production facilities for indoor and outdoor play equipment.

eibe offers everything from one source: from A to Z, internationally and with globally active partners directly on site.

You will also find eibe branches in Austria, Switzerland, the Benelux countries and the UK, as well as a network of regional specialist consultants!



# eibe online shop.

## WELCOME TO OUR ONLINE WORLD:

Whether on the eibe website, in the blog or in our webshop – we hope you enjoy discovering, informing, browsing and ordering!



- All catalogues as flip catalogue
- Direct shop link
- Technical data incl. data sheets
- Versatile blog posts
- Newsletter
- Facebook, LinkedIn and more



RESPONSIBILITY & SERVICE – WE GUARANTEE QUALITY.

# Reliability & Safety guaranteed.

## YOUR CAN CERTAINLY RELY ON US:

Our eibe team makes sure that playground equipment is exactly tailored to the needs of our customers and plans meticulously down to the smallest detail. Punctuality is just as important to us as the careful assembly of play equipment. Because when it comes to playground equipment and playground installations, we are the partner you can trust.

## THE IDEAL PARTNER WHEN IT COMES TO SAFETY.

It is not for nothing that our products are produced in Germany and put through their paces before they are released for use.

Our products are certified and meet all the required EU standards. After all, the safety of our children is also in our hands.



All our play units  
comply with the  
**DIN EN 1176**  
and  
**DIN EN 16630**  
standards.




**That makes us reliable:**

- For decades, we have been happy to be personally on site for you.
- Careful project management and proactive communication.
- We implement our customers' wishes within budget and conscientiously.
- Defined and regularly certified quality standards according to ISO 9001.



# Now even better: shop.eibe.net

Even more information and pictures for every product!



**Note:** Protecting your personal data has our highest priority. On [shop.eibe.net/en/data-protection-statement](#) we fully inform you how we collect, use and process your data in accordance with the EU data protection regulations (EU-DSGVO). On [eibe.net/service/warranty](#) you will find all about our warranties and the general terms under [shop.eibe.net/en/general-terms-of-sale](#)



「Play fun in the  
fresh air.」





# 「Round, happy and colourful: High quality products that guarantee fun!」


## Roofs:

HPL, Makrolon,  
Softwood




## Play helix:

Stainless steel, PE



## Platform structure:

HPL grooved




## Panels sea grass:

Stainless steel, HPL



## Crawling tunnel:

PP



## Play panel Jellyfish:

HPL, PU



## Fence element:

Stainless steel, PE



## Play panel Hedgehog:


HPL, PE



## Play panel Dandelion:

HPL, Makrolon





**Slide:**  
Stainless steel, HPL




**Ascents:**  
Softwood pressure-  
impregnated,  
HPL



**Posts:**  
Softwood  
pressure-impregnated



Larch natural



Larch green glazed



Larch GL oiled



**Crossovers:**  
HPL, Stainless steel,  
Rubber, PE



**Belly board:**  
HPL



**Nets, ropes:**  
Plastic-coated steel  
rope PES (6-stranded,  
glued)




**Stairs:**  
HPL grooved



**Post shoes:** Steel  
galvanised



# Modularity without limits – individual combinations!



Would you like a little variety?

Then choose from our different  
parapets or play panels.






Contact us

Customised standard unit or a complete new play world –  
we compose your individual play unit!

We check your bespoke combination on technical  
feasibility and stability, standard conformity,  
delivery time and price.

So we can guarantee the perfect  
construction process for your  
playground project.

The arch ramp seems  
to be too difficult? Then  
replace it with ramp  
ascent, for example.





**NEW****minimondo**  
play unit Balloon ride

## Info box

Minimum space: 550x440x224 cm


Free falling height: 44 cm

Impact protection net: 7,5 m<sup>2</sup>

Foundations: 8x CF or 3x PFs + 5x PFr

5 59 859 011 00 SW pi

① 5 59 859 041 00 Larch GL, larch





### minimondo play unit Butterfly

#### Info box


Minimum space: 762x527x200 cm


Free falling height: 20 cm

Impact protection net: 34,5 m<sup>2</sup>

Foundations: 9x CF or 9x PFs or 9x PFr

**5 59 851 001 00 SW pi**





### minimondo play unit Summer Apple

#### Info box


Minimum space: 494x426x225 cm

Free falling height: 45 cm

Impact protection net: 16,0 m<sup>2</sup>

Foundations: 1x CF or 3x PFs + 2x PFr

5 59 852 001 00 SW pi



(1)



### minimondo play unit Anemone

#### Info box

Minimum space: 675x514x220 cm

Free falling height: 40 cm

Impact protection net: 24,5 m<sup>2</sup>

Foundations: 1x CF or 4x PFs + 7x PFr


① 5 59 856 011 00 SW pi

5 59 856 031 00 Larch natural

5 59 856 041 00 Larch GL, larch

5 59 856 041 21 Larch GL green, larch

(1)





### minimondo play unit Heather

#### Info box

Minimum space: 552x507x220 cm

Free falling height: 40 cm

Impact protection net: 21,5 m<sup>2</sup>


Foundations: 1x CF or 4x PFs + 3x PFr

① 5 59 858 011 00 SW pi

5 59 858 031 00 Larch natural

5 59 858 041 00 Larch GL, larch

5 59 858 041 21 Larch GL green, larch



### minimondo play unit Red Poppy

#### Info box

Minimum space: 604x444x277 cm

Free falling height: 85 cm

Impact protection net: 20,0 m<sup>2</sup>


Foundations: 1x CF or 5x PFs

① 5 59 857 011 00 SW pi

5 59 857 031 00 Larch natural

5 59 857 041 00 Larch GL, larch

5 59 857 041 21 Larch GL green, larch





## minimondo play unit Carnation

### Info box

Minimum space: 552x514x220 cm

Free falling height: 40 cm

Impact protection net: 22,5 m<sup>2</sup>

Foundations: 1x CF or 4x PFs + 4x PFr

①





**PLEASE ORDER  
SEPARATELY!**

Simple and fast installation  
with the eibe prefabricated  
foundation  
**page 378**

① 5 59 824 011 00 SW pi

5 59 824 041 21 Larch GL green



## minimondo play unit Tulip

### Info box

Minimum space: 552x514x220 cm

Free falling height: 40 cm

Impact protection net: 22,5 m<sup>2</sup>



Foundations: 1x CF or 4x PFs + 4x PFr

①



① 5 59 825 011 00 SW pi

5 59 825 041 21 Larch GL green





## The favourite among the youngest



### minimondo play unit Rose

#### Info box

Minimum space: 677x520x220 cm

Free falling height: 40 cm

Impact protection net: 25,5 m<sup>2</sup>

Foundations: 1x CF or 4x PFs + 7x PFr

① 5 59 827 011 00 SW pi  
5 59 827 041 21 Larch GL green



ONLY WITH US  
**eibe**  
ORIGINAL



Order directly from us at +49 9338 89-0 or [shop.eibe.net](http://shop.eibe.net)



## minimondo play unit Violet

### Info box


Minimum space: 540x398x220 cm

Free falling height: 40 cm

Impact protection net: 17,0 m<sup>2</sup>

Foundations: 1x CF or 2x PFs + 3x PFr

- ① 5 59 821 011 00 SW pi  
 ② 5 59 821 041 21 Larch GL green



## minimondo play unit Marguerite

### Info box


Minimum space: 540x392x220 cm

Free falling height: 40 cm

Impact protection net: 17,0 m<sup>2</sup>

Foundations: 1x CF or 2x PFs + 3x PFr

- ① 5 59 822 011 00 SW pi  
 ② 5 59 822 041 21 Larch GL green



①





## minimondo play unit Sunflower

### Info box


Minimum space: 567x540x280 cm

Free falling height: 40 cm

Impact protection net: 21,5 m<sup>2</sup>

Foundations: 1x CF or 2x PFs + 6x PFr

① 5 59 826 011 00 SW pi  
5 59 826 041 21 Larch GL green



Platform height 85 cm



## minimondo play unit Buttercup

### Info box


Minimum space: 511x444x220 cm

Free falling height: 40 cm

Impact protection net: 17,0 m<sup>2</sup>

Foundations: 1x CF or 4x PFs

① 5 59 823 011 00 SW pi  
5 59 823 041 21 Larch GL green





## minimondo play unit Apple Tree

### Info box


Minimum space: 540x446x220 cm

Free falling height: 40 cm

Impact protection net: 18,5 m<sup>2</sup>

Foundations: 1x CF or 4x PFs + 1x PFr

① 5 59 819 011 00 SW pi  
5 59 819 041 21 Larch GL green



## minimondo play unit Gentian

### Info box



Minimum space: 557x416x240 cm


Free falling height: 60 cm

Impact protection net: 18,0 m<sup>2</sup>

Foundations: 3x CF or 2x PFs + 3x PFr

① 5 59 840 011 00 SW pi  
5 59 840 041 21 Larch GL green





**minimondo  
play unit Cherry****Info box**

Minimum space: 548x528x220 cm

Free falling height: 40 cm

Impact protection net: 22,5 m<sup>2</sup>

Foundations: 1x CF or 5x PFs + 4x PFr

**① 5 59 835 011 00 SW pi  
5 59 835 041 21 Larch GL green**



Here the smallest children can gain valuable experience by crawling, climbing and sliding and make lots of new friends.



## minimondo play unit Salvia

### Info box



Minimum space: 627x594x240 cm

Free falling height: 60 cm

Impact protection net: 28,0 m<sup>2</sup>

Foundations: 5x CF or 2x PFs + 11x PFr

① 5 59 842 011 00 SW pi  
② 5 59 842 041 21 Larch GL green



**minimondo**  
play unit Dandelion**Info box**


Minimum space: 789x652x240 cm

Free falling height: 60 cm

Impact protection net: 36,0 m<sup>2</sup>

Foundations: 7x CF or 3x PFs + 20x PFr

- ① 5 59 836 011 00 SW pi  
② 5 59 836 041 21 Larch GL green





Scope of delivery deviates from the image



### minimondo play unit Salvia

#### Info box



Minimum space: 627x594x240 cm

Free falling height: 60 cm

Impact protection net: 28,0 m<sup>2</sup>

Foundations: 5x CF or 2x PFs + 11x PFr

① 5 59 842 011 00 SW pi  
5 59 842 041 21 Larch GL green





### minimondo play unit Coral

#### Info box


Minimum space: 759x608x265 cm

Free falling height: 85 cm

Impact protection net: 31,0 m<sup>2</sup>

Foundations: 4x CF or 5x PFs + 6x PFr

① 5 59 838 011 00   SW pi  
5 59 838 041 21   Larch GL green





## minimondo play unit Lotus

### Info box

Minimum space: 548x528x220 cm


Free falling height: 40 cm

Impact protection net: 22,5 m<sup>2</sup>

Foundations: 1x CF or 5x PFs + 4x PFr

① 5 59 844 011 00 SW pi

② 5 59 844 041 21 Larch GL green



②



## minimondo play unit Lilie

### Info box

Minimum space: 540x446x220 cm


Free falling height: 40 cm

Impact protection net: 18,5 m<sup>2</sup>

Foundations: 1x CF or 4x PFs + 1x PFr

① 5 59 845 011 00 SW pi

② 5 59 845 041 21 Larch GL green





## minimondo play unit Elephant Family

### Info box


Minimum space: 612x599x265 cm

Free falling height: 85 cm

Impact protection net: 25,0 m<sup>2</sup>

Foundations: 4x CF or 2x PFs + 6x PFr

① 5 59 837 011 00 SW pi  
5 59 837 041 21 Larch GL green



## minimondo play unit Seagull

### Info box




Minimum space: 540x431x220 cm

Free falling height: 40 cm

Impact protection net: 18,0 m<sup>2</sup>

Foundations: 1x CF or 2x PFs + 3x PFr

① 5 59 820 011 00 SW pi  
② 5 59 820 041 21 Larch GL green



Strawberry

**PREVIEW!**  
Available from mid 2022



**minimondo  
play unit Dog house**

5 59 860 011 00 SW pi  
5 59 860 041 00 Larch GL, larch



also in the colour  
concept  
**Forest**



**NEW**



**minimondo  
seat parachute**

**Info box**


Minimum space: 400x400x278 cm

Free falling height: 59 cm

Impact protection net: -

Foundations: 1x CF

**5 59 863 643 00 Powdered steel, HPL**



**NEW**



**minimondo  
play parachute**

**Info box**


Minimum space: 400x400x238 cm


Free falling height: 39 cm

Impact protection net: -

Foundations: 1x CF

**5 59 862 643 00 Powdered steel, HPL**





### minimondo Cheese slide

#### Info box

Minimum space: 627x349x265 cm


Free falling height: 85 cm

Impact protection net: 19,5 m<sup>2</sup>

Foundations: 3x CF or 3x PFs

**5 59 831 5**

HPL



### minimondo play house Apricot

#### Info box

Minimum space: 453x452x310 cm


Free falling height: 130 cm

Impact protection net: 19,0 m<sup>2</sup>

Foundations: 1x CF or 2x PFs + 1x PFr

**5 59 828 011 00**

HPL





## minimondo play house for nurseries M51

### Info box



Minimum space: 417x390x180 cm

Free falling height: 55 cm

Impact protection net: 16,5 m<sup>2</sup>

Foundations: 4x CF

- ① 5 30 002 141 08 Steel powder. red
- 5 30 002 141 09 Steel powder. iguana
- ② 5 30 002 141 24 Steel powder. blue



## minimondo play unit Tractor

### Info box




Minimum space: 590x410x240 cm

Free falling height: 59 cm

Impact protection net: 21,0 m<sup>2</sup>

Foundations: 7x CF or 7x PFs

- ① 5 52 025 141 08 Steel powder. red
- ② 5 52 025 141 09 Steel powder. iguana





## minimondo play unit Concrete Mixer

### Info box





Minimum space: 684x449x240 cm

Free falling height: 60 cm

Impact protection net: 24,5 m<sup>2</sup>

Foundations: 3x CF or 2x PFs + 8x PFr

① 5 59 850 011 00 SW pi  
① 5 59 850 041 00 Larch GL, larch



## minimondo play unit Garbage Truck

### Info box




Minimum space: 606x596x240 cm

Free falling height: 60 cm

Impact protection net: 26,0 m<sup>2</sup>

Foundations: 3x CF or 3x PFs + 8x PFr

① 5 59 853 011 00 SW pi  
① 5 59 853 041 00 Larch GL, larch



1




## minimondo little swing Daisy


### Info box

Minimum space: 675x185x200 cm  
Free falling height: 93 cm  
Impact protection net: 19,5 m<sup>2</sup>  
Foundations: 2x CF

① 5 59 812 5 SW pi  
② 5 59 812 041 21 Larch GL green



②




## minimondo swing Daisy with nest seat

### Info box

Minimum space: 510x230x200 cm  
Free falling height: 90 cm  
Impact protection net: 12,0 m<sup>2</sup>  
Foundations: 2x CF

5 59 813 0 Steel, PE





### minimondo swing Lily of the Valley

#### Info box

Minimum space: 675x188x200 cm

Free falling height: 93 cm

Impact protection net: 12,0 m<sup>2</sup>


Foundations: 4x CF or 4x PFs

① 5 59 833 5

SW pi

② 5 59 833 041 21

Larch GL green



### minimondo double swing Lily of the Valley

#### Info box

Minimum space: 675x359x200 cm

Free falling height: 93 cm

Impact protection net: 24,0 m<sup>2</sup>


Foundations: 6x CF or 6x PFs

① 5 59 834 5

SW pi

② 5 59 834 041 21

Larch GL green







## minimondo sun shade Leaf small

### Info box

Minimum space: 138x132x243 cm  
Free falling height: -  
Impact protection net: -  
Foundations: 1x CF

① 5 59 855 003 00 Steel, HPL




## minimondo sun shade Leaf large

### Info box

Minimum space: 138x132x317 cm  
Free falling height: -  
Impact protection net: -  
Foundations: 1x CF

② 5 59 854 003 00 Steel, HPL




## minimondo crawling bridge

### Info box

Minimum space: 511x390x221 cm  
Free falling height: 41 cm  
Impact protection net: 18,0 m<sup>2</sup>  
Foundations: 4x CF or 2x PFs

5 59 805 5 SW pi




## minimondo marbles arch for crawling bridge

5 59 807 0 Steel

The Taw Arch can be both used as a handrail and for ball-play.

Size: 70,9x12x51,6 cm  
Scope of delivery: 1x marble arch: steel powder-coated  
3x ball: PE



**minimondo  
column Flower**

5 59 848 010 27 SW pi, HPL orange

5 59 848 010 28 SW pi, HPL yellow

5 59 848 010 31 SW pi, HPL iguana

③ 5 59 848 040 27 Larch GL, HPL orange

5 59 848 040 28 Larch GL, HPL yellow

5 59 848 040 31 Larch GL, HPL iguana

**minimondo  
table Flower**

5 59 846 010 27 SW pi, HPL orange

5 59 846 010 28 SW pi, HPL yellow

5 59 846 010 31 SW pi, HPL iguana

② 5 59 846 040 27 Larch GL, HPL orange

5 59 846 040 28 Larch GL, HPL yellow

5 59 846 040 31 Larch GL, HPL iguana

**minimondo  
stool**

5 59 847 010 27 SW pi, HPL orange

5 59 847 010 28 SW pi, HPL yellow

5 59 847 010 31 SW pi, HPL iguana

① 5 59 847 040 27 Larch GL, HPL orange

5 59 847 040 28 Larch GL, HPL yellow

5 59 847 040 31 Larch GL, HPL iguana



Scope of delivery deviates from the image

**Turning, pushing,  
observing**



**minimondo  
play unit Cloud Tunnel**

**Info box**


Minimum space: 425x355x180 cm

Free falling height: -

Impact protection net: 12,0 m<sup>2</sup>

Foundations: 1x CF or 2x PFs + 2x PFr

**5 59 815 011 00 HPL, PP**



**2 play tables**



**minimondo  
play unit Bear Tunnel**

**Info box**


Minimum space: 434x356x210 cm

Free falling height: 30 cm

Impact protection net: 13,5 m<sup>2</sup>

Foundations: 2x CF or 2x PFs

**5 59 818 5 HPL, PP**



**playO®**

「To the playground,  
ready, set, go!」



The multifunctional play structures allow unlimited play value on all levels. Exciting stairways, visible retreats near the ground, wobbly transitions and challenging descents ensure fun and joy in movement. The focus is on the children's cognitive, emotional, social and motor development. Colourful play panels and balustrades turn the playground into a sensory experience and promote the vestibular sense in addition to haptics, tactility and kinaesthetics.



# 「Robust and long-lasting: Materials that ensure stability, as well as fun!」



## Suspension bridge:

Softwood

**Chains:**

Steel galvanised



**Roofs:**  
HPL



## Water channel:

Softwood, HPL

**Weirs:** HPL



**Platform structure:**  
Softwood



## Run-through protection:

Stainless steel



## Hang-ladder rungs:

Stainless steel



## Step-through protection:

Softwood



## Post shoes:

Steel galvanised





**● all adapter softwood  
fittings stainless steel**

**Posts:**  
Softwood  
pressure-impregnated



Larch natural



Larch GL oiled



**Climbing board:** HPL  
**Climbing grips:** CFRP


#### Nets, ropes:

Plastic-coated steel  
rope PES (6-stranded,  
glued)



#### Handles:

Aluminium,  
plastic-coated



#### Sand lift:

Stainless steel,  
Rubber PAK- free



**Stepping surface:**  
HPL grooved



#### Slide:

GFRP or stainless steel



#### Panels:

HPL



**Fireman's poles:**  
Stainless steel



# Material variety:

Combine your play unit: Choose type, posts  
and material for your very own material mix!

Play unit type



Play unit Dom



Play unit Mont Blanc



Play unit Belavista



Posts



SW pi



Larch natural



Larch oiled



Steel galvanised



Steel powder-coated




Stainless steel




Material



SW pi



Larch natural



Larch oiled



Contact us

Play unit type:

Play unit Mont Blanc

Posts:

Steel powder-coated

Material:

SW pi

5 11 506 6 1100



# Modularity without limits – individual combinations!

Customised standard unit or a complete new play world – we compose your individual play unit!


We check your bespoke combination on technical feasibility and stability, standard conformity, delivery time and price.

So we can guarantee the perfect construction process for your playground project.

Choose from different themed worlds:

- Maritime      → Construction Site
- Jungle          → Farm
- Fire brigade    → Castle


Roof types and shapes



Crossovers



Ascents




You would like a different roof? No problem - your playground consultant will support you with your bespoke play unit!

You would like a different ascent? Simply replace the net element with the ascent of your choice!

# 「The world is colourful: Happy colours for all!」

Harmoniously coordinated – choose your favourite colour world!



Contact us

Imaginative and attractive – great new colour combinations.

Well thought-out play concepts are made up of a multitude of different components such as educational play value, quality, modularity and most important: Does it fit the target group? Together with our experts, we at eibe develop play equipment that makes children really enjoy playing and romping around. The new playo® colour concepts convince, inspire and make movement even more attractive!



NEW



Ocean



NEW



Meadow



NEW



Retro



## playo play unit Mia, solo

### Info box

Minimum space: 711x375x275 cm

Free falling height: 95 cm



Impact protection net: 20,0 m<sup>2</sup>

Foundations: 6x CF or 4x PFs

**5 11 003 011 10 SW pi**

**5 11 003 031 10 Larch natural**

**① 5 11 003 041 10 Larch GL, larch**



Please order the  
slide separately



Please choose your add-on slide:

**(A) 5 40 185 101 22 GFRP grey**

**(B) 5 40 185 111 22 GFRP grey & SSt coat**

**(C) 5 40 185 121 00 Stainless steel**



PH 95 cm  
PH 95 cm  
PH 95 cm



## playo play unit Tim, solo

### Info box

Minimum space: 711x375x355 cm

Free falling height: 95 cm



Impact protection net: 20,0 m<sup>2</sup>

Foundations: 6x CF or 4x PFs

**5 11 004 011 10 SW pi**

**5 11 004 031 10 Larch natural**

**① 5 11 004 041 10 Larch GL, larch**



Please order the  
slide separately



Please choose your add-on slide:

**(A) 5 40 185 101 22 GFRP grey**

**(B) 5 40 185 111 22 GFRP grey & SSt coat**

**(C) 5 40 185 121 00 Stainless steel**



PH 95 cm  
PH 95 cm  
PH 95 cm



### playo play unit Lisa

#### Info box


Minimum space: 502x485x275 cm

Free falling height: 58 cm

Impact protection net: 17,5 m<sup>2</sup>

Foundations: 11x CF or 11x PFs

- ① 5 11 001 011 10 SW pi  
② 5 11 001 031 10 Larch natural  
③ 5 11 001 041 10 Larch GL, larch



②



#### PLEASE ORDER SEPARATELY!

Simple and fast installation  
with the eibe prefabricated  
foundation

page 378





## playo play unit Finn

### Info box

Minimum space: 566x437x225 cm

Free falling height: 45 cm



Impact protection net: 16,5 m<sup>2</sup>


Foundations: 8x CF or 8x PFs

**5 11 005 011 10 SW pi**

**5 11 005 031 10 Larch nature**

**① 5 11 005 041 10 Larch GL, larch**




**playo  
play unit Klara**Info box

Minimum space: 715x514x225 cm

Free falling height: 120 cm

Impact protection net: 23,0 m<sup>2</sup>

Foundations: 13x CF or 12x PFs + 1x PFr

**5 11 065 011 00 SW pi**  
**5 11 065 031 00 Larch natural**  
**① 5 11 065 041 00 Larch GL, larch**



## playo play unit Pia

### Info box

Minimum space: 603x428x289 cm

Free falling height: 45 cm



Impact protection net: 21,0 m<sup>2</sup>

Foundations: 11x CF or 11x PFs

**5 11 008 011 10 SW pi**

**5 11 008 031 10 Larch natural**

**① 5 11 008 041 10 Larch GL, larch**







## playo play unit Hannes

### Info box

Minimum space:	602x602x289 cm
Free falling height:	45 cm
Impact protection net:	29,0 m <sup>2</sup>
Foundations:	15x CF or 15x PFs

5 11 010 011 10 SW pi  
5 11 010 031 10 Larch nature  
① 5 11 010 041 10 Larch GL, larch



# High quality, stable and diverse: Safety assured!

**Fireman's poles:**

Stainless steel



**Hang-ladder rungs:**

Stainless steel



**Suspension bridge:**

Softwood

**Chains:**

Steel galvanised



**Climbing board:** HPL

**Climbing grips:** GFRP



**Slide:**

GFRP or stainless steel



**Roofs:**

Softwood



**Run-through  
protection:**


Stainless steel



**Posts also available  
in steel  
see page 60**



**Posts:**  
Softwood  
pressure-impregnated




Larch natural



Larch GL oiled



**Post shoes:** Steel  
galvanised



- all adapter softwood  
fittings stainless steel

**Nets, ropes:**

Plastic-coated steel  
rope PES (6-stranded,  
glued)



**Platform structure:**  
Softwood



**Stepping surface:**  
HPL grooved



**Step-through  
protection:** Softwood





②



## ecorino play unit Kamet, solo

### Info box



Minimum space: 757x541x275 cm

Free falling height: 58 cm

Impact protection net: 25,5 m<sup>2</sup>

Foundations: 13x CF or 13x PFs

- ① 5 11 515 011 00 SW pi
- ② 5 11 515 031 00 Larch natural
- ③ 5 11 515 041 00 Larch GL, larch



Please order the  
slide separately

Please choose your add-on slide:

- (A) 5 40 186 101 31 GFRP iguana
- (B) 5 40 186 111 31 GFRP iguana & SST coat
- (C) 5 40 186 121 00 Stainless steel



PH 60 cm  
PH 60 cm  
PH 60 cm



On request, all wooden posts are available in metal – please contact us.



①



**PLEASE ORDER  
SEPARATELY!**

Simple and fast installation  
with the eibe prefabricated  
foundation  
page 378

Please order the  
slide separately



### ecorino play unit Jannu, solo

#### Info box



Minimum space: 739x597x300 cm

Free falling height: 95 cm

Impact protection net: 26,5 m<sup>2</sup>

Foundations: 15x CF or 11x PFs

① 5 11 517 011 00    SW pi  
5 11 517 031 00    Larch natural  
5 11 517 041 00    Larch GL, larch



Please choose your add-on slide:

- |                   |                        |          |
|-------------------|------------------------|----------|
| Ⓐ 5 40 185 101 31 | GFRP iguana            | PH 95 cm |
| Ⓑ 5 40 185 111 31 | GFRP iguana & SSt coat | PH 95 cm |
| Ⓒ 5 40 185 121 00 | Stainless steel        | PH 95 cm |





Scope of delivery deviates from the image



**ecorino**

**play unit Dom, solo**

#### Info box



Minimum space: 668x539x300 cm

Free falling height: 95 cm

Impact protection net: 23,0 m<sup>2</sup>

Foundations: 9x CF or 7x PFs

① 5 11 502 011 00 SW pi  
 5 11 502 031 00 Larch natural  
 5 11 502 041 00 Larch GL, larch



Please choose your add-on slide:

Ⓐ 5 40 185 101 31	GFRP iguana	PH 95 cm
Ⓑ 5 40 185 111 31	GFRP iguana & SSt coat	PH 95 cm
Ⓒ 5 40 185 121 00	Stainless steel	PH 95 cm

Please order the slide separately



On request, all wooden posts are available in metal – please contact us.



## ecorino play unit Wasserkuppe, solo

## Info box



Minimum space: 745x399x346 cm

Free falling height: 45 cm

Impact protection net: 24,0 m<sup>2</sup>

Foundations: 6x CF or 6x PFs

- ① 5 11 533 011 00 SW pi  
 5 11 533 031 00 Larch natural  
 5 11 533 041 00 Larch GL, larch



Please order the slide separately



Please choose the suitable slide according to your individual hill situation!

► Find suitable slides on page 186



## ecorino play unit Badus, solo

## Info box



Minimum space: 595x510x271 cm

Free falling height: 58 cm

Impact protection net: 21,0 m<sup>2</sup>

Foundations: 9x CF or 8x PFs

- ① 5 11 520 011 00 SW pi  
 5 11 520 031 00 Larch natural  
 5 11 520 041 00 Larch GL, larch



Please order the slide separately



Please choose your add-on slide:

- |                                 |  |                                     |          |
|---------------------------------|--|-------------------------------------|----------|
| (A) 5 40 186 101 31 GFRP iguana | (B) 5 40 186 111 31 GFRP iguana & SSt coat | (C) 5 40 186 121 00 Stainless steel | PH 60 cm |
|                                 |  |                                     | PH 60 cm |
|                                 |  |                                     | PH 60 cm |





1+

### ecorino play house Mountain Lake

#### Info box


Minimum space: 631x563x346 cm

Free falling height: 145 cm

Impact protection net: 22,5 m<sup>2</sup>

Foundations: 12x CF or 12x PFs

①5 11 513 011 00 SW pi  
5 11 513 031 00 Larch natural  
5 11 513 041 00 Larch GL, larch



On request, all wooden posts are available in metal – please contact us.



## ecorino play unit Hagen, solo

### Info box




Minimum space: 763x458x255 cm

Free falling height: 58 cm

Impact protection net: 26,0 m<sup>2</sup>

Foundations: 9x CF or 9x PFs

- ① 5 11 521 011 00 SW pi
- 5 11 521 031 00 Larch natural
- 5 11 521 041 00 Larch GL, larch



Please order the slide separately



Please choose your add-on slide:

- |                     |                        |          |
|---------------------|------------------------|----------|
| (A) 5 40 185 101 31 | GFRP iguana            | PH 95 cm |
| (B) 5 40 185 111 31 | GFRP iguana & SSt coat | PH 95 cm |
| (C) 5 40 185 121 00 | Stainless steel        | PH 95 cm |



## ecorino play unit K2, solo

### Info box


Minimum space: 745x648x285 cm

Free falling height: 95 cm

Impact protection net: 28,5 m<sup>2</sup>

Foundations: 17x CF or 13x PFs

- ① 5 11 518 011 00 SW pi
- 5 11 518 031 00 Larch natural
- 5 11 518 041 00 Larch GL, larch



Please order the slide separately



Please choose your add-on slide:

- |                     |                        |          |
|---------------------|------------------------|----------|
| (A) 5 40 186 101 31 | GFRP iguana            | PH 60 cm |
| (B) 5 40 186 111 31 | GFRP iguana & SSt coat | PH 60 cm |
| (C) 5 40 186 121 00 | Stainless steel        | PH 60 cm |





**ecorino**

**play unit Diran, solo**

#### Info box



Minimum space: 773x683x365 cm

Free falling height: 145 cm

Impact protection net: 34,0 m<sup>2</sup>

Foundations: 13x CF or 12x PFs

① 5 11 519 011 00	SW pi
5 11 519 031 00	Larch natural
5 11 519 041 00	Larch GL, larch



Please order the  
slide ph 145 cm  
separately



Please order the  
slide ph 60 cm  
separately



Please choose your add-on slides:

Ⓐ 5 40 186 101 31	GFRP iguana	PH 60 cm
Ⓑ 5 40 186 111 31	GFRP iguana & SSt coat	PH 60 cm
Ⓒ 5 40 186 121 00	Stainless steel	PH 60 cm
Ⓐ 5 40 101 101 31	GFRP iguana	PH 145 cm
Ⓑ 5 40 101 111 31	GFRP iguana & SSt coat	PH 145 cm
Ⓒ 5 40 101 121 00	Stainless steel	PH 145 cm



Steel galvanized



Steel powder




Stainless steel

On request, all wooden posts are available in metal – please contact us.



Scope of delivery deviates from the image

②



## ecorino play unit Trivor, solo

### Info box



Minimum space: 787x713x331 cm

Free falling height: 145 cm

Impact protection net: 33.0 m<sup>2</sup>

Foundations: 17x CF or 16x PFs + 1x PFr

- ① 5 11 516 011 00 SW pi
- ② 5 11 516 031 00 Larch natural
- ③ 5 11 516 041 00 Larch GL, larch



Please order the slide separately

Please choose your add-on slide:

- (A) 5 40 101 101 31 GFRP iguana
- (B) 5 40 101 111 31 GFRP iguana & SSt coat
- (C) 5 40 101 121 00 Stainless steel



PH 145 cm  
PH 145 cm  
PH 145 cm





「**Worlds of  
experience close  
to nature!**」



Special about the eibe product line paradiso is its strong material – the wood of the robinia tree.

Due to its irregular structure, it not only looks appealing, but is also extremely hard and resilient. That is why products made of this special wood can withstand the stresses of playing for up to 50 years! Of course, the paradiso line offers a wide portfolio of products that turn every playground into a unique, natural world of experience. The playgrounds of this series fit perfectly into any natural environment and bring nature into urban space.





Natural, strong concepts and hugely exciting:  
**Inspirational playgrounds with  
an element of adventure!**

**Posts:**

Robinia oiled



**Posts:**

Robinia natural



**Slide:**

GFRP or stainless steel



- All fittings stainless steel

Climbing board &  
grips: Robinia




Belly board:  
Robinia, HPL



Fence element:  
Stainless steel, PE



Fine-link chain and  
swing joint: Stainless  
steel



**Splinter-free,  
naturally durable  
robinia core wood**



**Roofs:**  
Robinia



**Stepping surface:**  
HPL grooved



**Panels:**  
Robinia



**Nets, ropes:**  
Plastic-coated steel  
rope PES (6-stranded,  
glued)



**Rungs:**  
Stainless steel



**Platform structure:**  
Robinia



**Fireman's poles:**  
Stainless steel



# 「Surface variations」

**In addition to our proven coloured oiled robinia, our high-quality paradiso products are also available in completely untreated robinia wood.**

**Robinia  
natural**

As the name suggests, for this material variant we process only untreated robinia wood.



- Characteristic and natural wood
- Best ecological balance, 100% recyclable
- Unbeatable price-performance ratio

Consulting. Design. Cost effective.  
**CONSULTATIONS  
ON SITE**




Our robinia wood is refined with caring oils based on naturally grown raw materials – tested according to DIN EN 71-3.

Robinia oiled



- Perfect protection against solar radiation
- Coordinated colour concept with iguanagreen and brown tones
- Long warranty



### You want more colour?


Experiment with our large selection of new colour oils.



Colour families



Contrast



Complementary




eibe

85

# Diverse and exciting for the youngest: The motor skills stations by eibe!

The motor activity stations reflect different educational concepts like Fröbel, Pikler and others, which respect in particular the personality, individual skill and pace of each child. They encourage the self-initiative of the child and support independent activities. Every unit offers challenges with different degrees of difficulty. Depending on the skill level, each child can choose its own way through the course.




**paradiso**  
motor activity station **Amelie**

**Info box**

Minimum space: 452x390x220 cm  
Free falling height: 40 cm  
Impact protection net: 13,5 m<sup>2</sup>  
Foundations: 3x PFs

① 5 45 297 051 00    Robinia oiled  
5 45 297 061 00    Robinia natural




**paradiso**  
motor activity station **Alina**

**Info box**

Minimum space: 450x390x220 cm  
Free falling height: 40 cm  
Impact protection net: 13,0 m<sup>2</sup>  
Foundations: 3x PFs

① 5 45 296 051 00    Robinia oiled  
② 5 45 296 061 00    Robinia natural





### paradiso motor activity station Adrian

#### Info box


Minimum space: 464x390x220 cm

Free falling height: 40 cm

Impact protection net: 14,5 m<sup>2</sup>

Foundations: 2x PFs

- ① 5 45 298 051 00    Robinia oiled  
5 45 298 061 00    Robinia natural



### paradiso motor activity station Amu

#### Info box


Minimum space: 435x390x220 cm

Free falling height: 40 cm

Impact protection net: 13,0 m<sup>2</sup>

Foundations: 2x PFs

- ① 5 45 299 051 00    Robinia oiled  
5 45 299 061 00    Robinia natural



### paradiso motor activity station Abadi

#### Info box



Minimum space: 374x420x233 cm

Free falling height: 53 cm

Impact protection net: 12,0 m<sup>2</sup>

Foundations: 2x PFs

- ① 5 45 300 051 00    Robinia oiled  
5 45 300 061 00    Robinia natural



### paradiso motor activity station Annika

#### Info box


Minimum space: 477x390x220 cm

Free falling height: 40 cm

Impact protection net: 15,0 m<sup>2</sup>

Foundations: 2x PFs

- ① 5 45 295 051 00    Robinia oiled  
5 45 295 061 00    Robinia natural






### paradiso motor activity station Anton

#### Info box

Minimum space: 390x307x210 cm  
Free falling height: 30 cm  
Impact protection net: 10,0 m<sup>2</sup>  
Foundations: 2x PFs

① 5 45 294 051 00 Robinia oiled  
5 45 294 061 00 Robinia natural



Ø 14.6 cm

paradiso  
decorative flower Aster

5 45 301 050 00 HPL




### paradiso motor activity station Abbie

#### Info box

Minimum space: 390x311x247 cm  
Free falling height: 65 cm  
Impact protection net: 10,0 m<sup>2</sup>  
Foundations: 2x PFs


① 5 45 304 051 00 Robinia oiled  
5 45 304 061 00 Robinia natural



#### Info box

Minimum space: 390x307x180 cm  
Free falling height: -  
Impact protection net: 10,0 m<sup>2</sup>  
Foundations: 2x PFs

① 5 45 293 051 00 Robinia oiled  
5 45 293 061 00 Robinia natural





### paradiso play unit Fjrlar, solo

#### Info box


Minimum space: 758x551x275 cm

Free falling height: 95 cm

Impact protection net: 23,5 m<sup>2</sup>

Foundations: 11x CF

- ① 5 45 210 053 06    Robinia oiled  
② 5 45 210 063 00    Robinia natural



Please order the  
slide separately

Please choose your add-on slide:



- Ⓐ 5 40 185 101 31    GFRP iguana  
Ⓑ 5 40 185 111 31    GFRP iguana & SSt coat  
Ⓒ 5 40 185 121 00    Stainless steel






Scope of delivery deviates from the image



①




## paradiso play unit Ranjo

### Info box

Minimum space:	647x535x220 cm
Free falling height:	98 cm
Impact protection net:	28,0 m <sup>2</sup>
Foundations:	17x CF

① 5 45 244 053 06   **Robinia oiled**  
5 45 244 063 00   **Robinia natural**





Scope of delivery deviates from the image



### paradiso play unit Winja

#### Info box

Minimum space: 535x476x220 cm


Free falling height: 60 cm

Impact protection net: 21,0 m<sup>2</sup>

Foundations:

-

- ① 5 45 012 053 06    Robinia oiled  
② 5 45 012 063 00    Robinia natural





## playo play unit Linus, solo



### Info box

Minimum space: 951x942x405 cm

Free falling height: 173 cm

Impact protection net: 47,5 m<sup>2</sup>

Foundations: 17x CF or 17x PFs



**5 11 066 011 00** SW pi  
**5 11 066 031 00** Larch natural  
**① 5 11 066 041 00** Larch GL, larch

Please choose your add-on slides:



<b>(A) 5 40 186 101 22</b>	<b>GFRP grey</b>	<b>PH 60 cm</b>
<b>(B) 5 40 186 111 22</b>	<b>GFRP grey &amp; SSt coat</b>	<b>PH 60 cm</b>
<b>(C) 5 40 186 121 00</b>	<b>Stainless steel</b>	<b>PH 60 cm</b>
<b>(D) 5 40 104 101 22</b>	<b>GFRP grey</b>	<b>PH 145 cm</b>
<b>(E) 5 40 104 121 00</b>	<b>Stainless steel</b>	<b>PH 145 cm</b>





## playo play unit Winni, solo

### Info box



Minimum space: 868x741x325 cm

Free falling height: 145 cm

Impact protection net: 37,5 m<sup>2</sup>

Foundations: 12x CF or 12x PFs

- ① 5 11 011 011 10 SW pi
- 5 11 011 031 10 Larch natural
- ② 5 11 011 041 10 Larch GL, larch



Please order the  
slide ph 145 cm  
separately



Please choose your add-on slide:



- |                     |                      |           |
|---------------------|----------------------|-----------|
| (A) 5 40 186 101 22 | GFRP grey            | PH 60 cm  |
| (B) 5 40 186 111 22 | GFRP grey & SSt coat | PH 60 cm  |
| (C) 5 40 186 121 00 | Stainless steel      | PH 60 cm  |
| (A) 5 40 101 101 22 | GFRP grey            | PH 145 cm |
| (B) 5 40 101 111 22 | GFRP grey & SSt coat | PH 145 cm |
| (C) 5 40 101 121 00 | Stainless steel      | PH 145 cm |

Please order the  
slide ph 60 cm  
separately





Please order the  
slide separately



## playo play unit Nico, solo

### Info box



Minimum space: 744x696x325 cm

Free falling height: 145 cm

Impact protection net: 32,0 m<sup>2</sup>

Foundations: 11x CF or 11x PFs

- ① 5 11 014 011 10 SW pi
- 5 11 014 031 10 Larch natural
- ② 5 11 014 041 10 Larch GL, larch



Please choose your add-on slide:

- |                                   |  |           |
|-----------------------------------|--|-----------|
| Ⓐ 5 40 101 101 22 GFRP grey       | Ⓑ 5 40 101 111 22 GFRP grey & SST coat | PH 145 cm |
| Ⓒ 5 40 101 121 00 Stainless steel |  | PH 145 cm |





## playo play unit Robin, solo

### Info box




Minimum space: 1090x927x449 cm

Free falling height: 285 cm

Impact protection net: 63,5 m<sup>2</sup>

Foundations: 21x CF or 21x PFs

- ① 5 11 024 011 10 SW pi  
 5 11 024 031 10 Larch natural  
 ② 5 11 024 041 10 Larch GL, larch



Please choose your add-on slide:

- |  |           |
|--|-----------|
| Ⓐ 5 40 102 101 22 GFRP grey            | PH 195 cm |
| Ⓑ 5 40 102 111 22 GFRP grey & SSt coat | PH 195 cm |
| Ⓒ 5 40 102 121 00 Stainless steel      | PH 195 cm |





Please order the slide separately



## playo play unit Peggy, solo

### Info box

Minimum space: 863x628x325 cm

Free falling height: 173 cm


Impact protection net: 38,0 m<sup>2</sup>

Foundations: 14x CF or 14x PFs

**5 11 016 011 10 SW pi**

**5 11 016 031 10 Larch natural**

**① 5 11 016 041 10 Larch GL, larch**



Please choose your add-on slide:

**(A) 5 40 101 101 22 GFRP grey**

**(B) 5 40 101 111 22 GFRP grey & SST coat**

**(C) 5 40 101 121 00 Stainless steel**



**PH 145 cm**

**PH 145 cm**

**PH 145 cm**



Please order the slide separately

## playo play unit Tom, solo

### Info box



Minimum space: 1139x525x325 cm

Free falling height: 224 cm

Impact protection net: 42,5 m<sup>2</sup>

Foundations: 12x CF or 12x PFs

- ① 5 11 013 011 10 SW pi  
5 11 013 031 10 Larch natural  
② 5 11 013 041 10 Larch GL, larch



Please choose your add-on slide:

- |                   |                      |           |
|-------------------|----------------------|-----------|
| Ⓐ 5 40 101 101 22 | GFRP grey            | PH 145 cm |
| Ⓑ 5 40 101 111 22 | GFRP grey & SSt coat | PH 145 cm |
| Ⓒ 5 40 101 121 00 | Stainless steel      | PH 145 cm |





## playo play unit Maja, solo

### Info box

Minimum space: 933x746x399 cm

Free falling height: 285 cm



Impact protection net: 42,5 m<sup>2</sup>

Foundations: 11x CF or 11x PFs

**5 11 012 011 10 SW pi**

**5 11 012 031 10 Larch natural**

**① 5 11 012 041 10 Larch GL, larch**



Please choose your add-on slide:

**(A) 5 40 101 101 22 GFRP grey**

**(B) 5 40 101 111 22 GFRP grey & SST coat**

**(C) 5 40 101 121 00 Stainless steel**



Please order the slide separately



## playo play unit Anna, solo

### Info box

Minimum space: 798x507x325 cm

Free falling height: 145 cm




Impact protection net: 29,0 m<sup>2</sup>

Foundations: 9x CF or 9x PFs

**5 11 017 011 10 SW pi**

**5 11 017 031 10 Larch natural**

**① 5 11 017 041 10 Larch GL, larch**



Please order the slide separately

Please choose your add-on slide:

**(A) 5 40 101 101 22 GFRP grey**

**(B) 5 40 101 111 22 GFRP grey & SST coat**

**(C) 5 40 101 121 00 Stainless steel**

**PH 145 cm**

**PH 145 cm**

**PH 145 cm**



## playo play unit Ella, solo

### Info box

Minimum space: 906x758x342 cm

Free falling height: 285 cm



Impact protection net: 46,5 m<sup>2</sup>

Foundations: 12x CF or 12x PFs

① 5 11 015 011 10 SW pi

② 5 11 015 031 10 Larch nature

③ 5 11 015 041 10 Larch GL, larch



Please choose your add-on slide:

Ⓐ 5 40 101 101 22 GFRP grey

Ⓑ 5 40 101 111 22 GFRP grey & SSt coat

Ⓒ 5 40 101 121 00 Stainless steel



PH 145 cm  
PH 145 cm  
PH 145 cm





## playo play unit Nele

### Info box



Minimum space: 731x599x325 cm

Free falling height: 285 cm

Impact protection net: 32,5 m<sup>2</sup>

Foundations: 11x CF or 11x PFs

**5 11 034 011 10 SW pi**  
**5 11 034 031 10 Larch natural**  
**① 5 11 034 041 10 Larch GL, larch**



## playo play unit Thea, solo

### Info box

Minimum space: 1066x887x325 cm

Free falling height: 285 cm

Impact protection net: 62,5 m<sup>2</sup>

Foundations: 23x CF or 23x PFs



**5 11 023 011 10 SW pi**  
**5 11 023 031 10 Larch natural**  
**① 5 11 023 041 10 Larch GL, larch**

Please choose your add-on slide:

**(A) 5 40 104 101 22 GFRP grey**  
**(B) 5 40 104 121 00 Stainless steel**



**PH 145 cm**  
**PH 145 cm**





## playo play unit Carl, solo

### Info box

Minimum space: 1244x832x375 cm

Free falling height: 285 cm



Impact protection net: 57,0 m<sup>2</sup>

Foundations: 16x CF or 16x PFs

① 5 11 019 011 10 SW pi

5 11 019 031 10 Larch nature

① 5 11 019 041 10 Larch GL, larch



Please choose your add-on slides:



- |                   |                      |           |
|-------------------|----------------------|-----------|
| Ⓐ 5 40 185 101 22 | GFRP grey            | PH 95 cm  |
| Ⓑ 5 40 185 111 22 | GFRP grey & SSt coat | PH 95 cm  |
| Ⓒ 5 40 185 121 00 | Stainless steel      | PH 95 cm  |
| Ⓐ 5 40 102 101 22 | GFRP grey            | PH 195 cm |
| Ⓑ 5 40 102 111 22 | GFRP grey & SSt coat | PH 195 cm |
| Ⓒ 5 40 102 121 00 | Stainless steel      | PH 195 cm |





## playo play unit Luca, solo

### Info box



Minimum space: 966x714x382 cm

Free falling height: 145 cm

Impact protection net: 42,0 m<sup>2</sup>


Foundations: 13x CF or 13x PFs

**5 11 020 011 10 SW pi**  
**5 11 020 031 10 Larch natural**  
**5 11 020 041 10 Larch GL, larch**



Please choose your add-on slide:

**A 5 40 104 101 22 GFRP grey**  
**B 5 40 104 121 00 Stainless steel**



PH 145 cm  
PH 145 cm



### playo play unit Sam, solo

#### Info box

Minimum space: 998x973x332 cm

Free falling height: 173 cm



Impact protection net: 59,5 m<sup>2</sup>

Foundations: 22x CF or 22x PFs

5 11 022 011 10 SW pi

5 11 022 031 10 Larch natural

① 5 11 022 041 10 Larch GL, larch



Please choose your add-on slide:

- Ⓐ 5 40 104 101 22 GFRP grey  
Ⓑ 5 40 104 121 00 Stainless steel



PH 145 cm  
PH 145 cm





**3+**

## playo play unit Till, solo

### Info box



Minimum space: 1053x952x357 cm

Free falling height: 285 cm

Impact protection net: 62,0 m<sup>2</sup>

Foundations: 19x CF or 17x PFs + 2x CF

① 5 11 021 011 10 SW pi  
5 11 021 031 10 Larch natural  
① 5 11 021 041 10 Larch GL, larch



Please choose your add-on slide:

- Ⓐ 5 40 101 101 22 GFRP grey
- Ⓑ 5 40 101 111 22 GFRP grey & SST coat
- Ⓒ 5 40 101 121 00 Stainless steel



PH 145 cm  
PH 145 cm  
PH 145 cm



### playo play unit Tara

#### Info box

Minimum space: 825x728x382 cm

Free falling height: 224 cm



Impact protection net: 42,0 m<sup>2</sup>

Foundations: 16x CF or 14x PFs + 2x CF

① 5 11 018 011 10 SW pi

5 11 018 031 10 Larch natural

① 5 11 018 041 10 Larch GL, larch





## playo play unit Elsa, solo

### Info box

Minimum space: 1486x1121x357 cm

Free falling height: 145 cm



Impact protection net: 83,5 m<sup>2</sup>

Foundations: 36x CF or 34x PFs

**5 11 025 011 10 SW pi**

**5 11 025 031 10 Larch nature**

**① 5 11 025 041 10 Larch GL, larch**



Please choose your add-on slide:



- (A) 5 40 101 101 22 GFRP grey PH 145 cm
- (B) 5 40 101 111 22 GFRP grey & SSt coat PH 145 cm
- (C) 5 40 101 121 00 Stainless steel PH 145 cm

Please choose one of these pumps:

- (D) 5 66 290 0 Stainless steel
- (E) 5 57 051 0 Grey-cast



## playo play unit Max, solo

### Info box


Minimum space: 1850x1188x407 cm  
Free falling height: 285 cm  
Impact protection net: 119,5 m<sup>2</sup>  
Foundations: 51x CF or 46x PFs + 1x CF

- ① 5 11 002 011 10 SW pi  
5 11 002 031 10 Larch natural  
② 5 11 002 041 10 Larch GL, larch




Please order the slide ph 145 cm separately

②



Please order the pump separately!



Please choose your add-on slides:



- |  |           |
|--|-----------|
| Ⓐ 5 40 104 101 22 GFRP grey            | PH 145 cm |
| Ⓑ 5 40 104 121 00 Stainless steel      | PH 145 cm |
| Ⓒ 5 40 102 101 22 GFRP grey            | PH 195 cm |
| Ⓓ 5 40 102 111 22 GFRP grey & SSt coat | PH 195 cm |
| Ⓔ 5 40 102 121 00 Stainless steel      | PH 195 cm |

Please choose one of these pumps:

- |                              |
|------------------------------|
| Ⓕ 5 66 290 0 Stainless steel |
| Ⓖ 5 57 051 0 Grey-cast       |





## playo play unit Marlon

### Info box

Minimum space: 597x484x375 cm

Free falling height: 221 cm



Impact protection net: 23,0 m<sup>2</sup>

Foundations: 8x CF or 8x PFs

**5 11 061 011 00 SW pi**

**5 11 061 031 00 Larch natural**

**① 5 11 061 041 00 Larch GL, larch**



## playo play unit Marco

### Info box

Minimum space: 801x687x375 cm

Free falling height: 221 cm



Impact protection net: 43,5 m<sup>2</sup>

Foundations: 10x CF or 8x PFs + 2x CF

**5 11 062 011 00 SW pi**

**5 11 062 031 00 Larch natural**

**① 5 11 062 041 00 Larch GL, larch**





## playo play unit Martin, solo

### Info box



Minimum space: 966x895x375 cm

Free falling height: 195 cm

Impact protection net: 53,0 m<sup>2</sup>

Foundations: 9x CF or 7x PFs + 2x CF

- ① 5 11 063 011 00 SW pi  
5 11 063 031 00 Larch natural  
5 11 063 041 00 Larch GL, larch



Please choose your add-on slide:

- Ⓐ 5 40 102 101 22 GFRP grey PH 195 cm  
Ⓑ 5 40 102 111 22 GFRP grey & SST coat PH 195 cm  
Ⓒ 5 40 102 121 00 Stainless steel PH 195 cm





## ecorino slide ascent PH 145, solo

### Info box

Minimum space: 698x374x325 cm

Free falling height: 145 cm



Impact protection net: 21,5 m<sup>2</sup>

Foundations: 4x CF or 4x PFs

① 5 11 501 011 00 SW pi

① 5 11 501 031 00 Larch natural

5 11 501 041 00 Larch GL, larch



①



Please order the  
slide separately



Please choose your add-on slide:

Ⓐ 5 40 101 101 31 GFRP iguana PH 145 cm

Ⓑ 5 40 101 111 31 GFRP iguana & SSt coat PH 145 cm

Ⓒ 5 40 101 121 00 Stainless steel PH 145 cm



## ecorino play unit Frankenwarte, solo

### Info box

Minimum space: 919x695x342 cm

Free falling height: 145 cm

Impact protection net: 37,0 m<sup>2</sup>



Foundations: 13x CF or 12x PFs

① 5 11 534 011 00 SW pi

① 5 11 534 031 00 Larch natural

5 11 534 041 00 Larch GL, larch

Please order the  
slide separately



①



For hill installation with  
1 m height difference



Please choose your add-on slide:

Ⓐ 5 40 101 101 31 GFRP iguana PH 145 cm

Ⓑ 5 40 101 111 31 GFRP iguana & SSt coat PH 145 cm

Ⓒ 5 40 101 121 00 Stainless steel PH 145 cm



On request, all wooden posts are available in metal – please contact us.



### ecorino play unit Manaslu, solo

#### Info box



Minimum space: 1132x499x375 cm

Free falling height: 145 cm

Impact protection net: 41,0 m<sup>2</sup>

Foundations: 12x CF or 12x PFs

- ① 5 11 522 011 00 SW pi  
① 5 11 522 031 00 Larch natural  
① 5 11 522 041 00 Larch GL, larch



Please choose your add-on slide:

- A 5 40 101 101 31 GFRP iguana PH 145 cm  
B 5 40 101 111 31 GFRP iguana & SSt coat PH 145 cm  
C 5 40 101 121 00 Stainless steel PH 145 cm





**3+**

### ecorino play unit Monte Viso, solo

#### Info box



Minimum space: 797x699x371 cm

Free falling height: 145 cm

Impact protection net: 37,0 m<sup>2</sup>

Foundations: 11x CF or 11x PFs

① 5 11 503 011 00 SW pi  
① 5 11 503 031 00 Larch natural  
① 5 11 503 041 00 Larch GL, larch



Please order the slide separately



Please choose your add-on slide:

- |  |           |
|--|-----------|
| Ⓐ 5 40 101 101 31 GFRP iguana            | PH 145 cm |
| Ⓑ 5 40 101 111 31 GFRP iguana & SSt coat | PH 145 cm |
| Ⓒ 5 40 101 121 00 Stainless steel        | PH 145 cm |





### ecorino play unit Eiger, solo

#### Info box

Minimum space: 774x493x350 cm

Free falling height: 173 cm



Impact protection net: 27,0 m<sup>2</sup>

Foundations: 8x CF or 8x PFs

① 5 11 504 011 00 SW pi

② 5 11 504 031 00 Larch natural

③ 5 11 504 041 00 Larch GL, larch



Please choose your add-on slide:

Ⓐ 5 40 101 101 31 GFRP iguana

Ⓑ 5 40 101 111 31 GFRP iguana & SSt coat

Ⓒ 5 40 101 121 00 Stainless steel



PH 145 cm

PH 145 cm

PH 145 cm



①



Please order the  
slide separately



### ecorino play unit Watzmann, solo

#### Info box



Minimum space: 851x594x375 cm

Free falling height: 145 cm

Impact protection net: 33,5 m<sup>2</sup>

Foundations: 10x CF or 2x CF + 8x PFs

**5 11 525 011 00** SW pi  
**① 5 11 525 031 00** Larch natural  
**5 11 525 041 00** Larch GL, larch



Please choose your add-on slide:

- Ⓐ 5 40 101 101 31 GFRP iguana
- Ⓑ 5 40 101 111 31 GFRP iguana & SSt coat
- Ⓒ 5 40 101 121 00 Stainless steel



PH 145 cm  
PH 145 cm  
PH 145 cm



On request, all wooden posts are available in metal – please contact us.



### ecorino play unit Mount Kenya, solo

#### Info box

Minimum space: 906x759x375 cm

Free falling height: 285 cm



Impact protection net: 46,5 m<sup>2</sup>

Foundations: 12x CF or 12x PFs

5 11 524 011 00 SW pi

① 5 11 524 031 00 Larch natural

5 11 524 041 00 Larch GL, larch



Please choose your add-on slide:



- |                   |                        |           |
|-------------------|------------------------|-----------|
| Ⓐ 5 40 101 101 31 | GFRP iguana            | PH 145 cm |
| Ⓑ 5 40 101 111 31 | GFRP iguana & SSt coat | PH 145 cm |
| Ⓒ 5 40 101 121 00 | Stainless steel        | PH 145 cm |



①



## ecorino play unit Mount Meru, solo

### Info box

Minimum space: 1132x807x346 cm

Free falling height: 145 cm



Impact protection net: 66,0 m<sup>2</sup>

Foundations: 22x CF or 22x PFs

5 11 523 011 00 SW pi

① 5 11 523 031 00 Larch natural

5 11 523 041 00 Larch GL, larch



Please order the slide  
ph 145 cm separately

Please choose your add-on slides:



(A) 5 40 185 101 31	GFRP iguana	PH 95 cm
(B) 5 40 185 111 31	GFRP iguana & SSt coat	PH 95 cm
(C) 5 40 185 121 00	Stainless steel	PH 95 cm
(A) 5 40 101 101 31	GFRP iguana	PH 145 cm
(B) 5 40 101 111 31	GFRP iguana & SSt coat	PH 145 cm
(C) 5 40 101 121 00	Stainless steel	PH 145 cm

Please order the  
slide ph 95 cm  
separately!



On request, all wooden posts are available in metal – please contact us.



### ecorino play unit Belavista, solo

#### Info box



Minimum space: 927x750x360 cm

Free falling height: 235 cm

Impact protection net: 42,5 m<sup>2</sup>

Foundations: 13x CF or 13x PFs

- ① 5 11 505 011 00 SW pi
- ② 5 11 505 031 00 Larch natural
- 5 11 505 041 00 Larch GL, larch



Please choose your add-on slide:

- Ⓐ 5 40 101 101 31 GFRP iguana PH 145 cm
- Ⓑ 5 40 101 111 31 GFRP iguana & SSt coat PH 145 cm
- Ⓒ 5 40 101 121 00 Stainless steel PH 145 cm





### ecorino play unit Ben Nevis, solo

#### Info box


Minimum space: 998x973x346 cm

Free falling height: 145 cm

Impact protection net: 59,0 m<sup>2</sup>


Foundations: 23x CF or 21x PFs

① 5 11 526 011 00 SW pi  
5 11 526 031 00 Larch natural  
5 11 526 041 00 Larch GL, larch



Please choose your add-on slides:

Ⓐ 5 40 104 101 31 GFRP iguana PH 145 cm  
Ⓑ 5 40 104 121 00 Stainless steel PH 145 cm



On request, all wooden posts are available in metal – please contact us.



①



Please order the slide  
ph 95 cm separately!

Please order the  
slide ph 145 cm  
separately



### ecorino play unit Alvier, solo

#### Info box

Minimum space: 1053x1027x375 cm

Free falling height: 235 cm



Impact protection net: 68,0 m<sup>2</sup>

Foundations: 24x CF or 23x PFs

① 5 11 527 011 00 SW pi

5 11 527 031 00 Larch natural

5 11 527 041 00 Larch GL, larch



Please choose your  
add-on slides:



Ⓐ 5 40 185 101 31	GFRP iguana	PH 95 cm
Ⓑ 5 40 185 111 31	GFRP iguana & SST coat	PH 95 cm
Ⓒ 5 40 185 121 00	Stainless steel	PH 95 cm
Ⓓ 5 40 104 101 31	GFRP iguana	PH 145 cm
Ⓔ 5 40 104 121 00	Stainless steel	PH 145 cm





### ecorino play unit Makalu, solo

#### Info box



Minimum space: 1041x724x404 cm

Free falling height: 195 cm

Impact protection net: 46,5 m<sup>2</sup>

Foundations: 20x CF or 18x PFs + 2x CF

- ① 5 11 509 011 00 SW pi
- ② 5 11 509 031 00 Larch natural
- 5 11 509 041 00 Larch GL, larch



Please choose your add-on slide:

- 5 58 666 101 31 GFRP iguana



PH 195 cm



On request, all wooden posts are available in metal – please contact us.





### unique play unit Mina, solo

#### Info box


Minimum space: 640x506x339 cm

Free falling height: 95 cm

Impact protection net: 22,0 m<sup>2</sup>

Foundations: 8x CF or 8x PFs


- ① 5 25 092 011 00 SW pi
- 5 25 092 031 00 Larch nature
- 5 25 092 041 00 Larch GL, larch
- 5 25 092 041 06 Larch GL green, Larch



Please order the slide separately!

Illustration shows post in galvanised steel

Please choose your add-on slide:



- (A) 5 40 185 101 31 GFRP iguana
- (B) 5 40 185 111 31 GFRP iguana & SSt coat
- (C) 5 40 185 121 00 Stainless steel

PH 95 cm  
PH 95 cm  
PH 95 cm



### unique play unit Lesla, solo

#### Info box



Minimum space: 848x492x337 cm

Free falling height: 145 cm

Impact protection net: 28,0 m<sup>2</sup>

Foundations: 7x CF or 7x PFs

- 5 25 070 011 00 SW pi
- 5 25 070 031 00 Larch nature
- ① 5 25 070 041 00 Larch GL, larch
- 5 25 070 041 06 Larch GL green, Larch



Please order  
the slide  
separately!

Please choose your add-on slide:



- (A) 5 40 101 101 31 GFRP iguana
- (B) 5 40 101 111 31 GFRP iguana & SSt coat
- (C) 5 40 101 121 00 Stainless steel

PH 145 cm  
PH 145 cm  
PH 145 cm



On request, all wooden posts are available in metal – please contact us.




Please order the slide separately

### unique play unit Lythea, solo

#### Info box

Minimum space:	781x881x466 cm
Free falling height:	95 cm
Impact protection net:	39,0 m <sup>2</sup>
Foundations:	12x CF or 11x PFs + 1x Cf

① 5 25 149 011 00	SW pi
5 25 149 031 00	Larch natural
① 5 25 149 041 00	Larch GL, larch
5 25 149 041 06	Larch GL green, larch



Please choose your add-on slides:

Ⓐ 5 40 104 101 31	GFRP iguana	PH 145 cm
Ⓑ 5 40 104 121 00	Stainless steel	PH 145 cm





Please order the slide  
separately!



### unique play unit Ofelia, solo

#### Info box



Minimum space: 885x944x419 cm

Free falling height: 145 cm

Impact protection net: 50,0 m<sup>2</sup>

Foundations: 19x CF or 19x PFs

**5 25 069 011 00** SW pi  
**5 25 069 031 00** Larch nature  
**5 25 069 041 00** Larch GL, larch  
**5 25 069 041 06** Larch GL green, Larch



Please choose your add-on slide:

- |                            |             |                            |                        |                            |                 |                  |                  |                  |
|----------------------------|-------------|----------------------------|------------------------|----------------------------|-----------------|------------------|------------------|------------------|
| <b>(A) 5 40 101 101 31</b> | GFRP iguana | <b>(B) 5 40 101 111 31</b> | GFRP iguana & SST coat | <b>(C) 5 40 101 121 00</b> | Stainless steel | <b>PH 145 cm</b> | <b>PH 145 cm</b> | <b>PH 145 cm</b> |
|----------------------------|-------------|----------------------------|------------------------|----------------------------|-----------------|------------------|------------------|------------------|





「Playfully meet the  
motoric challenges.」




With our climbo brand children will outgrow themselves – alone or together in a team. Every child will choose his own way whether the easier path or the ascent that takes all the body strength. Decisive are the individual skills and risk tolerance of each individual.

One aspect remains certain: whatever the choice will be, it is a great excitement!



“Go your own way!”

# Stay safe while climbing.



**Posts:**  
Softwood  
pressure-impregnated



Larch natural



Larch GL oiled




**Curver:**  
Stainless steel,  
Rubber PAK- free



**Lounge band:**  
Rubber fabric



**Nets, ropes:**  
Plastic-coated steel rope  
PES (6-stranded, glued)



**Post shoes:**  
Steel galvanised



**Fireman's poles/slide rail:**  
Stainless steel



**Junctions:**  
Stainless steel





① Swirls add dynamics  
and speed into play!



### climbo climbing structure Yuki

#### Info box


Minimum space: 771x494x362 cm

Free falling height: 130 cm

Impact protection net: 28,5 m<sup>2</sup>

Foundations: 6x CF or 5x PFI + 1 CF

① 5 25 908 011 00 SW pi  
5 25 908 031 00 Larch natural  
5 25 908 041 00 Larch GL





## climbo climbing structure small Aron

### Info box

Minimum space: 546x503x385 cm

Free falling height: 163 cm



Impact protection net: 19,0 m<sup>2</sup>

Foundations: 5x CF or 5x PFs

① 5 25 900 011 00 SW pi

5 25 900 031 00 Larch natural

② 5 25 900 041 00 Larch GL



## climbo climbing structure Terion

### Info box

Minimum space: 734x719x350 cm

Free falling height: 145 cm

Impact protection net: 35,0 m<sup>2</sup>




Foundations: 4x CF

① 5 25 065 011 00 SW pi

5 25 065 031 00 Larch nature

② 5 25 065 041 00 Larch GL

5 25 065 041 06 Larch GL green



Steel galvanized



Steel powder



Stainless steel

On request, all wooden posts are available in metal – please contact us.



### climbo climbing structure Riku

#### Info box




Minimum space: 1136x870x378 cm

Free falling height: 268 cm

Impact protection net: 57,5 m<sup>2</sup>

Foundations: 13x CF or 10x PFI + 1x PFs

- ① 5 25 914 011 00 SW pi  
② 5 25 914 031 00 Larch natural  
② 5 25 914 041 00 Larch GL



### climbo climbing structure medium Nerea

#### Info box




Minimum space: 796x692x394 cm

Free falling height: 214 cm

Impact protection net: 36,0 m<sup>2</sup>

Foundations: 11x CF or 6x PFI + 3x PFs

- ① 5 25 901 011 00 SW pi  
② 5 25 901 031 00 Larch natural  
② 5 25 901 041 00 Larch GL





## paradiso play unit Lasse, solo

### Info box



Minimum space: 676x427x358 cm

Free falling height: 95 cm

Impact protection net: 22,0 m<sup>2</sup>

Foundations: 6x CF

- ① 5 45 309 053 06 **Robinia oiled**  
 5 45 309 063 00 **Robinia natural**



Please choose your add-on slide:

- |                   |                        |          |
|-------------------|------------------------|----------|
| Ⓐ 5 40 185 101 31 | GFRP iguana            | PH 95 cm |
| Ⓑ 5 40 185 111 31 | GFRP iguana & SSt coat | PH 95 cm |
| Ⓒ 5 40 185 121 00 | Stainless steel        | PH 95 cm |



Please order the  
slide separately



## paradiso play unit Dirk, solo

### Info box



Minimum space: 835x420x325 cm

Free falling height: 145 cm

Impact protection net: 27,5 m<sup>2</sup>

Foundations: 6x CF

- ① 5 45 310 053 06 **Robinia oiled**  
 5 45 310 063 00 **Robinia natural**



Please choose your add-on slide:

- |                   |                        |           |
|-------------------|------------------------|-----------|
| Ⓐ 5 40 101 101 31 | GFRP iguana            | PH 145 cm |
| Ⓑ 5 40 101 111 31 | GFRP iguana & SSt coat | PH 145 cm |
| Ⓒ 5 40 101 121 00 | Stainless steel        | PH 145 cm |



Please order the  
slide separately



### paradiso play unit Ramon, solo

#### Info box

Minimum space: 835x598x325 cm

Free falling height: 145 cm



Impact protection net: 30,5 m<sup>2</sup>

Foundations: 9x CF

- ① 5 45 311 053 06 Robinia oiled  
 ② 5 45 311 063 00 Robinia natural



Please order the slide separately



Please choose your add-on slide:



A PH 145 cm  
 B PH 145 cm  
 C PH 145 cm



### paradiso play unit Kimi, solo

#### Info box



Minimum space: 835x511x387 cm

Free falling height: 145 cm

Impact protection net: 29,0 m<sup>2</sup>

Foundations: 7x CF

- ① 5 45 312 053 06 Robinia oiled  
 ② 5 45 312 063 00 Robinia natural



Please order the slide separately



Please choose your add-on slide:

- A 5 40 101 101 31 GFRP iguana PH 145 cm  
 B 5 40 101 111 31 GFRP iguana & SST coat PH 145 cm  
 C 5 40 101 121 00 Stainless steel PH 145 cm





## paradiso play unit Antje, solo

### Info box


Minimum space: 800x720x387 cm

Free falling height: 145 cm

Impact protection net: 39,0 m<sup>2</sup>

Foundations: 11x CF

- ① 5 45 313 053 06 Robinia oiled  
② 5 45 313 063 00 Robinia natural



Please choose your add-on slide:



- PH 145 cm  
PH 145 cm  
PH 145 cm

- A GFRP iguana  
B GFRP iguana & SSt coat  
C Stainless steel



## paradiso play unit Saskia, solo

### Info box


Minimum space: 742x680x377 cm

Free falling height: 145 cm

Impact protection net: 28,5 m<sup>2</sup>

Foundations: 8x CF

- ① 5 45 314 053 06 Robinia oiled  
② 5 45 314 063 00 Robinia natural



Please choose your add-on slide:



- PH 145 cm  
PH 145 cm  
PH 145 cm

- A GFRP iguana  
B GFRP iguana & SSt coat  
C Stainless steel



### paradiso play unit Agneta, solo

#### Info box


Minimum space: 701x689x365 cm

Free falling height: 95 cm

Impact protection net: 26,0 m<sup>2</sup>

Foundations: 8x CF

- ① 5 45 323 053 06    Robinia oiled  
② 5 45 323 063 00    Robinia natural



Please choose your add-on slide:

- |                   |                        |          |
|-------------------|------------------------|----------|
| Ⓐ 5 40 185 101 31 | GFRP iguana            | PH 95 cm |
| Ⓑ 5 40 185 111 31 | GFRP iguana & SSt coat | PH 95 cm |
| Ⓒ 5 40 185 121 00 | Stainless steel        | PH 95 cm |



Please order the  
slide separately





### paradiso play unit Magnus, solo

#### Info box

Minimum space: 963x744x417 cm



Free falling height: 145 cm

Impact protection net: 51,0 m<sup>2</sup>

Foundations: 16x CF


**5 45 316 053 06      Robinia oiled**

**5 45 316 063 00      Robinia natural**




Please choose your add-on slide:

- |                     |                        |
|---------------------|------------------------|
| (A) 5 40 101 101 31 | GFRP iguana            |
| (B) 5 40 101 111 31 | GFRP iguana & SST coat |
| (C) 5 40 101 121 00 | Stainless steel        |



- |           |
|-----------|
| PH 145 cm |
| PH 145 cm |
| PH 145 cm |

Please order the  
slide separately



Please order the  
slide separately



### paradiso play unit Levi, solo

#### Info box



Minimum space: 852x646x275 cm

Free falling height: 95 cm

Impact protection net: 38,0 m<sup>2</sup>

Foundations: 12x CF

- ① 5 45 321 053 06    Robinia oiled  
5 45 321 063 00    Robinia natural



Please choose your add-on slide:

- A 5 40 185 101 31    GFRP iguana    PH 95 cm  
B 5 40 185 111 31    GFRP iguana & SSt coat    PH 95 cm  
C 5 40 185 121 00    Stainless steel    PH 95 cm



①



Scope of delivery deviates from the image



①

## paradiso play unit Marja, solo

### Info box


Minimum space: 815x575x350 cm

Free falling height: 145 cm

Impact protection net: 33,5 m<sup>2</sup>

Foundations: 8x CF

① 5 45 198 053 06    **Robinia oiled**  
 5 45 198 063 00    **Robinia natural**



Please choose your add-on slide:



- |                   |                        |           |
|-------------------|------------------------|-----------|
| Ⓐ 5 40 101 101 31 | GFRP iguana            | PH 145 cm |
| Ⓑ 5 40 101 111 31 | GFRP iguana & SSt coat | PH 145 cm |
| Ⓒ 5 40 101 121 00 | Stainless steel        | PH 145 cm |

Please order the  
slide separately



Scope of delivery deviates from the image



## paradiso play unit Milam, solo

### Info box



Minimum space: 940x900x325 cm

Free falling height: 145 cm

Impact protection net: 65,0 m<sup>2</sup>

Foundations: 16x CF

- ① 5 45 204 053 06    Robinia oiled  
5 45 204 063 00    Robinia natural



Please choose your add-on slide:



- Ⓐ 5 40 101 101 31    GFRP iguana  
Ⓑ 5 40 101 111 31    GFRP iguana & SSt coat  
Ⓒ 5 40 101 121 00    Stainless steel



Order directly from us at +49 9338 89-0 or shop.eibe.net



Please order the slide separately



### paradiso play unit Carin, solo

#### Info box



Minimum space: 951x865x379 cm

Free falling height: 145 cm

Impact protection net: 55,0 m<sup>2</sup>

Foundations: 19x CF

- ① 5 45 326 053 06    Robinia oiled  
 ② 5 45 326 063 00    Robinia natural



Please choose your add-on slide:

- |                   |                        |           |
|-------------------|------------------------|-----------|
| Ⓐ 5 40 101 101 31 | GFRP iguana            | PH 145 cm |
| Ⓑ 5 40 101 111 31 | GFRP iguana & SSt coat | PH 145 cm |
| Ⓒ 5 40 101 121 00 | Stainless steel        | PH 145 cm |



**NEW**

### paradiso play unit Andor, solo

## Info box



Minimum space: 1029x543x448 cm

Free falling height: 218 cm

Impact protection net: 52,5 m<sup>2</sup>

Foundations: 9x CF

- ① 5 45 368 053 06 Robinia oiled  
 5 45 368 063 00 Robinia natural



Please order the slide separately

## Please choose your add-on slide:

- |  |           |  |
|--|-----------|--|
|  |           |  |
| (A) 5 40 101 101 31 GFRP iguana            | PH 145 cm |  |
| (B) 5 40 101 111 31 GFRP iguana & SSt coat | PH 145 cm |  |
| (C) 5 40 101 121 00 Stainless steel        | PH 145 cm |  |

**NEW**

### paradiso play unit Bent, solo

## Info box



Minimum space: 1073x1054x470 cm

Free falling height: 145 cm

Impact protection net: 107,5 m<sup>2</sup>

Foundations: 13x CF

- ① 5 45 369 053 06 Robinia oiled  
 5 45 369 063 00 Robinia natural



Please order the slide separately



## Please choose your add-on slide:

- |  |           |  |
|--|-----------|--|
|  |           |  |
| (A) 5 40 101 101 31 GFRP iguana            | PH 145 cm |  |
| (B) 5 40 101 111 31 GFRP iguana & SSt coat | PH 145 cm |  |
| (C) 5 40 101 121 00 Stainless steel        | PH 145 cm |  |





**NEW**



### paradiso play unit Nanna, solo

#### Info box



Minimum space: 1220x945x452 cm

Free falling height: 145 cm

Impact protection net: 105,5 m<sup>2</sup>

Foundations: 25x CF

① 5 45 370 053 06    **Robinia oiled**  
⑤ 45 370 063 00    **Robinia natural**



Please order the  
slide separately

Please choose your add-on slide:



- |                     |                        |           |
|---------------------|------------------------|-----------|
| (A) 5 40 101 101 31 | GFRP iguana            | PH 145 cm |
| (B) 5 40 101 111 31 | GFRP iguana & SSt coat | PH 145 cm |
| (C) 5 40 101 121 00 | Stainless steel        | PH 145 cm |



**「All aboard,  
close the doors and off  
you go on a fun ride!」**








playo®



「The little train takes  
us on its journey over  
mountains and valleys!」







Little conductors operate the instruments and ring the bell for departure.





Wobbly bridge with axis tilted in two directions brings special balancing fun!



## playo train Mountains and Valleys, solo

### Info box

Minimum space: 1906x615x340 cm

Free falling height: 160 cm

Impact protection net: 79,5 m<sup>2</sup>

Foundations: 32x PFs or 32x CF

5 11 805 011 00 SW pi

5 11 805 031 00 larch natural

① 5 11 805 041 00 larch GL, larch

Please choose your add-on slides:



- |                     |                      |          |
|---------------------|----------------------|----------|
| (A) 5 40 186 101 22 | GFRP grey            | PH 60 cm |
| (B) 5 40 186 111 22 | GFRP grey & SSt coat | PH 60 cm |
| (C) 5 40 186 121 00 | Stainless steel      | PH 60 cm |






**① playo  
large train Locomotive**

**Info box**

Minimum space: 500x425x265 cm  
Free falling height: 85 cm  
Impact protection net: 19,5 m<sup>2</sup>  
Foundations: -

**5 59 116 0 SW pi**




**② playo  
large train Tender**

**Info box**

Minimum space: 500x425x209 cm  
Free falling height: 29 cm  
Impact protection net: 19,5 m<sup>2</sup>  
Foundations: -

**5 59 117 0 SW pi**




**③ playo  
large train Wagon**

**Info box**

Minimum space: 500x425x182 cm  
Free falling height: 59 cm  
Impact protection net: 19,5 m<sup>2</sup>  
Foundations: -

**5 59 118 0 SW pi**




**playo  
chain-linked train**

**Info box**

Minimum space: 700x360x237 cm  
Free falling height: 57 cm  
Impact protection net: -  
Foundations: -

**5 59 079 0 SW pi**





- Find more spring rockers from page 324



### Spring rocker Elephant

#### Info box

Minimum space: 320x250x233 cm


Free falling height: 53 cm

Impact protection net: 6,5 m<sup>2</sup>

Foundations: 1x 5632280 + 1x CF

5 67 239 0

PE



### Spring rocker Giraffe

#### Info box

Minimum space: 370x250x233 cm


Free falling height: 53 cm

Impact protection net: 8,5 m<sup>2</sup>

Foundations: 1x 5632280 + 1x CF

5 67 240 0

PE



### Spring rocker Brown bear

#### Info box

Minimum space: 320x250x233 cm


Free falling height: 53 cm

Impact protection net: 6,5 m<sup>2</sup>

Foundations: 1x 5632280 + 1x CF

5 67 238 0

PE





## playo multi-spring rocker Sand raft

### Info box


Minimum space: 470x404x253 cm

Free falling height: 52 cm

Impact protection net: 17,0 m<sup>2</sup>

Foundations: 4x 5632280 + 4x CF

**5 67 122 0 SW pi**



## playo Rowing boat

### Info box


Minimum space: 560x385x240 cm

Free falling height: 60 cm

Impact protection net: -

Foundations: -

**5 59 113 0 SW pi**





Please order the  
slide separately



### playo playing ship Ark, solo

#### Info box



Minimum space: 1010x690x358 cm

Free falling height: 145 cm

Impact protection net: 59,5 m<sup>2</sup>

Foundations: 23x CF or 21x PFs

① 5 11 800 011 00 SW pi  
① 5 11 800 041 00 Larch GL, larch




Please choose your add-on slide:

- Ⓐ 5 40 101 101 22 GFRP grey
- Ⓑ 5 40 101 111 22 GFRP grey & SST coat
- Ⓒ 5 40 101 121 00 Stainless steel



PH 145 cm  
PH 145 cm  
PH 145 cm





## playo log wagon Ludwig



### Info box

Minimum space: 471x376x260 cm

Free falling height: 80 cm

Impact protection net: 16,0 m<sup>2</sup>

Foundations: 4x CF or 4x PFs



- ① 5 11 051 011 00 SW pi
- 5 11 051 031 00 Larch natural
- 5 11 051 041 00 Larch GL, larch



## playo tank wagon Tobias


### Info box

Minimum space: 482x400x225 cm

Free falling height: 120 cm

Impact protection net: 17,5 m<sup>2</sup>

Foundations: 4x CF or 4x PFs



- ① 5 11 050 011 00 SW pi
- 5 11 050 031 00 Larch natural
- 5 11 050 041 00 Larch GL, larch



**playo  
hay wagon Lukas**

**Info box**



Minimum space: 471x376x225 cm

Free falling height: 45 cm

Impact protection net: 16,0 m<sup>2</sup>

Foundations: 4x CF or 4x PFs

- ① 5 11 049 011 00 SW pi
- 5 11 049 031 00 Larch natural
- 5 11 049 041 00 Larch GL, larch



**playo  
tractor Björn**

**Info box**



Minimum space: 475x375x250 cm

Free falling height: 70 cm

Impact protection net: 16,0 m<sup>2</sup>

Foundations: 6x CF or 6x PFs

- ① 5 11 048 011 00 SW pi
- 5 11 048 031 00 Larch natural
- 5 11 048 041 00 Larch GL, larch





## playo tunnel sheep Berta

### Info box


Minimum space: 408x385x180 cm

Free falling height: 95 cm

Impact protection net: -

Foundations: 2x CF or 2x PFs

**5 11 052 001 00 GFRP, HPL**



## playo tunnel dog Hasso

### Info box


Minimum space: 408x385x180 cm


Free falling height: 95 cm

Impact protection net: -

Foundations: 2x CF or 2x PFs

**5 11 053 001 00 GFRP, HPL**





## playo cow slide Erna, solo

### Info box



Minimum space: 812x430x275 cm

Free falling height: 178 cm

Impact protection net: 26,0 m<sup>2</sup>

Foundations: 11x CF or 9x PFs

- ① 5 11 054 041 00 Larch, white/black
- ② 5 11 054 041 20 Larch, brown
- ③ 5 11 054 041 32 Larch, dark brown



Please choose your add-on slide:

- |  |          |
|--|----------|
| Ⓐ 5 40 185 101 22 GFRP grey            | PH 95 cm |
| Ⓑ 5 40 185 111 22 GFRP grey & SSt coat | PH 95 cm |
| Ⓒ 5 40 185 121 00 Stainless steel      | PH 95 cm |



# 「New ecorino themed play units from eibe.」







## ecorino fire engine, solo

### Info box

Minimum space: 1023x466x325 cm

Free falling height: 145 cm



Impact protection net: 39,5 m<sup>2</sup>

Foundations: 19x CF or 19x PFs

**5 11 801 011 00 SW pi**


① **5 11 801 031 00 Larch natural**

**5 11 801 041 00 Larch GL, larch**



Please choose your add-on slides:

- |                                     |  |  |
|-------------------------------------|--|--|
| <b>(A) 5 40 101 101 26 GFRP red</b> | <b>(B) 5 40 101 111 26 GFRP red &amp; SSt coat</b> | <b>(C) 5 40 101 121 00 Stainless steel</b> |
| PH 145 cm                           | PH 145 cm  | PH 145 cm                                  |





► Find more spring rockers from page 324

**3+**

### Spring rocker Fire Extinguisher

#### Info box

Minimum space: 366x323x238 cm


Free falling height: 58 cm

Impact protection net: 5,5 m<sup>2</sup>

Foundations: 1x 5591600 + 1x CF or  
1x 5632100 + 1x CF

**5 67 255 0**

Laminated timber, MDF



**3+**

### ecorino fire brigade net

#### Info box

Minimum space: 654x606x250 cm

Free falling height: 70 cm



Impact protection net: 25,5 m<sup>2</sup>

Foundations: 6x CF

**5 11 804 011 00** SW pi

**5 11 804 031 00** Larch natural

**5 11 804 041 00** Larch GL





### unique tree house

#### Info box

Minimum space: 555x558x405 cm

Free falling height: 145 cm

Impact protection net: 25,5 m<sup>2</sup>

Foundations: 6x CF or 2x PFs + 4x CF

① 5 66 358 5


SW pi

⑤ 66 358 033 00

Larch nature

② 5 66 358 043 00

Larch GL, larch





**unique  
tree house, solo**

**Info box**

Minimum space: 880x557x405 cm

Free falling height: 145 cm


Impact protection net: 34,5 m<sup>2</sup>

Foundations: 6x CF or 2x PFs + 4x CF

① 5 66 355 013 00 SW pi

② 5 66 355 033 00 Larch nature

② 5 66 355 043 00 Larch GL, larch



Please order the  
slide separately!

Please choose your add-on slide:

Ⓐ 5 40 101 101 22 GFRP grey

Ⓑ 5 40 101 111 22 GFRP grey & SSt coat

Ⓒ 5 40 101 121 00 Stainless steel



PH 145 cm

PH 145 cm

PH 145 cm





# 「A voyage of exploration:」



# set sail for the seven seas!



With climbing rope,  
sliding pole &  
climbing net



Scope of delivery deviates from the image



### unique sand play ship Nina

#### Info box



Minimum space: 1057x659x402 cm

Free falling height: 211 cm

Impact protection net: 49,5 m<sup>2</sup>

Foundations: 6x CF or 4x PFs + 7x PFI

- ① 5 59 146 5 SW pi
- 5 59 146 031 00 Larch nature
- ② 5 59 146 041 00 Larch GL, larch



**PLEASE ORDER  
SEPARATELY!**

For use with  
Nina & Pinta

Sun  
protection:  
15 m<sup>2</sup>



### solar sail Ship

5 59 148 5 SW pi

5 59 148 031 00 Larch nature

① 5 59 148 041 00 Larch GL



Scope of delivery deviates from the image



### unique active-motion Pinta, solo

#### Info box

Minimum space: 1333x981x402 cm



Free falling height: 211 cm

Impact protection net: 57,5 m<sup>2</sup>

Foundations: 7x CF or 4x PFs + 9x PFI



- ① 5 59 147 011 00 SW pi  
 5 59 147 031 00 Larch nature  
 ② 5 59 147 041 00 Larch GL, larch



②



Please choose your add-on slide:

Ⓐ 5 40 101 101 22

GFRP grey

PH 145 cm

Ⓑ 5 40 101 111 22

GFRP grey & SSt coat

PH 145 cm

Ⓒ 5 40 101 121 00

Stainless steel

PH 145 cm





Scope of delivery deviates from the image

## Captain ahoy!



**unique**  
playing ship Santa Maria, solo

### Info box

Minimum space: 1532x965x602 cm

Free falling height: 211 cm




Impact protection net: 73,0 m<sup>2</sup>

Foundations: 8x CF or 8x PFs + 13x PFI

① 5 59 151 011 00 SW pi

5 59 151 031 00 Larch nature

② 5 59 151 041 00 Larch GL, larch



Please order the slide separately!

Please choose your add-on slide:

Ⓐ 5 40 101 101 22

GFRP grey

PH 145 cm

Ⓑ 5 40 101 111 22

GFRP grey & SST coat

PH 145 cm

Ⓒ 5 40 101 121 00

Stainless steel



PH 145 cm



### unique playing ship Catamaran

#### Info box


Minimum space: 802x697x545 cm

Free falling height: 149 cm

Impact protection net: 41,0 m<sup>2</sup>

Foundations: 7x CF or 8x PF + 4x PFI

- ① 5 59 153 011 00 SW pi  
5 59 153 031 00 Larch nature  
② 5 59 153 041 00 Larch



**NEW**



### Windsurfer small

#### Info box


Minimum space: Ø 472x226 cm


Free falling height: 46 cm

Impact protection net: 18,0 m<sup>2</sup>

Foundations: 1x CF

- 5 67 259 0 Stainless steel, HPL, HDPE





### unique sand wreck Bounty complete

#### Info box


Minimum space: 1921x1041x421 cm


Free falling height: 205 cm

Impact protection net: 92,5 m<sup>2</sup>

Foundations: 3x CF or 25x PFs + 10x PFI

- |                          |                        |
|--------------------------|------------------------|
| <b>① 5 66 313 5</b>      | <b>SW pi</b>           |
| <b>5 66 313 031 00</b>   | <b>Larch nature</b>    |
| <b>② 5 66 313 041 00</b> | <b>Larch GL, larch</b> |





**(A)**  
**unique**  
**sand wreck Bounty Bow**

**Info box**

Minimum space: 747x590x389 cm  
Free falling height: 199 cm  
Impact protection net: 37,0 m<sup>2</sup>  
Foundations: 1x CF or 6x PFs + 6x PFI

**5 66 310 5** SW pi  
**5 66 310 031 00** Larch nature  
**① 5 66 310 041 00** Larch GL, larch

**(B)**  
**unique**  
**sand wreck Bounty Mast**

**Info box**

Minimum space: 647x705x421 cm  
Free falling height: 205 cm  
Impact protection net: 28,5 m<sup>2</sup>  
Foundations: 1x CF or 5x PFs + 4x PFI






**5 66 312 5** SW pi  
**5 66 312 031 00** Larch nature  
**① 5 66 312 041 00** Larch GL, larch

**(C)**  
**unique**  
**sand wreck Bounty Stern**

**Info box**

Minimum space: 520x585x399 cm  
Free falling height: 150 cm  
Impact protection net: 27,0 m<sup>2</sup>  
Foundations: 1x CF or 14x PFs

**5 66 311 5** SW pi  
**5 66 311 031 00** Larch nature  
**① 5 66 311 041 00** Larch GL, larch





**Include in your order:  
maritime underwater  
decoration and the suitable  
sun protection!**





#### **climbo decoration Underwater World for Primo Victoria**

**5 59 156 0 HPL**

Scope of delivery:

- 1x deko-bow wave: HPL
- 6x deko-diamant: HPL
- 2x deko-starfish: HPL
- 4x deko-coral large: HPL
- 4x deko-coral small: HPL
- 1x deko-treasure box: HPL
- 2x deko-crawfish: HPL
- 1x deko-fish: HPL
- 1x deko-turtle: HPL


**climbo sun protection  
for Primo Victoria****5 59 158 0** PVC, PAScope of delivery: 2x sail: PVC  
6x Perlon cable, Ø 6mm, L 120 cm: PA**climbo decoration Pirates  
for Primo Victoria****5 59 157 0** HPLScope of delivery:  
1x deko-figurehead mermaid: HPL  
5x deko-sword: HPL  
1x deko-treasure box: HPL  
8x deko-diamant: HPL  
1x deko-pirate's hat: HPL  
1x sign selfie: HPL  
1x sign sailor: HPL

# 「The new eibe underwater world:」



# A dive with Lohi!







### paradiso play fish Lohi

#### Info box


Minimum space: 818x849x245 cm

Free falling height: 195 cm


Impact protection net: 44,0 m<sup>2</sup>

Foundations: 19x CF or 19x PFs

① 5 45 334 053 00    Robinia oiled  
5 45 334 063 00    Robinia natural



①



Please order the slide separately



### paradiso pirate ship Jago, solo

#### Info box



Minimum space: 1230x740x340 cm

Free falling height: 190 cm

Impact protection net: 60,0 m<sup>2</sup>

Foundations: 24x CF

- ① 5 45 200 053 06    **Robinia oiled**  
 5 45 200 063 00    **Robinia natural**



Please choose your add-on slide:

- (A) 5 40 101 101 31    GFRP iguana  
 (B) 5 40 101 111 31    GFRP iguana & SSt coat  
 (C) 5 40 101 121 00    Stainless steel



PH 145 cm  
 PH 145 cm  
 PH 145 cm



## paradiso little fishing boat Nola

### Info box


Minimum space: 800x520x220 cm

Free falling height: 90 cm

Impact protection net: 36,0 m<sup>2</sup>

Foundations: 12x CF

- ① 5 45 247 053 06 Robinia oiled  
5 45 247 063 00 Robinia natural



## paradiso small seat box Olm

### Info box

Minimum space: 350x350x223 cm


Free falling height: 43 cm

Impact protection net: 11,0 m<sup>2</sup>

Foundations: 1x CF

- ① 5 45 162 053 00 Robinia oiled  
5 45 162 063 00 Robinia natural

Please indicate  
the desired text  
(max. 10 characters)



## paradiso large seat box Ole

### Info box


Minimum space: 400x355x223 cm

Free falling height: 43 cm

Impact protection net: 12,5 m<sup>2</sup>

Foundations: 2x CF

- ① 5 45 163 053 00 Robinia oiled  
5 45 163 063 00 Robinia natural







### paradiso railway Cosmo

#### Info box

Minimum space: 880x424x273 cm  
 Free falling height: 93 cm  
 Impact protection net: 28,5 m<sup>2</sup>  
 Foundations: 14x CF

① 5 45 091 053 06    Robinia oiled  
 5 45 091 063 00    Robinia natural



### paradiso play house Tikko

#### Info box

Minimum space: 434x410x168 cm  
 Free falling height: 98 cm  
 Impact protection net: 15,0 m<sup>2</sup>  
 Foundations: 4x CF

① 5 45 161 053 00    Robinia oiled  
 5 45 161 063 00    Robinia natural





### paradiso play unit Crazy Crates

#### Info box

Minimum space: 540x624x202 cm  
 Free falling height: 139 cm  
 Impact protection net: 26,5 m<sup>2</sup>  
 Foundations: 8x PFs or 8x CF

① 5 45 160 053 00    Robinia oiled  
 5 45 160 063 00    Robinia natural





### paradiso climbing snale Pinella

#### Info box


Minimum space: 362x615x240 cm

Free falling height: 60 cm

Impact protection net: -

Foundations: 6x CF

- ① 5 45 341 053 00 Robinia oiled  
② 5 45 341 063 00 Robinia natural



### paradiso climbing lizard Rik

#### Info box



Minimum space: 400x700x250 cm

Free falling height: 60 cm

Impact protection net: -

Foundations: 4x CF

- ① 5 45 342 053 00 Robinia oiled  
② 5 45 342 063 00 Robinia natural



### paradiso climbing dragon Puck

#### Info box


Minimum space: 360x900x240 cm

Free falling height: 60 cm

Impact protection net: -

Foundations: 7x CF

- ① 5 45 343 053 00 Robinia oiled  
② 5 45 343 063 00 Robinia natural



**Crawling creatures  
to climb on**






### paradiso rhinoceros Rhino

#### Info box

Minimum space: 460x380x255 cm  
Free falling height: 75 cm  
Impact protection net: 17,0 m<sup>2</sup>  
Foundations: 2x CF

5 45 151 053 00 Robinia oiled  
5 45 151 063 00 Robinia natural




### paradiso climbing spider Thekla

#### Info box

Minimum space: 450x440x275 cm  
Free falling height: 95 cm  
Impact protection net: 17,0 m<sup>2</sup>  
Foundations: 6x CF

5 45 153 053 00 Robinia oiled  
5 45 153 063 00 Robinia natural





### paradiso grasshopper Grilli

#### Info box

Minimum space: 550x450x280 cm  
Free falling height: 100 cm  
Impact protection net: 23,0 m<sup>2</sup>  
Foundations: 5x CF

5 45 154 053 21 Robinia oiled  
5 45 154 063 00 Robinia natural




### paradiso ladybeetle Naps

#### Info box

Minimum space: 360x340x210 cm  
Free falling height: 30 cm  
Impact protection net: 10,0 m<sup>2</sup>  
Foundations: 1x CF

① 5 45 156 053 21 Robinia oiled green  
② 5 45 156 053 30 Robinia oiled red  
5 45 156 063 00 Robinia natural





## PLEASE ORDER SEPARATELY!

Please find the right ground anchors  
for spring rockers on  
page 378





**paradiso**  
**spring rocker Lamb**

## Info box

Minimum space: 320x250x240 cm  
Free falling height: 60 cm  
Impact protection net: 7,5 m<sup>2</sup>  
Foundations: 1x 5632280 + 1x CF

- ① 5 45 360 053 00 Robinia oiled  
5 45 360 063 00 Robinia natural




**paradiso**  
**spring rocker Pony**

## Info box

Minimum space: 320x250x240 cm  
Free falling height: 60 cm  
Impact protection net: 7,5 m<sup>2</sup>  
Foundations: 1x 5632280 + 1x CF

- ① 5 45 361 053 00 Robinia oiled  
5 45 361 063 00 Robinia natural



**paradiso**  
**spring rocker Shoe**

## Info box

Minimum space: 320x250x240 cm  
Free falling height: 60 cm  
Impact protection net: 7,5 m<sup>2</sup>  
Foundations: 1x 5632280 + 1x CF

- ① 5 45 362 053 00 Robinia oiled  
5 45 362 063 00 Robinia natural





**paradiso**  
**movement platform boat Tally**

## Info box

Minimum space: 460x320x280 cm  
Free falling height: 100 cm  
Impact protection net: 14,0 m<sup>2</sup>  
Foundations: 4x CF

- ① 5 45 345 053 06 Robinia oiled  
5 45 345 063 00 Robinia natural



**spring rocker**  
**animal incl.**  
**foundation**  
**anchor**



# Slides with climb-ups





## Slide with ladder ph 150 cm, steel with stainless steel cover

### Info box

Minimum space: 741x350x330 cm  
Free falling height: 150 cm  
Impact protection net: 22,0 m<sup>2</sup>  
Foundations: 2x CF

**5 58 424 0** Steel





## Slide with ladder ph 200 cm, steel with stainless steel cover

### Info box

Minimum space: 819x420x380 cm  
Free falling height: 200 cm  
Impact protection net: 27,0 m<sup>2</sup>  
Foundations: 2x CF

**5 58 425 0** Steel





## Slide with ladder ph 150 cm, stainless steel

### Info box

Minimum space: 741x348x330 cm  
Free falling height: 150 cm  
Impact protection net: 22,0 m<sup>2</sup>  
Foundations: 4x CF

**5 58 451 0** Stainless steel




## Slide with ladder ph 200 cm, stainless steel

### Info box


Minimum space: 819x420x380 cm  
Free falling height: 200 cm  
Impact protection net: 27,0 m<sup>2</sup>  
Foundations: 4x CF

**5 58 453 0** Stainless steel




**3+****Slide with ladder ph 145 cm,  
GFRP****Info box**


Minimum space: 695x405x325 cm  
Free falling height: 145 cm  
Impact protection net: 22,0 m<sup>2</sup>  
Foundations: 5x CF or 5x PFs

**5 58 407 0      GFRP, Steel****Slide with ladder ph 190 cm,  
GFRP****Info box**


Minimum space: 790x468x375 cm  
Free falling height: 195 cm  
Impact protection net: 27,0 m<sup>2</sup>  
Foundations: 5x CF or 5x PFs

**5 58 411 0      GFRP, Steel****Slide with ladder ph 145 cm, GFRP  
with stainless steel cover****Info box**

Minimum space: 695x405x325 cm  
Free falling height: 145 cm  
Impact protection net: 22,0 m<sup>2</sup>  
Foundations: 5x CF or 5x PFs

**5 58 409 0      GFRP, Steel****Slide with ladder ph 190 cm, GFRP  
with stainless steel cover****Info box**

Minimum space: 790x468x375 cm  
Free falling height: 195 cm  
Impact protection net: 27,0 m<sup>2</sup>  
Foundations: 5x CF or 5x PFs

**5 58 413 0      GFRP**



3+

## Attachment slides

These GFRP slides are suitable for attachment to eibe play systems or installation into a landscaped hill.



red  
\_26



grey  
\_22



iguana  
\_31

Great playing fun with every slide!

### Attachment slides ph 60 cm

#### Info box

Minimum space: 354x277x240 cm

Free falling height: 60 cm

Impact protection net: 7,5 m<sup>2</sup>

Foundations: 1x CF or 1x PFs

**5 40 186 101 26** GFRP red

**5 40 186 101 22** GFRP grey



**5 40 186 101 31** GFRP iguana

**5 40 186 111 26** GFRP red & SSt coat

**5 40 186 111 22** GFRP grey & SSt coat

**5 40 186 111 31** GFRP iguana & SSt coat

**5 40 186 121 00** Stainless steel



### Attachment slides ph 95 cm

#### Info box

Minimum space: 354x329x275 cm

Free falling height: 95 cm

Impact protection net: 9,5 m<sup>2</sup>

Foundations: 1x CF or 1x PFs

**5 40 185 101 26** GFRP red

**5 40 185 101 22** GFRP grey



**5 40 185 101 31** GFRP iguana

**5 40 185 111 26** GFRP red & SSt coat

**5 40 185 111 22** GFRP grey & SSt coat

**5 40 185 111 31** GFRP iguana & SSt coat

**5 40 185 121 00** Stainless steel



### Attachment slides ph 145 cm

#### Info box

Minimum space: 472x354x325 cm

Free falling height: 145 cm

Impact protection net: 15,0 m<sup>2</sup>

Foundations: 1x CF or 1x PFs

**5 40 101 101 26** GFRP red

**5 40 101 101 22** GFRP grey



**5 40 101 101 31** GFRP iguana

**5 40 101 111 26** GFRP red & SSt coat

**5 40 101 111 22** GFRP grey & SSt coat

**5 40 101 111 31** GFRP iguana & SSt coat

**5 40 101 121 00** Stainless steel



### Attachment slides ph 195 cm

#### Info box

Minimum space: 472x354x370 cm

Free falling height: 195 cm

Impact protection net: 17,0 m<sup>2</sup>

Foundations: 1x CF or 1x PFs

**5 40 102 101 26** GFRP red

**5 40 102 101 22** GFRP grey



**5 40 102 101 31** GFRP iguana

**5 40 102 111 26** GFRP red & SSt coat

**5 40 102 111 22** GFRP grey & SSt coat

**5 40 102 111 31** GFRP iguana & SSt coat

**5 40 102 121 00** Stainless steel



Consulting. Design. Cost effective.

**CONSULTATIONS  
ON SITE**



**Add-on slide stainless  
steel, ph 270 cm**

#### Info box


Minimum space: 597x508x450 cm

Free falling height: 270 cm

Impact protection net: 23,0 m<sup>2</sup>

Foundations: 1x CF

**5 40 103 121 00** Stainless steel






3+

## Attachment slides

The 100 cm-wide slide enables several children to have fun at the same time. Sliding is great fun anyway, but add some social enjoyment into the mix and you have a recipe for many hours of laughter. The slides are available in GFRP versions and 100% stainless steel.

red  
\_26grey  
\_22iguana  
\_31

### Attached slide broad ph 145 cm



#### Info box

Minimum space: 472x414x325 cm

Free falling height: 145 cm

Impact protection net: 16,5 m<sup>2</sup>

Foundations: 1x CF or 1x PFs

**5 40 104 101 26** GFRP red**5 40 104 101 22** GFRP grey**5 40 104 101 31** GFRP iguana**5 40 104 121 00** Stainless steel

### Attachment slide double GFRP with stainless steel coating ph 145 cm



#### Info box

Minimum space: 472x414x325 cm

Free falling height: 145 cm

Impact protection net: 16,0 m<sup>2</sup>

Foundations: 1x CF or 1x PFs

**5 40 106 111 26** GFRP red & SSt coat**5 40 106 111 22** GFRP grey & SSt coat**5 40 106 111 31** GFRP iguana & SSt coat

### Attached slide broad ph 195 cm



#### Info box

Minimum space: 544x474x370 cm

Free falling height: 195 cm

Impact protection net: 18,0 m<sup>2</sup>

Foundations: 1x CF or 1x PFs

**5 40 105 101 26** GFRP red**5 40 105 101 22** GFRP grey**5 40 105 101 31** GFRP iguana**5 40 105 121 00** Stainless steel

### Attachment slide double GFRP with stainless steel coating ph 195 cm



#### Info box

Minimum space: 544x474x370 cm

Free falling height: 195 cm

Impact protection net: 20,5 m<sup>2</sup>

Foundations: 1x CF or 1x PFs

**5 40 107 111 26** GFRP red & SSt coat**5 40 107 111 22** GFRP grey & SSt coat**5 40 107 111 31** GFRP iguana & SSt coat

# Crawling tunnel

Crawling Tunnels installed in the ground are the secret favourite in the playground. The imaginative design of the terrain stimulates the children's desire for discovery.



**Crawling tunnel start segment**


5 40 203 101 26 GFRP red

5 40 203 101 22 GFRP grey

5 40 203 101 31 GFRP iguana

Size: Ø 84x90 cm

Scope of delivery: 1x start element: GFRP fixing screws



**Crawling tunnel straight section**

5 40 202 101 26 GFRP red

5 40 202 101 22 GFRP grey

5 40 202 101 31 GFRP iguana

Size: Ø 84x80 cm

Scope of delivery: 1x straight element: GFRP fixing screws



**Crawling tunnel curved section**

5 40 201 101 26 GFRP red

5 40 201 101 22 GFRP grey

5 40 201 101 31 GFRP iguana

Size: Ø 84x62 cm


Scope of delivery: 1x curve element 30°: GFRP fixing screws



**Slip guard for crawling tunnel**

Size: 144x14x102 cm

5 40 198 010 00 SW pi





# We plan your hill slide to your requirements!

Consulting. Design. Cost effective.  
**CONSULTATIONS  
ON SITE**




red



grey



iguana



②



### slide platform for add-on and hill slide ph 45 cm

#### Info box

Minimum space: 429x376x225 cm

Free falling height: 45 cm

Impact protection net: -


Foundations: 5x CF or 5x PFs

#### blue

- ① 5 11 036 011 10 SW pi
- ① 5 11 036 031 10 Larch natural
- 5 11 036 041 10 Larch GL, larch
- iguana**
- ② 5 11 036 011 31 SW pi
- 5 11 036 031 31 Larch natural
- 5 11 036 041 31 Larch GL, larch



Suitable for  
hill slides  
page 189



### slide platform for add-on and hill slide ph 95 cm

#### Info box

Minimum space: 407x376x275 cm


Free falling height: 95 cm

Impact protection net: 13,0 m<sup>2</sup>

Foundations: 5x CF or 5x PFs

#### blue

- ① 5 11 037 011 10 SW pi
- ① 5 11 037 031 10 Larch natural
- 5 11 037 041 10 Larch GL, larch
- iguana**
- ② 5 11 037 011 31 SW pi
- 5 11 037 031 31 Larch natural
- 5 11 037 041 31 Larch GL, larch



### slide platform for add-on slide wide ph 45 cm

#### Info box

Minimum space: 487x400x225 cm


Free falling height: 45 cm

Impact protection net: -

Foundations: 6x CF or 6x PFs

#### blue

- ① 5 11 038 011 00 SW pi
- 5 11 038 031 00 Larch natural
- 5 11 038 041 00 Larch GL, larch
- iguana**
- ② 5 11 038 011 31 SW pi
- 5 11 038 031 31 Larch natural
- 5 11 038 041 31 Larch GL, larch



### slide platform for add-on slide wide ph 95 cm

#### Info box

Minimum space: 433x400x275 cm


Free falling height: 95 cm

Impact protection net: 15,5 m<sup>2</sup>

Foundations: 4x CF or 4x PFs

#### blue

- ① 5 11 039 011 00 SW pi
- 5 11 039 031 00 Larch natural
- 5 11 039 041 00 Larch GL, larch
- iguana**
- ② 5 11 039 011 31 SW pi
- 5 11 039 031 31 Larch natural
- 5 11 039 041 31 Larch GL, larch







### Hill platform for tubular slides

#### Info box


Minimum space:	400x407x205 cm
Free falling height:	25 cm
Impact protection net:	-
Foundations:	4x CF or 4x PFs or 4x PFr

**5 45 224 5 SW pi**

### Hill platform for add-on slide broad

#### Info box


Minimum space:	400x416x205 cm
Free falling height:	25 cm
Impact protection net:	-
Foundations:	4x CF or 4x PFs or 4x PFr

**5 45 227 5 SW pi**

### Hill platform for add-on slide

#### Info box


Minimum space:	400x356x205 cm
Free falling height:	25 cm
Impact protection net:	-
Foundations:	2x CF or 2x PFs

**5 45 226 5 SW pi**Suitable for wave slides  
and large wave slides

### Hill platform for wave slide

#### Info box


Minimum space:	400x434x205 cm
Free falling height:	25 cm
Impact protection net:	-
Foundations:	4x CF or 4x PFs or 4x PFr

**5 45 228 5 SW pi**

### paradiso hill platform Jannes

#### Info box


Minimum space:	420x420x225 cm
Free falling height:	45 cm
Impact protection net:	-
Foundations:	4x CF

**① 5 45 318 053 06 Robinia oiled**  
**5 45 318 063 00 Robinia natural**

### paradiso slide platform Merle

#### Info box

Minimum space:	420x420x225 cm
Free falling height:	45 cm
Impact protection net:	-
Foundations:	4x CF

**① 5 45 319 053 06 Robinia oiled**  
**5 45 319 063 00 Robinia natural**



## ecorino play house Mountain Lake

### Info box



Minimum space: 631x563x346 cm

Free falling height: 145 cm

Impact protection net: 22,5 m<sup>2</sup>

Foundations: 12x CF or 12x PFs

- ① 5 11 513 011 00 SW pi
- ② 5 11 513 031 00 Larch natural
- ⑤ 11 513 041 00 Larch GL, larch



## ecorino play house Alpine Rose

### Info box


Minimum space: 475x456x375 cm

Free falling height: 145 cm

Impact protection net: 18,5 m<sup>2</sup>

Foundations: 5x CF or 3x PFs + 2x CF

- ① 5 11 514 011 00 SW pi
- ② 5 11 514 031 00 Larch natural
- ⑤ 11 514 041 00 Larch GL, larch



On request, all wooden posts are available in metal – please contact us.



# playo®



## playo play house Paula

### Info box

Minimum space: 551x533x225 cm

Free falling height: 45 cm



Impact protection net: 25,0 m<sup>2</sup>

Foundations: 11x CF or 11x PFs

① 5 11 041 011 10 SW pi

5 11 041 031 10 Larch natural

② 5 11 041 041 10 Larch GL, larch



## playo play house Greta

### Info box

Minimum space: 451x406x289 cm

Free falling height: 45 cm


Impact protection net: 15,0 m<sup>2</sup>

Foundations: 7x CF or 7x PFs

5 11 040 011 10 SW pi

5 11 040 031 10 Larch natural

① 5 11 040 041 10 Larch GL, larch





## playo Log cabin with rest area

### Info box


Minimum space: 500x500x272 cm

Free falling height: 28 cm

Impact protection net: -

Foundations: 4x CF or 4x PFs

- ① 5 59 012 5 SW pi  
 5 59 012 031 00 Larch natural  
 ② 5 59 012 041 00 Larch GL, larch



## playo Seaside House

### Info box


Minimum space: 395x310x215 cm

Free falling height: 106 cm

Impact protection net: 5,0 m<sup>2</sup>

Foundations: 6x CF or 6x PFs

- ① 5 59 016 5 SW pi  
 5 59 016 031 00 Larch natural  
 ② 5 59 016 041 00 Larch GL, larch





## playo Seaside House unit

### Info box

Minimum space: 471x310x215 cm

Free falling height: 106 cm

Impact protection net: 5,0 m<sup>2</sup>

Foundations: 8x CF or 8x PFs

① 5 59 015 5



SW pi

5 59 015 031 00

Larch natural

② 5 59 015 041 00

Larch GL, larch



## playo Seaside a-framed House

### Info box

Minimum space: 538x515x263 cm

Free falling height: 154 cm

Impact protection net: 24,0 m<sup>2</sup>

Foundations: 6x CF or 6x PFs

① 5 59 017 5


SW pi

5 59 017 031 00

Larch natural

② 5 59 017 041 00

Larch GL, larch



**Challenging  
climbing rope**






## playo play house Alexander

### Info box

Minimum space: 460x420x206 cm  
 Free falling height: 27 cm  
 Impact protection net: -  
 Foundations: 7x CF or 5x PFs

- ① 5 59 011 5 SW pi  
 5 59 011 031 00 Larch natural  
 ② 5 59 011 041 00 Larch GL, larch




## playo block house with porch

### Info box

Minimum space: 540x464x195 cm  
 Free falling height: 23 cm  
 Impact protection net: -  
 Foundations: 6x CF or 4x PFs

- ① 5 59 045 5 SW pi  
 5 59 045 031 00 Larch natural  
 ② 5 59 045 041 00 Larch GL, larch

**Feel-well atmosphere**  
**Timeless design, solid construction**





### Sand playing cottage Sun Bakery

#### Info box



Minimum space: 498x500x183 cm

Free falling height: 41 cm

Impact protection net: -

Foundations: 4x PFr

**5 59 095 0** SW pi





## paradiso log cabin Valaria

### Info box


Minimum space: 500x500x200 cm

Free falling height: -

Impact protection net: -

Foundations: 4x CF

- ① 5 45 140 053 06    Robinia oiled  
 5 45 140 063 00    Robinia natural



## paradiso play unit Little Lake House Lago

### Info box


Minimum space: 560x560x290 cm

Free falling height: 180 cm


Impact protection net: 26,0 m<sup>2</sup>

Foundations: 8x CF

- ① 5 45 081 053 06    Robinia oiled  
 5 45 081 063 00    Robinia natural



**With  
shop counter**



### paradiso play house Firuna

#### Info box


Minimum space: 480x465x175 cm

Free falling height: 65 cm

Impact protection net: 22,0 m<sup>2</sup>

Foundations:

① 5 45 014 053 06    Robinia oiled  
5 45 014 063 00    Robinia natural



Order directly from us at +49 9338 89-0 or [shop.eibe.net](http://shop.eibe.net)



### paradiso play house Per

#### Info box



Minimum space: 420x425x190 cm

Free falling height: -

Impact protection net: -

Foundations: 4x CF

- ① 5 45 339 053 06    Robinia oiled  
 ② 5 45 339 063 00    Robinia natural



### paradiso play house Piet

#### Info box


Minimum space: 520x425x190 cm

Free falling height: -

Impact protection net: -

Foundations: 4x CF

- ① 5 45 340 053 06    Robinia oiled  
 ② 5 45 340 063 00    Robinia natural





Xylophone, organ & gong invite you to make music together!



### paradiso sound play house Sinfonie

#### Info box


Minimum space: 545x510x230 cm

Free falling height: -

Impact protection net: 23,0 m<sup>2</sup>

Foundations: 6x CF

① 5 45 258 053 00   Robinia oiled  
5 45 258 063 00   Robinia natural






### Wicker shell

**5 68 038 0** Wicker

The wicker shade is extremely versatile and of high educative value.

Size: 180x90x170 cm

Scope of delivery: 1x wicker shell: willow



### Wicker pyramid, 2 pcs.


**5 68 075 0** Wicker

Whether as a fence, to demarcate rooms or to form corridors and caves, the eibe natura willow pyramids are versatile.

The picture shows the combination of several willow pyramids.

Size: 100x90x130 cm

Scope of delivery: 2x willow element: willow



### Wicker tent, 6 pcs.

**5 68 041 0** Wicker

The air-permeable wickerwork prevents heat build-up in the wicker tent even in strong sunshine.


Size: 208x183x165 cm

Scope of delivery: 2x willow tent element closed: willow

3x willow tent element with window: willow

1x willow tent element with entrance: willow

20 leather strings: leather





1+

### Wicker huts, 3 pcs.


5 68 040 0 Wicker

The wicker huts are handmade and vary in size. eibe wicker huts can be played in immediately and also form the static substructure for cuttings and climbing plants. An opening in the ridge, 3 window hatches as well as a round arch entrance invite all children to play. The combination of the wicker huts of different sizes to form a „wicker camp“ encourages joint play.

Size: Ø 140x150 cm, Ø 150x160 cm, Ø 160x170 cm



## Natural product, hand-crafted



#### ① Wicker hut 140

Size: Ø 140x150 cm

5 68 000 0 Wicker

#### ② Wicker hut 150

Size: Ø 150x160 cm

5 68 001 0 Wicker


#### ③ Wicker hut 160

Size: Ø 160x170 cm


5 68 002 0 Wicker



We plan your sand and mud play unit to your requirements.



Various combinations possible!



**playo**  
platform with mud tub

**Info box**


Minimum space: 567x399x238 cm

Free falling height: 58 cm

Impact protection net: -

Foundations: 6x CF or 6x PFs

**5 11 043 011 00 SW pi**  
**5 11 043 031 00 Larch nature**  
**① 5 11 043 041 00 Larch GL, larch**



**playo**  
mud tub

**Info box**


Minimum space: 434x400x65 cm

Free falling height: 58 cm

Impact protection net: -

Foundations: 4x CF or 4x PFs

**5 11 067 011 00 SW pi**  
**5 11 067 031 00 Larch natural**  
**① 5 11 067 041 00 Larch GL, larch**





Sand play



①



playo

sand and mud play unit Lotta, solo

#### Info box

Minimum space: 922x544x275 cm

Free falling height: 95 cm



Impact protection net: 25,5 m<sup>2</sup>

Foundations: 12x CF or 12x FPP


⑤ 5 11 064 011 00 SW pi

⑤ 5 11 064 031 00 Larch natural

① 5 11 064 041 00 Larch GL, larch



①



Ⓐ 5 40 185 101 22 GFRP grey

Ⓑ 5 40 185 111 22 GFRP grey & SST coat

Ⓒ 5 40 185 121 00 Stainless steel



PH 95 cm

PH 95 cm

PH 95 cm



Order directly from us at +49 9338 89-0 or shop.eibe.net

eibe

205



## playo sand and mud play unit Ben

### Info box



Minimum space: 743x571x325 cm

Free falling height: 145 cm

Impact protection net: 31,5 m<sup>2</sup>

Foundations: 20x CF or 14x PFs + 3x CF

- ① 5 11 026 011 10 SW pi
- 5 11 026 031 10 Larch natural
- ① 5 11 026 041 10 Larch GL, larch



Please choose one  
of these pumps:

- (A) 5 66 290 0
- (B) 5 57 051 0





### playo sand and mud play unit Lina

#### Info box



Minimum space: 649x561x238 cm

Free falling height: 58 cm

Impact protection net: 30,0 m<sup>2</sup>

Foundations: 17x CF or 17x PFs

① 5 11 029 011 10 SW pi  
5 11 029 031 10 Larch natural  
① 5 11 029 041 10 Larch GL, larch





## playo sand and mud play unit Lara



### Info box

Minimum space: 527x428x238 cm

Free falling height: 58 cm

Impact protection net: 19,5 m<sup>2</sup>

Foundations: 9x CF or 9x PFs



- ① 5 11 027 011 10 SW pi
- 5 11 027 031 10 Larch natural
- ② 5 11 027 041 10 Larch GL, larch



## playo sand and mud play unit Lana

### Info box



Minimum space: 550x504x238 cm

Free falling height: 58 cm

Impact protection net: 23,0 m<sup>2</sup>

Foundations: 13x CF or 13x PFs

- 5 11 028 011 10 SW pi
- 5 11 028 031 10 Larch natural
- ① 5 11 028 041 10 Larch GL, larch





## playo sand and mud play unit Moritz

### Info box



Minimum space: 706x619x298 cm

Free falling height: 118 cm

Impact protection net: 24,0 m<sup>2</sup>

Foundations: 18x CF or 14x PFs + 2x CF

- ① 5 11 031 011 10 SW pi
- 5 11 031 031 10 Larch natural
- ① 5 11 031 041 10 Larch GL, larch



Please choose one of these pumps:

- (A) 5 66 290 0 Stainless steel
- (B) 5 57 051 0 Grey-cast



## playo sand and mud play unit Felix

### Info box


Minimum space: 602x521x294 cm

Free falling height: 114 cm

Impact protection net: 18,5 m<sup>2</sup>



Foundations: 16x CF or 11x PFs

- 5 11 030 011 10 SW pi
- 5 11 030 031 10 Larch natural
- ① 5 11 030 041 10 Larch GL, larch



Please choose one of these pumps:

- (A) 5 66 290 0 Stainless steel
- (B) 5 57 051 0 Grey-cast



Please choose one of these pumps:

- (A) 5 66 290 0 Stainless steel
- (B) 5 57 051 0 Grey-cast



Consulting. Design. Cost effective.  
**CONSULTATIONS  
ON SITE**



## playo sand and mud play unit Jonas, solo

### Info box



Minimum space: 1267x1041x382 cm

Free falling height: 195 cm

Impact protection net: 71,0 m<sup>2</sup>

Foundations: 42x CF or 38x PF + 4x PFR

- ① 5 11 044 011 00 SW pi
- 5 11 044 031 00 Larch natural
- ① 5 11 044 041 00 Larch GL, larch




**Facilitated accessibility  
according to EN 1176  
Not according to DIN 33942**

Please choose your add-on slide:

- |                   |                      |           |
|-------------------|----------------------|-----------|
| Ⓐ 5 40 102 101 22 | GFRP grey            | PH 195 cm |
| Ⓑ 5 40 102 111 22 | GFRP grey & SSt coat | PH 195 cm |
| Ⓒ 5 40 102 121 00 | Stainless steel      | PH 195 cm |





### playo sand and mud play unit Sofia

#### Info box

Minimum space: 719x606x325 cm

Free falling height: 145 cm



Impact protection net: 24,0 m<sup>2</sup>

Foundations: 14x CF or 14x PFs

① 5 11 045 011 00 SW pi

5 11 045 031 00 Larch natural

① 5 11 045 041 00 Larch GL, larch





## playo sand building site Little Woodpecker

### Info box


Minimum space: 448x415x222 cm

Free falling height: 57 cm

Impact protection net: 14,5 m<sup>2</sup>

Foundations: 3x CF or 3x PFs

- ① 5 10 038 011 10 SW pi
- 5 10 038 031 10 Larch natural
- ② 5 10 038 041 10 Larch GL, larch



## playo sand building site Green Woodpecker

### Info box


Minimum space: 553x422x235 cm

Free falling height: 58 cm

Impact protection net: 18,5 m<sup>2</sup>

Foundations: 8x CF or 6x PFs

- ① 5 10 039 011 10 SW pi
- 5 10 039 031 10 Larch natural
- ② 5 10 039 041 10 Larch GL, larch





Scope of delivery deviates from the image

Children work together to guide  
the water through the chutes.

Many variable combinations



**3+**

**playo**  
**waterways system mini**

5 59 123 0 SW pi

26 pieces

**playo**  
**waterways system maxi**

5 59 112 0 SW pi

40 pieces





**paradiso  
toddler sand building site Miri**

**Info box**


Minimum space: 519x432x233 cm

Free falling height: 40 cm

Impact protection net: 18,0 m<sup>2</sup>

Foundations: 7x CF

① 5 45 252 053 00    **Robinia oiled**  
 5 45 252 063 00    **Robinia natural**



Children have always had a  
fascination with water play!

**Prepared for  
garden hose**



**paradiso  
water play unit Farlon**

**Info box**

Minimum space: 731x515x230 cm

Free falling height: 50 cm

Impact protection net: 27,0 m<sup>2</sup>

Foundations: 6x CF

① 5 45 144 053 06    **Robinia oiled**  
 5 45 144 063 00    **Robinia natural**





**paradiso**  
water play unit Arlo

## Info box


Minimum space: 836x646x230 cm

Free falling height: 50 cm

Impact protection net: 36,0 m<sup>2</sup>

Foundations: 9x CF

- ① 5 45 086 053 06    Robinia oiled  
 5 45 086 063 00    Robinia natural



Please choose one of these pumps:

- A 5 66 290 0    Stainless steel  
 B 5 57 051 0    Grey-cast



**paradiso**  
runoff socket

5 57 043 0    Steel, Robinia



**paradiso**  
wood tub

5 57 063 0    Robinia



**paradiso**  
mud table Erlan, with post

## Info box


Minimum space: 0370x240 cm

Free falling height: 60 cm

Impact protection net: 11,0 m<sup>2</sup>

Foundations: 1x CF

- ② 5 45 022 053 06    Robinia oiled  
 5 45 022 063 00    Robinia natural






**paradiso  
sand construction site Albida**


**Info box**

Minimum space: 1005x881x264 cm  
Free falling height: 84 cm  
Impact protection net: 65,0 m<sup>2</sup>  
Foundations: 13x CF

① 5 45 111 053 06 **Robinia oiled**  
5 45 111 063 00 **Robinia natural**



**SENSATIONAL sand play units  
for the young and old**





**paradiso  
integrative play ship Ragnar**

**Info box**

Minimum space: 1100x700x240 cm  
Free falling height: 60 cm  
Impact protection net: 75,0 m<sup>2</sup>  
Foundations: 11x CF

① 5 45 347 053 06 **Robinia oiled**  
5 45 347 063 00 **Robinia natural**





Scope of delivery deviates from the image

## Robust unit featuring robinia wood



### paradiso sand construction site Sandro

#### Info box




Minimum space: 650x650x239 cm

Free falling height: 59 cm

Impact protection net: 35,0 m<sup>2</sup>

Foundations: 13x CF

① 5 45 085 053 06    Robinia oiled  
5 45 085 063 00    Robinia natural







## ecorino play unit Nan Shan, solo

### Info box

Minimum space: 1343x1004x325 cm  
 Free falling height: 145 cm  
 Impact protection net: 58,5 m<sup>2</sup>  
 Foundations: 39x CF or 34x PFs + 4x FFr

① 5 11 532 011 00 SW pi  
 ① 5 11 532 031 00 Larch natural  
 5 11 532 041 00 Larch GL, larch





## ecorino sand and mud play unit Gran Paradiso

### Info box

Minimum space: 818x634x245 cm  
 Free falling height: 45 cm  
 Impact protection net: 30,0 m<sup>2</sup>  
 Foundations: 20x CF or 18x PFs + 2x PFr

① 5 11 530 011 00 SW pi  
 ① 5 11 530 031 00 Larch natural  
 5 11 530 041 00 Larch GL, larch




Please order the slide  
ph 145 cm separately

Please choose your  
add-on slides:



Ⓐ 5 40 185 101 31	GFRP iguana	PH 95 cm
Ⓑ 5 40 185 111 31	GFRP iguana & SSt coat	PH 95 cm
Ⓒ 5 40 185 121 00	Stainless steel	PH 95 cm
Ⓓ 5 40 104 101 31	GFRP iguana	PH 145 cm
Ⓔ 5 40 104 121 00	Stainless steel	PH 145 cm



On request, all wooden posts are available in metal – please contact us.



Please order the slide  
ph 95 cm separately!

**Facilitated accessibility according to EN 1176**  
**Not according to DIN 33942**





**ecorino**  
**sand and mud play unit**  
**Scafell Pike, solo**

**Info box**

Minimum space: 929x880x300 cm  
Free falling height: 95 cm  
Impact protection net: 42,0 m<sup>2</sup>  
Foundations: 27x CF or 23x PFs + 2x PFr

① 5 11 531 011 00 SW pi  
① 5 11 531 031 00 Larch natural  
⑤ 5 11 531 041 00 Larch GL, larch



Please order the slide  
separately

Please choose your add-on slide:

- |                   |                        |          |
|-------------------|------------------------|----------|
| Ⓐ 5 40 185 101 31 | GFRP iguana            | PH 95 cm |
| Ⓑ 5 40 185 111 31 | GFRP iguana & SSt coat | PH 95 cm |
| Ⓒ 5 40 185 121 00 | Stainless steel        | PH 95 cm |





## unique sand construction site Aves

### Info box




Minimum space: 745x600x275 cm

Free falling height: 90 cm

Impact protection net: 14,0 m<sup>2</sup>

Foundations: 16x CF or 16x PFs

- ① 5 25 124 011 00 SW pi
- 5 25 124 031 00 Larch nature
- 5 25 124 041 00 Larch GL, larch
- 5 25 124 041 06 Larch GL green, Larch



## unique sand construction site Keros, solo

### Info box


Minimum space: 878x600x397 cm

Free falling height: 145 cm

Impact protection net: 37,0 m<sup>2</sup>

Foundations: 12x CF or 12x PFs

- 5 25 125 011 00 SW pi
- 5 25 125 031 00 Larch nature
- ① 5 25 125 041 00 Larch GL, larch
- 5 25 125 041 06 Larch GL green, Larch



Please choose your add-on slide:

- |                   |                        |           |
|-------------------|------------------------|-----------|
| Ⓐ 5 40 101 101 31 | GFRP iguana            | PH 145 cm |
| Ⓑ 5 40 101 111 31 | GFRP iguana & SSt coat | PH 145 cm |
| Ⓒ 5 40 101 121 00 | Stainless steel        | PH 145 cm |





### unique sand construction site Vedra

#### Info box

Minimum space: 898x700x233 cm

Free falling height: 95 cm

Impact protection net: 29,5 m<sup>2</sup>


Foundations: 18x CF or 18x PFs

① 5 25 126 011 00 SW pi

5 25 126 031 00 Larch nature

① 5 25 126 041 00 Larch GL, larch

5 25 126 041 06 Larch GL green, Larch



Please order the pump separately!

①



①



Please choose one of these pumps:

Ⓐ 5 66 290 0 Stainless steel

Ⓑ 5 57 051 0 Grey-cast



### unique sand and mud facility Mona

#### Info box

Minimum space: 572x400x338 cm

Free falling height: 145 cm

Impact protection net: 20,0 m<sup>2</sup>


Foundations: 8x CF or 8x PFs

① 5 25 123 011 00 SW pi

5 25 123 031 00 Larch nature

① 5 25 123 041 00 Larch GL, larch

5 25 123 041 06 Larch GL green, Larch



①





### Sand play table for palisade sandpits

#### Info box



Minimum space: Ø 70x224 cm

Free falling height: 44 cm

Impact protection net: -

Foundations: -

**5 59 119 0** SW pi



**Distinctive shape,  
sturdy design**



### Sand play table Cloud

#### Info box


Minimum space: Ø 100x239 cm

Free falling height: 59 cm

Impact protection net: -

Foundations: 3x CF or 3x PFs

**5 66 407 0** Stainless steel



### Sand play table Moon

#### Info box

Minimum space: 55x80x239 cm

Free falling height: 59 cm

Impact protection net: -

Foundations: 1x CF or 2x PFs

**5 66 406 0** Stainless steel, HPL



### Sand play table Star

#### Info box


Minimum space: 58x55x239 cm

Free falling height: 59 cm

Impact protection net: -

Foundations: 1x CF or 2x PFs

**5 66 405 0** Stainless steel, HPL





52x50x2 cm



**ecorino  
vario sand play board Asteri**

5 15 066 170 29 HPL



**PLEASE ORDER  
SEPARATELY!**

Table leg for sand play  
boards




Ø 45x2 cm



**ecorino  
vario sand play board Kyklos**

5 15 065 170 28 HPL



Ø 13x63 cm



**ecorino  
table base Vario**

5 15 067 013 00 SW pi  
5 15 067 043 00 Larch GL

With this massive sand digger,  
every child immediately becomes  
a construction worker. The sand  
digger rotates completely around  
its own axis.

**NEW****Durable quality****Sand excavator Mole****Info box**

Minimum space: Ø 400x225 cm


Free falling height: 44 cm

Impact protection net:

Foundations: 1x CF

5 59 271 0

Stainless steel





**3+**

### Mud play table Shamrock

#### Info box

Minimum space: 490x490x250 cm


Free falling height: 70 cm

Impact protection net: -

Foundations: 4x CF or 4x PFs

**5 57 060 5**

SW pi



**1+**

### Sand pit Hygipäd

#### Info box

Minimum space: 301x165x213 cm



Free falling height: 33 cm

Impact protection net: -

Foundations: -

**5 59 060 0**

SW pi



**3+**

### Sand play table, wheelchair accessible

#### Info box

Minimum space: 160x125x240 cm


Free falling height: 59 cm

Impact protection net: -

Foundations: 4x CF or 4x PFs

**5 59 149 5**

SW pi



**NEW**now also in  
green and grey**Sandpit set Soft**


Flexible forms due to gridless adjustment of the individual granulate elements, made of recycled rubber material.

Size: 115x15x30 cm

Material: Rubber

**1 element**


5 59 141 0	red
5 59 141 50	green
5 59 141 80	grey

**6 elements**

5 59 161 0	red
5 59 161 50	green
5 59 161 80	grey

**10 elements**

5 59 162 0	red
5 59 162 50	green
5 59 162 80	grey

**Low installation height****NEW**now also in  
green and grey**Sandpit safety edging**

5 59 163 0	red-brown
5 59 163 50	green
5 59 163 80	grey

The sandbox safety edging prevents the risk of injury to children playing and at the same time provides a seat at the sandbox.

Size: 100x40 cm

Scope of delivery:

1x element: rubber granulate

**Impact attenuating tile glue**

5 63 033 0	PUR-adhesive
------------	--------------







The eibe Palisade Sandpits create the very best conditions for playing in and with sand.




Scope of delivery deviates from the image



### Palisade sandpit square

**5 59 084 0** 255x255x22 cm  
**5 59 087 0** 355x355x22 cm

Scope of delivery: 4x side elements: SW  
 4x corner bollards: SW



### Palisade sandpit hexagon


**5 59 089 0** SW pi

Size: 420x475x22 cm  
 Scope of delivery: 6x side elements: SW  
 6x corner bollards: SW

### Palisade sandpit side sections

**5 59 098 0** 200 cm  
**5 59 099 0** 300 cm

Scope of delivery: 1x side part L 200 cm: SW



The ideal complement for comfy play corners or simple seating arrangements



now with cover for corner bollards

### Corner bollard

**5 59 097 0** SW pi

Size: Ø 25x20 cm  
 Scope of delivery:  
 1x corner bollards  
 Ø 25 cm, H 20 cm: SW



### Bollard seat for palisade sandpits

**5 59 120 0** SW pi


Size: Ø 25x30 cm  
 Scope of delivery:  
 1x seat bollard Ø 25 cm, H 30 cm: SW



### Palisade seat and play table board

**5 59 111 0** 200x20 cm  
**5 59 110 0** 300x20 cm

Scope of delivery:  
 1x seat and playing table plank 200x20 cm: SW  
 attachment material



### Sand pit cover, square 260

**5 59 092 0** PE

Size: 250x250 cm  
 Scope of delivery:  
 1x sand pit cover: PE-grid fabric



### Sand pit cover, square 360

**5 59 093 0** PE

Size: 350x350 cm  
 Scope of delivery:  
 1x sand pit cover: PE-grid fabric

### Tarpaulins sqm

**5 59 109 0** PE

Size: m<sup>2</sup>  
 Scope of delivery: 1 sqm sandpit cover: PE screen (100% polypropylene)





# 「Fascinating water play!」



# Discover the power of water at channels and weirs, wheel, pump and more.



A long-lasting material mix:  
waterchannels made of  
stainless steel in combination  
with robinia wood.



## More fun with water!




Please order  
the pump  
separately!

### Water play unit River

#### Info box

Minimum space: 418x591x255 cm  
Free falling height: 75 cm  
Impact protection net: 12,0 m<sup>2</sup>  
Foundations: 11x CF or 6x PFs

**5 66 457 120 00** Stainless steel



Please choose one of these pumps:  
**5 66 290 0** Stainless steel




### Water play unit Nevada

#### Info box

Minimum space: 525x466x255 cm  
Free falling height: 75 cm  
Impact protection net: 12,0 m<sup>2</sup>  
Foundations: 13x CF or 6x PFs

**5 66 459 120 00** Stainless steel



Please choose one of these pumps:  
**5 66 290 0** Stainless steel






### Water play unit Niagara

#### Info box

Minimum space: 466x618x255 cm  
 Free falling height: 75 cm  
 Impact protection net: 11,0 m<sup>2</sup>  
 Foundations: 4x CF or 10x PFs

**5 66 458 120 00** Stainless steel



Please order  
the pump  
separately!



Please choose one of these pumps:  
**5 66 290 0** Stainless steel




### Water play unit Rainbow

#### Info box

Minimum space: 643x621x255 cm  
 Free falling height: 75 cm  
 Impact protection net: 11,0 m<sup>2</sup>  
 Foundations: 6x CF or 10x PFs + 1x PFr

**5 66 460 120 00** Stainless steel



Please order  
the pump  
separately!



Please choose one of these pumps:  
**5 66 290 0** Stainless steel





Please order  
the pump  
separately!



## Water play unit River

### Info box


Minimum space: 420x591x225 cm

Free falling height: 75 cm

Impact protection net: 12,0 m<sup>2</sup>

Foundations: 3x CF or 6x PFs

**5 66 444 120 00** Stainless steel, HPL



Please choose one of these pumps:

**5 66 290 0** Stainless steel



Please order  
the pump  
separately!



## Water play unit Niagara

### Info box



Minimum space: 466x619x255 cm

Free falling height: 75 cm

Impact protection net: 11,5 m<sup>2</sup>


Foundations: 4x CF or 10x PFs

**5 66 443 120 00** Stainless steel, HPL



Please choose one of these pumps:

**5 66 290 0** Stainless steel





### Water play unit Nevada

#### Info box


Minimum space: 529x468x255 cm

Free falling height: 75 cm

Impact protection net: 12,0 m<sup>2</sup>

Foundations: 2x CF or 6x PFs

**5 66 445 120 00** Stainless steel, HPL



Please choose one of these pumps:

**5 66 290 0** Stainless steel



Please order  
the pump  
separately!



### Water play unit Rainbow

#### Info box


Minimum space: 646x621x255 cm

Free falling height: 75 cm

Impact protection net: 11,5 m<sup>2</sup>

Foundations: 6x CF or 10x PFs + 1x PFr

**5 66 442 120 00** Stainless steel, HPL



Please choose one of these pumps:

**5 66 290 0** Stainless steel



# Pumps for connection to water network (no drinking water)

**Connection to 3/4"**  
Flow rate approx. 0,5l/stroke

**The whole pump with  
all accessories  
in one set!**



**3+**

Handle pump for  
direct water connection

5 57 051 0      Grey-cast

- Flushing duration and intervals adjustable as required
- Battery-powered – no additional power supply required
- Control unit mountable in the shaft
- Independent draining of pump during rest periods
- No standing water



**3+**

Crank pump VA

5 66 290 0      Stainless steel



**3+**

Handle pump with hygiene  
flushing

5 66 441 0      Stainless steel

## Pump for connection to well and cistern



**The water basin underneath the pump can  
be supplied from a well or a cistern. In order  
to avoid contamination, we recommend to  
change the water in the basin daily.**

**① Suction/pressure pump solo**

5 57 053 0      Grey-cast

Scope of delivery: 1x handle pump:  
cast iron, inside enamelled  
technical data:  
inner diameter cylinder: 75 mm  
suction tube line: 1 1/4"  
pump pressure: max./optimal 1.4 bar  
conveyor height: max: 25 m  
suction height: 7 m  
height of the pump: 77 cm

**② Pump base for suction/  
pressure pump**

5 57 052 0      Grey-cast

Scope of delivery: 1x pump foot H 70 cm:  
cast iron

**Base valve for suction/  
pressure pump solo**

5 57 065 0      Brass

Scope of delivery: 1x foot valve: brass  
1x suction basket

not illustrated

**Suction pipe 1 m for suction/  
pressure pump solo**

5 57 064 0      Steel

Scope of delivery: 1x suction pipe 1 1/4"


**Trough funnel****Info box**

Minimum space: 53x35x180 cm

Free falling height: -

Impact protection net: -

Foundations: 1x CF or 2x PFs

**5 66 400 0** Stainless steel

Please note that this equipment should be installed by professional assemblers trained according to the EN 1176. In case of any uncertainties, please contact your safety inspector for playground safety. In case the equipment is not installed in accordance with the safety standard, hidden dangers to life and limb may arise, e.g. strangulation, entrapment of head or impact and head injury caused by excessive heights of roofs or lack of impact protection under the play equipment. Contact us for safe installation by our experienced eibe assemblers.


**Water mushroom****Info box**

Minimum space: 34x34x220 cm

Free falling height: 40 cm

Impact protection net: -

Foundations: 1x CF

**5 66 291 0** Stainless steel**Waterwheel Ø 60 cm****Info box**

Minimum space: 40x60x180 cm

Free falling height: -

Impact protection net: -

Foundations: 2x CF or 2x PFs


**5 66 393 0** Stainless steel**Water spiral****Info box**

Minimum space: 217x92x260 cm

Free falling height: 80 cm

Impact protection net: -

Foundations: 3x CF or 2x PFs + 1x CF


**5 66 232 0** Stainless steel**Water tap with seat****Info box**

Minimum space: 78x30x229 cm

Free falling height: 49 cm

Impact protection net: -

Foundations: 1x CF

**5 66 308 0** Stainless steel




**3+**

### Water spiral with basin

#### Info box

Minimum space: 380x406x140 cm  
Free falling height: -  
Impact protection net: -  
Foundations: 3x CF

**5 66 453 120 00** Stainless steel




**3+**

### Waterwheel with basin

#### Info box

Minimum space: 422x372x180 cm  
Free falling height: 60 cm  
Impact protection net: -  
Foundations: 2x CF or 2x FPp

**5 66 455 120 00** Stainless steel




**3+**

### Waterwheel

#### Info box

Minimum space: 350x340x180 cm  
Free falling height: 42 cm  
Impact protection net: -  
Foundations: 2x CF or 2x FPp

**5 66 454 120 00** Stainless steel




**3+**

### Running drum with basin

#### Info box

Minimum space: 495x448x27 cm  
Free falling height: 60 cm  
Impact protection net: -  
Foundations: 3x CF

**5 66 456 120 00** Stainless steel





The Water Gates offer various ways in which to dam up the water and let it flow again. The water gates are either concreted directly into the water channels or fixed into concreted installation frames.

### Weight weir

#### Info box

Minimum space: 66x13x180 cm


Free falling height: -

Impact protection net: -

Foundations: 1x CF

**5 66 301 0** Stainless steel

34  
13  
66



### Pulling weir

#### Info box

Minimum space: 60x6x180 cm

Free falling height: -

Impact protection net: -

Foundations: 1x CF

**5 66 303 0** Stainless steel

53  
60  
61



### Folding weir

#### Info box

Minimum space: 50x14x180 cm


Free falling height: -

Impact protection net: -

Foundations: 1x CF

**5 66 304 0** Stainless steel

38  
14  
50





### paradiso solar panel Sonya, complete

#### Info box



Minimum space: 369x369x291 cm

Free falling height: -

Impact protection net: -

Foundations: 4x CF

① 5 45 173 053 00 **Robinia oiled**  
5 45 173 063 00 **Robinia natural**



### paradiso solar panel Simon, complete

#### Info box



Minimum space: 469x469x291 cm

Free falling height: -

Impact protection net: -

Foundations: 4x CF

① 5 45 174 053 00 **Robinia oiled**  
5 45 174 063 00 **Robinia natural**





### Triangular sun awning, retractable

The open net structure prevents from accumulation of sand and water residues. The comfortable extension lever allows an effortless lifting and lowering of the awning.

Scope of delivery: 3x steel post  
1x metal crank with rubber  
1x sun awning, triangular

Size: 17.5 sqm, single-sided roll-out  
5 m, length 7 m


**5 60 227 50** PES, PVC

Size: 21 sqm, single-sided roll-out  
6 m, length 7 m

**5 60 228 50** PES, PVC

Size: 28 sqm, single-sided roll-out  
8 m, length 7 m

**5 60 229 50** PES, PVC



Consulting. Design. Cost effective.

**CONSULTATIONS  
ON SITE**

The posts are made from galvanised steel with plastic caps. The awning can be adjusted manually with a cable pull. The sun awning is made from mesh fabric „Soltis 86“ (100% PES) with PVC coating. It is tearproof, durable and UV-resistant with a 86% UV filter protection. A winding roll with electric motor is available upon request.

### Diamond-shaped sun awning, retractable

Mini-Vario diamond-shaped sun awning, one-sided pull-out.

Scope of delivery: 4x steel post  
1x metal crank with rubber  
2x sun awning, triangular

Size: 20 sqm, double-sided roll-out  
5 m, length 4 m

**5 60 230 50** PES, PVC

Size: 30 sqm, double-sided roll-out  
6 m, length 5 m

**5 60 231 50** PES, PVC

Size: 48 sqm, double-sided roll-out  
8 m, length 6 m

**5 60 232 50** PES, PVC





## Awning height-adjustable hexagon

① 5 59 169 0 21	dark green
② 5 59 169 0 22	beige
② 5 59 169 0 29	blue
② 5 59 169 0 30	terracotta



Material: PE dark green

Size: Tuchfläche: 566x490 cm

Scope of delivery: 6x post: galvanised steel


6x cover: plastic

6x ground sleeve: galvanised steel

6x comfort handle: powder-coated steel


2x center tensioning: steel

1x awning: HDPE knitted fabric UPF 10-20




- HDPE fabric
- 75-85% opaque
- 70-95 % shading
- dirt, mould and decay resistance
- high tear resistance
- no heat accumulation
- easy cleaning
- UV protection, UV filter 11-23
- no mould stains
- permeable to water and air

Our sun awnings are truly multitalented! They are a perfect sun protection from dangerous UV radiation. Further more the awning is a practical sand pit cover. By easy lowering to ground level, it protects from contamination of leaves, bird droppings or animal excrements.




## Awning height-adjustable 3x3 m

① 5 59 166 0 21	dark green
① 5 59 166 0 22	beige
① 5 59 166 0 29	blue
① 5 59 166 0 30	terracotta




## Awning height-adjustable 4x4 m

① 5 59 167 0 21	dark green
① 5 59 167 0 22	beige
① 5 59 167 0 29	blue
① 5 59 167 0 30	terracotta



## Awning height-adjustable 5x5 m

① 5 59 168 0 21	dark green
① 5 59 168 0 22	beige
① 5 59 168 0 29	blue
① 5 59 168 0 30	terracotta



The sun awnings on this page are available in the following 4 colours:



dark green



beige



blue



terracotta



The free-standing sun protection awnings can be positioned flexibly and transform an area of up to 36 sqm into a pleasant place to stay with sun and weather protection.

The motorised operation makes the awnings particularly convenient to use. Solid aluminium folding arms extend simultaneously on both sides and allow the tautly stretched fabric to slide symmetrically out of a semi-cassette. To ensure that the awning stands on secure feet even in stormy gusts, the supports are set in concrete via a foot bell with a ground sleeve. It is perfectly suited for shading play areas.

**NEW**

### Sun protection awning freestanding

5 60 459 0    400x600 cm  
5 60 460 0    500x600 cm  
5 60 461 0    600x600 cm

- High sun protection factor
- Up to 36 sqm shaded outdoor area
- Compact dimensions
- Synchronous fabric movement during retraction and extension
- Hinged arms made of aluminum
- Freely positionable
- Somfy motorization included
- Effective protection of the awning fabric against weathering with top cover (certified wind resistance class 2 according to DIN EN 13561)
- Powder coated metal components
- Mounting with concrete-cast ground sleeve
- Freestanding installation
- Adjustable inclination angle 2-15°





The sun awning square is infinitely variable, by use of a manual roll-up device. It appeals with the light design and various uses. The easy to handle system can be fixed in any position and size. The diagonal shaft impresses with an elegant look.



### Sun awning square

5 60 367 0	4x4 m
5 60 368 0	5x5 m
5 60 369 0	6x6 m

Material: PES

Colour: beige

Scope of delivery: 4x post: aluminium

4x cover: plastic

4x ground sleeve: aluminium

1x awning roller tube: aluminium

1x infinitely variable height adjustment with crank: aluminium

1x awning: PES knitting UPF 50+

A wrinkle-free pull-put tensioning device.

- PES fabric with water-repellent acrylic coating
- 100 % opaque and shading
- closed mesh structure
- easy cleaning
- high resistance to water pressure
- anti-fungicide
- UV protection, UV filter 50+
- light and weather fast



The auto release clamp protects the awning caused by damages from high winds of more than 40 km/h.

The height adjusting device is mounted on an aluminium slide rail and individually adjustable within 1,5 m.

**Parasol round**

Colour: Beige

Material: Aluminium, PE

① 5 60 360 0 Ø 300x275 cm

5 60 361 0 Ø 400x290 cm

5 60 364 0 Ø 550x441 cm



The Parasol Round can be fixed with ground sleeve or frame stand.



Climb over protection available if required:

PLEASE ORDER SEPARATELY!

**NEW**

**Ground sleeve for parasol  
Ø 300 and Ø 400**

5 60 362 0 Steel galv.

**Stand for parasol  
Ø 300 and Ø 400**

5 60 363 0 Steel galv.

**Ground sleeve for  
parasol Ø 550**

5 60 365 0 Steel galv.

**Stand for parasol Ø 550**

5 60 366 0 Steel galv.

**Washed concrete slab**

5 63 099 0 Concrete

**Parasol rectangular**

Colour: beige

Material: PE

5 60 373 0 5x4 m

5 60 374 0 6x5 m

**UV filter 50+**

**including  
foldable  
ground  
sleeves**

**Parasol square**

Colour: beige

Material: PE

5 60 375 0 5x5 m

5 60 376 0 6x6 m



Order directly from us at +49 9338 89-0 or shop.eibe.net




1+

The eibe plant nursery – Children love to work in the garden!




playo  
planting table Ilex

5 10 137 011 00 SW pi



playo  
planting vat Salvia

5 10 136 011 00 SW pi






**paradiso**  
barefoot trail Dragon Vin

## Info box

Minimum space: 1020x500x225 cm  
Free falling height: 45 cm  
Impact protection net: 39,0 m<sup>2</sup>  
Foundations: -

① 5 45 257 053 00 Robinia oiled  
5 45 257 063 00 Robinia natural




136x118x151 cm





**playo**  
planting pyramid Mentha

5 10 139 011 00 SW pi



186x100x22 cm



**playo**  
planting platform Galium

5 10 138 011 00 SW pi



②

Detail photo




**paradiso**  
insect hotel

## Info box

Minimum space: 90x17x180 cm  
Free falling height: -  
Impact protection net: -  
Foundations: 2x CF

① 5 45 350 053 00 Robinia oiled  
② 5 45 350 063 00 Robinia natural



To make sure that the insect hotel soon attracts many animal guests, the "rooms" were modelled on the naturally occurring nesting sites. Following the model of feeding tunnels in dead wood, the holes are drilled with a hole diameter of 3-9 mm in the longitudinal direction of the wood.

A nesting aid should always be placed in a southern direction. The best place is a place that can be reached by the sun all the time. This way it is warm in the insect hotel, the inhabitants are protected from wind and weather and in winter it cools down less quickly.





## Floor trampoline Jump XL 2x3 m

### Info box


Minimum space: 650x550x100 cm

Free falling height: ≤100 cm

Impact protection net: 24,5 m<sup>2</sup>

Foundations: -

**5 62 110 0** steel hot-dip galvanised,  
plastic, rubber granulate



## Floor trampoline Jump round Ø 170 cm

### Info box

Minimum space: Ø 420x100 cm


Free falling height: ≤100 cm

Impact protection net: 12,0 m<sup>2</sup>

Foundations: -

**5 62 111 0** steel hot-dip galvanised,  
plastic, rubber granulate

**Including  
mounting frame**



**NEW**



**Easy access for all children  
with disabilities thanks to  
the integrated wheelchair  
ramp.**

## Jumping apparatus Jump R

### Info box



Minimum space: 650x500x100 cm

Free falling height: ≤100 cm

Impact protection net: 25,5 m<sup>2</sup>

Foundations: -

**5 62 114 0** Steel galv., plastic,  
rubber granulate





## Floor trampoline, Vandalism-proof

### Floor trampoline Kids Tramp playground 150x150 cm

#### Info box


Minimum space: 394x394x100 cm

Free falling height: <100 cm

Impact protection net: 21,0 m<sup>2</sup>

Foundations: -

**5 62 100 0** Wire-reinforced belt material,  
steel springs, rubber granulate



### Floor trampoline Kids Tramp playground 200x200 cm

#### Info box


Minimum space: 544x544x100 cm

Free falling height: <100 cm

Impact protection net: 25,0 m<sup>2</sup>


Foundations: -

**5 62 101 0** Wire-reinforced belt material,  
steel springs, rubber granulate



### Floor trampoline Kids Tramp Kindergarten 150x150 cm

**5 62 102 0** PVC-coated screen, steel,  
rubber granulate



With its wire reinforced centre and edges, the jumping mat is highly vandal-proof. The trampoline is particularly suitable for non-supervised areas.

A real highlight for your  
playground or school yard.



#### Your benefits at a glance - playground:

- \* suitable for playgrounds, GS certified (DIN EN 1176-1:2017)
- \* highest safety and quality standards
- \* suitable for use in non-supervised play areas
- \* promotes the development of coordination and motor skills
- \* vandal-proof thanks to the wire reinforced belt tissue
- \* hardly flammable jumping mat
- \* all components are heat and UV light resistant
- \* easy transport and installation, with instruction video
- \* 100% made in Germany for more than 50 years
- \* perfect for combination of several trampolines
- \* ideal for wheelchair users as well thanks to the rounded edges



### Floor trampoline Kids Tramp Kindergarten 200x200 cm

**5 62 103 0** PVC-coated screen, steel,  
rubber granulate





## balance

### Quick Step Criss-Cross

#### Info box


Minimum space: 709x158x215 cm

Free falling height: 35 cm

Impact protection net: -

Foundations: 4x CF or 4x PFs

**5 55 304 5 SW pi**



## balance

### balancing trainer Disco Fox

#### Info box


Minimum space: 700x316x232 cm

Free falling height: 52 cm

Impact protection net: -

Foundations: 2x 5632280 + 2x CF

**5 55 306 5 SW pi**



## balance

### balancing rail Mambo

#### Info box

Minimum space: 208x16x225 cm

Free falling height: 45 cm

Impact protection net: -

Foundations: 2x CF

**5 55 305 5 Stainless steel**



## balance

### jump-over mushroom Square Dance

#### Info box

Minimum space: Ø 30x239 cm

Free falling height: 59 cm

Impact protection net: -

Foundations: 1x CF

**5 55 309 5 SW pi**



## balance Snoopy Flotsam

### Info box

Minimum space: 281x136x239 cm



Free falling height: 59 cm

Impact protection net: -

Foundations: 4x CF or 4x PFs

**5 55 307 5**

SW pi



## balance cross-over Wind Fall

### Info box

Minimum space: 349x53x215 cm



Free falling height: 35 cm

Impact protection net: -

Foundations: 5x CF or 5x PFs

**5 55 308 5**

SW pi



## balance step 40

### Info box

Minimum space: Ø14x220 cm


Free falling height: 39 cm

Impact protection net: -

Foundations: 1x CF

**5 55 310 5**

SW pi



## balance step 60

### Info box

Minimum space: Ø14x239 cm


Free falling height: 59 cm

Impact protection net: -

Foundations: 1x CF

**5 55 311 5**

SW pi



## balance step 80

### Info box

Minimum space: Ø316x259 cm

Free falling height: 79 cm

Impact protection net: 8,0 m<sup>2</sup>

Foundations: 1x CF

**5 55 312 5**

SW pi





### balance

#### tibetan bridge Jive

##### Info box



Minimum space: 224x109x225 cm

Free falling height: 45 cm

Impact protection net: -

Foundations: 4x CF or 4x PFs

**5 55 315 5 SW pi**



### balance

#### Cha-Cha-Cha wobbly bridge

##### Info box



Minimum space: 224x109x225 cm

Free falling height: 45 cm

Impact protection net: -

Foundations: 4x CF or 4x PFs

**5 55 313 5 SW pi**



eibe walk for beginners –  
buy the full set and benefit from the discount!



### balance

#### Beginner's Walk

##### Info box

Minimum space: 867x759x239 cm

Free falling height: 49 cm


Impact protection net: -

Foundations: 17x CF or 2x 5632100 + 8x CF + 9x PFs

**5 55 325 5 SW pi**

#### Set consisting of:

- 1x Cross Over
- 1x Quick Step
- 1x Disco Fox
- 3x Step 40
- 3x Step 60





**balance****Samba net footbridge****Info box**

Minimum space: 226x129x225 cm

Free falling height: 45 cm

Impact protection net: -

Foundations: 4x CF or 4x PFs



**5 55 316 5****SW pi****balance****Boogie Woogie pipeline course****Info box**

Minimum space: 216x129x234 cm

Free falling height: 54 cm

Impact protection net: -

Foundations: 4x CF or 4x PFs

**5 55 324 5****SW pi**

**eibe paso doble for professionals –  
buy the full set and benefit from the discount!**

**balance****Paso Doble professional****Info box**

Minimum space: 806x359x239 cm


Free falling height: 54 cm

Impact protection net: -

Foundations: 18x CF or 12x PFs + 6x CF

**5 55 327 5****SW pi****Set consisting of:**

- 1x Boogy Woogy
- 1x Cha Cha Cha
- 1x Samba
- 3x Step 40
- 3x Step 60

Order directly from us at +49 9338 89-0 or [shop.eibe.net](http://shop.eibe.net)Order directly from us at +49 9338 89-0 or [shop.eibe.net](http://shop.eibe.net)

# Pogo, Salsa, Rock'n'Roll – everybody's dancing!



## balance rubber belt bridge Salsa

### Info box


Minimum space: 111x425x345 cm

Free falling height: 50 cm

Impact protection net: 46,0 m<sup>2</sup>

Foundations: 6x CF

**5 55 641 0**      **Rubber, steel**



## balance hand climbing ladder Pogo

### Info box


Minimum space: 730x414x261 cm

Free falling height: 131 cm

Impact protection net: 25,5 m<sup>2</sup>

Foundations: 2x CF

**5 55 329 5**      **SW pi**



## balance hand climbing bridge Rock'n'Roll

### Info box


Minimum space: 711x394x309 cm


Free falling height: 220 cm

Impact protection net: 24,0 m<sup>2</sup>

Foundations: 2x CF

**5 55 330 5**      **SW pi**





**3+**

### balance

#### Waltz balancing rope with metal posts

##### Info box


Minimum space: 349x10x220 cm

Free falling height: 40 cm

Impact protection net: -

Foundations: 2x CF

**5 55 331 0** Steel



Consulting. Design. Cost effective.

### CONSULTATIONS ON SITE



**3+**

### balance

#### Flower jumping plates

##### Info box


Minimum space: Ø 300x206 cm

Free falling height: 26 cm

Impact protection net: 7,5 m<sup>2</sup>

Foundations: 1x CF

**5 59 007 0** HPL



**3+**

### balance

#### Skateboard

##### Info box


Minimum space: 401x341x211 cm


Free falling height: 31 cm

Impact protection net: 13,0 m<sup>2</sup>

Foundations: 2x CF or 2x PFs

**5 67 254 0** HPL





**With head and body over the wobbly meadow!**  
**Coordination, agility and balance are required on fixed,**  
**spring-loaded and floating elements. Balancing fun for in-**  
**dividuals and team players.**

**NEW**



#### Balancing and motorik track

##### Info box

Minimum space: 536x573x220 cm



Free falling height: 40 cm

Impact protection net: 24,0 m<sup>2</sup>

Foundations: 13x CF

5 67 260 0

steel powder., VA, HPL





**NEW****Wiggly snake****Info box**

Minimum space: 503x330x225 cm

Free falling height: 45 cm

Impact protection net: 15,0 m<sup>2</sup>

Foundations: 2x CF



**5 67 262 0      Stainless steel, HPL****NEW****Surfboard****Info box**


Minimum space: 403x348x226 cm

Free falling height: 46 cm

Impact protection net: 13,0 m<sup>2</sup>

Foundations: 1x CF

**5 67 263 0      HPL**





## playo balancing station Terraonda

### Info box

Minimum space: 490x300x205 cm  
Free falling height: 25 cm  
Impact protection net: -  
Foundations: 3x CF or 3x PFs

**5 10 022 011 00 SW pi**  
**① 5 10 022 041 00 Larch GL**




## playo balancing station Terrapièdi

### Info box

Minimum space: 474x317x211 cm  
Free falling height: 31 cm  
Impact protection net: -  
Foundations: 2x CF or 2x PFs

**① 5 10 023 011 00 SW pi**  
**5 10 023 041 00 Larch GL**



## playo balancing platform Terrapodio

### Info box

Minimum space: Ø 365x199 cm  
Free falling height: 19 cm  
Impact protection net: -  
Foundations: 1x CF or 2x PFs

**5 10 027 001 00 HPL**




## playo balancing station Terracupolino

### Info box

Minimum space: 482x337x209 cm  
Free falling height: 29 cm  
Impact protection net: -  
Foundations: 2x CF or 2x PFs

**① 5 10 024 011 00 SW pi**  
**5 10 024 041 00 Larch GL**





### playo balancing station Terraserpe

#### Info box

Minimum space: 657x332x233 cm


Free falling height: 53 cm

Impact protection net: -

Foundations: 4x CF or 8x PFs

**5 10 014 011 00 SW pi**

**① 5 10 014 041 00 Larch GL**



### playo balancing station Terratrampolino

#### Info box

Minimum space: 550x335x210 cm


Free falling height: 30 cm

Impact protection net: 9,0 m<sup>2</sup>

Foundations: 3x CF or 5x PFs

**① 5 10 025 011 00 SW pi**

**5 10 025 041 00 Larch GL**



### playo balancing station Terracoccodrillo

#### Info box

Minimum space: 478x300x233 cm


Free falling height: 53 cm

Impact protection net: -

Foundations: 2x CF or 2x PFs

**① 5 10 021 011 00 SW pi**

**5 10 021 041 00 Larch GL**



## playo play course complete set – take advantage of the price!




### playo play course Terracombi midi

#### Info box

Minimum space: 822x787x233 cm  
Free falling height: 53 cm  
Impact protection net: 9,0 m<sup>2</sup>  
Foundations: 7x CF or 17x PFs

① 5 10 018 011 00 SW pi  
② 5 10 018 041 00 Larch GL




### playo two-level horizontal bar Theo

#### Info box

Minimum space: 441x303x303 cm  
Free falling height: 123 cm  
Impact protection net: 11,5 m<sup>2</sup>  
Foundations: 3x CF

① 5 11 032 011 00 SW pi  
5 11 032 031 00 Larch natural  
5 11 032 041 00 Larch GL




### playo tri-level horizontal bar Anton

#### Info box

Minimum space: 517x307x303 cm  
Free falling height: 123 cm  
Impact protection net: 14,0 m<sup>2</sup>  
Foundations: 4x CF

① 5 11 033 011 00 SW pi  
5 11 033 031 00 Larch natural  
5 11 033 041 00 Larch GL





## unique hexagonal system 210

## Info box


Minimum space: Ø 630x395 cm

Free falling height: 205 cm

Impact protection net: 31,5 m<sup>2</sup>

Foundations: 7x CF or 7x PFs

- ① 5 55 010 05 SW pi  
 5 55 010 031 00 Larch nature  
 ② 5 55 010 041 00 Larch GL  
 5 55 010 041 06 Larch GL green



## unique hexagonal system 270

## Info box


Minimum space: Ø 710x445 cm

Free falling height: 265 cm

Impact protection net: 40,0 m<sup>2</sup>

Foundations: 7x CF or 7x PFs

- ① 5 55 008 5 SW pi  
 5 55 008 031 00 Larch nature  
 ② 5 55 008 041 00 Larch GL  
 5 55 008 041 06 Larch GL green





### unique hexagonal system 210 with lying net

#### Info box

Minimum space: Ø 626x378 cm

Free falling height: 198 cm

Impact protection net: 31,0 m<sup>2</sup>



Foundations: 8x CF or 3x PFs + 3x PFI

5 25 102 011 00 SW pi

5 25 102 031 00 Larch nature

① 5 25 102 041 00 Larch GL

5 25 102 041 06 Larch GL green



### unique hexagonal system 270 with lying net

#### Info box

Minimum space: Ø 710x438 cm

Free falling height: 258 cm

Impact protection net: 40,0 m<sup>2</sup>



Foundations: 1x CF or 2x PFs + 4x PFI

5 25 101 011 00 SW pi

5 25 101 031 00 Larch nature

① 5 25 101 041 00 Larch GL

5 25 101 041 06 Larch GL green





## unique climbing frame 210

### Info box



Minimum space: 641x501x380 cm

Free falling height: 200 cm

Impact protection net: 29,5 m<sup>2</sup>

Foundations: 4x CF or 4x PFs

- ① 5 55 021 5 SW pi  
 5 55 021 031 00 Larch nature  
 5 55 021 041 00 Larch GL



## unique mountaineering ramp Baku

### Info box


Minimum space: 244x90x370 cm

Free falling height: -

Impact protection net: -

Foundations: 5x CF or 4x PFs + 1x CF

- ① 5 66 508 5 SW pi  
 5 66 508 031 00 Larch nature  
 ② 5 66 508 041 00 Larch GL





### climbo climbing structure Terion

#### Info box




Minimum space: 734x719x350 cm

Free falling height: 145 cm

Impact protection net: 35,0 m<sup>2</sup>

Foundations: 4x CF

- |                   |                |
|-------------------|----------------|
| ① 5 25 065 011 00 | <b>SW pi</b>   |
| 5 25 065 031 00   | Larch nature   |
| ② 5 25 065 041 00 | Larch GL       |
| 5 25 065 041 06   | Larch GL green |



### unique hexagonal fun climbing unit 210

#### Info box




Minimum space: 0 650x385 cm

Free falling height: 205 cm

Impact protection net: 34,0 m<sup>2</sup>

Foundations: 8x CF or 8x PFs

- |                   |              |
|-------------------|--------------|
| ① 5 55 227 5      | <b>SW pi</b> |
| 5 55 227 031 00   | Larch nature |
| ② 5 55 227 041 00 | Larch GL     |





The heights of the horizontal bars are 82 cm and 132 cm.



### unique two-level horizontal bars

## Info box


Minimum space: 562x314x312 cm

Free falling height: 132 cm

Impact protection net: 16,0 m<sup>2</sup>

Foundations: 3x CF

- ① 5 55 120 5 SW pi
- 5 55 120 031 00 Larch nature
- ② 5 55 120 041 00 Larch GL
- 5 55 120 041 06 Larch GL green



### unique three-level horizontal bars

## Info box


Minimum space: 686x314x312 cm

Free falling height: 132 cm

Impact protection net: 20,0 m<sup>2</sup>

Foundations: 4x CF

- ① 5 55 121 5 SW pi
- 5 55 121 031 00 Larch nature
- 5 55 121 041 00 Larch GL
- 5 55 121 041 06 Larch GL green



The heights of the horizontal bars are 82 cm, 107 cm and 132 cm



### unique climbing frame with double horizontal bars

## Info box


Minimum space: 504x534x323 cm


Free falling height: 143 cm

Impact protection net: 20,5 m<sup>2</sup>

Foundations: 4x CF

- ① 5 55 125 5 SW pi
- 5 55 125 031 00 Larch nature
- ② 5 55 125 041 00 Larch GL
- 5 55 125 041 06 Larch GL green







### unique two-level horizontal bars

#### Info box

Minimum space: 518x300x282 cm  
Free falling height: 132 cm  
Impact protection net: 15,5 m<sup>2</sup>  
Foundations: 3x CF

- ① 5 55 209 0 24   Steel powder. blue  
② 5 55 209 0 25   Steel powder. grey





### unique three-level horizontal bars

#### Info box

Minimum space: 647x320x378 cm  
Free falling height: 157 cm  
Impact protection net: 21,0 m<sup>2</sup>  
Foundations: 4x CF

- ① 5 55 210 0 24   Steel powder. blue  
② 5 55 210 0 25   Steel powder. grey



**unique  
hexagonal unit Astra****Info box**



Minimum space: 677x673x350 cm

Free falling height: 200 cm

Impact protection net: 47 m<sup>2</sup>

Foundations: 9x CF

- (1) 5 55 357 0 08   Steel powder. red  
(2) 5 55 357 0 09   Steel powder. iguana  
(3) 5 55 357 0 24   Steel powder. blue





## unique hexagonal unit

### Info box



Minimum space: 0 650x400 cm

Free falling height: 220 cm

Impact protection net: 21,0 m<sup>2</sup>

Foundations: 6x CF

**5 55 362 0 24** Steel powder. blue  
**① 5 55 362 0 25** Steel powder. grey



## unique active climbing unit M12

### Info box



Minimum space: 840x534x390 cm

Free falling height: 210 cm

Impact protection net: 23,0 m<sup>2</sup>

Foundations: 7x CF

**① 5 30 006 143 08** Steel powder. red  
**② 5 30 006 143 09** Steel powder. iguana  
**③ 5 30 006 143 24** Steel powder. blue





# playo®



## playo climbing unit Cayambe

### Info box

Minimum space: 519x472x375 cm

Free falling height: 195 cm


Impact protection net: 22,0 m<sup>2</sup>

Foundations: 4x CF or 4x PFs

① 5 11 059 011 00 SW pi

5 11 059 031 00 Larch natural

① 5 11 059 041 00 Larch GL, larch



## playo climbing unit Lhotse

### Info box

Minimum space: 547x472x375 cm

Free falling height: 195 cm


Impact protection net: 23,0 m<sup>2</sup>

Foundations: 4x CF or 4x PFs

① 5 11 060 011 00 SW pi

5 11 060 031 00 Larch natural

① 5 11 060 041 00 Larch GL, larch





## playo climbing unit Mattheo

### Info box

Minimum space: 737x398x325 cm

Free falling height: 168 cm






Impact protection net: 23,5 m<sup>2</sup>

Foundations: 6x CF or 2x PFs + 4x CF

⑤ 5 11 056 011 00 SW pi

5 11 056 031 00 Larch natural

① 5 11 056 041 00 Larch GL, larch



## playo climbing unit Mila

### Info box

Minimum space: 464x401x325 cm

Free falling height: 145 cm


Impact protection net: 16,0 m<sup>2</sup>

Foundations: 7x CF or 3x PFs + 4x CF

5 11 055 011 00 SW pi

5 11 055 031 00 Larch natural

① 5 11 055 041 00 Larch GL, larch



## playo climbing unit Mika

### Info box

Minimum space: 493x493x375 cm

Free falling height: 195 cm


Impact protection net: 21,5 m<sup>2</sup>

Foundations: 5x CF or 1x PFs + 4x CF

5 11 057 011 00 SW pi

5 11 057 031 00 Larch natural

① 5 11 057 041 00 Larch GL, larch






①



Please order the  
slide separately



## playo play unit Nora, solo

### Info box

Minimum space: 1000x752x325 cm

Free falling height: 145 cm


Impact protection net: 45,0 m<sup>2</sup>

Foundations: 12x CF or 10x PFs + 2x CF

⑤ 5 11 058 011 00 SW pi

⑤ 5 11 058 031 00 Larch natural


⑤ 5 11 058 041 00 Larch GL, larch



Please choose your add-on slides:

Ⓐ 5 40 104 101 22 GFRP grey

Ⓑ 5 40 104 121 00 Stainless steel



PH 145 cm  
PH 145 cm





### paradiso step 25

#### Info box

Minimum space: 323x320x205 cm  
 Free falling height: 25 cm  
 Impact protection net: 9,0 m<sup>2</sup>  
 Foundations: 1x CF

① 5 45 363 053 00 Robinia oiled  
 5 45 363 063 00 Robinia natural



### paradiso step 50

#### Info box

Minimum space: 323x320x230 cm  
 Free falling height: 50 cm  
 Impact protection net: 9,0 m<sup>2</sup>  
 Foundations: 1x CF

① 5 45 364 053 00 Robinia oiled  
 5 45 364 063 00 Robinia natural



### paradiso step 75

#### Info box

Minimum space: 323x320x255 cm  
 Free falling height: 75 cm  
 Impact protection net: 9,0 m<sup>2</sup>  
 Foundations: 1x CF

① 5 45 365 053 00 Robinia oiled  
 5 45 365 063 00 Robinia natural




### paradiso climbing structure Erin

#### Info box

Minimum space: 910x860x239 cm  
 Free falling height: 59 cm  
 Impact protection net: 60,0 m<sup>2</sup>  
 Foundations: 27x CF

① 5 45 276 053 00 Robinia oiled  
 5 45 276 063 00 Robinia natural




### paradiso three-level horizontal bar Albin

#### Info box

Minimum space: 613x354x160 cm  
 Free falling height: 135 cm  
 Impact protection net: 17,5 m<sup>2</sup>  
 Foundations: 4x CF

① 5 45 015 053 06 Robinia oiled  
 5 45 015 063 00 Robinia natural




### paradiso two-level horizontal bar Albin

#### Info box

Minimum space: 510x350x150 cm  
 Free falling height: 135 cm  
 Impact protection net: 15,0 m<sup>2</sup>  
 Foundations: 3x CF

① 5 45 105 053 06 Robinia oiled  
 5 45 105 063 00 Robinia natural





**3+** 

### paradiso balance station Unni

#### Info box


Minimum space: 682x429x240 cm

Free falling height: 59 cm

Impact protection net: 24,5 m<sup>2</sup>

Foundations: 5x CF

① 5 45 241 053 00 **Robinia oiled**  
5 45 241 063 00 **Robinia natural**



**3+** 

### paradiso climbing trunk Juda

#### Info box


Minimum space: 570x450 cm

Free falling height: 230 cm

Impact protection net: 22,0 m<sup>2</sup>

Foundations: 2x CF

① 5 45 180 053 00 **Robinia oiled**  
5 45 180 063 00 **Robinia natural**



**1+** 

### paradiso balance combination Rochwin

#### Info box



Minimum space: 820x720x239 cm

Free falling height: 59 cm

Impact protection net: 41,0 m<sup>2</sup>

Foundations: 11x CF or 11x PFs

① 5 45 084 053 06 **Robinia oiled**  
5 45 084 063 00 **Robinia natural**






### paradiso balance beam Oswin

#### Info box

Minimum space: 700x330x300 cm  
Free falling height: 50 cm  
Impact protection net: 21,5 m<sup>2</sup>  
Foundations: 2x CF

① 5 45 016 053 06    Robinia oiled  
① 5 45 016 063 00    Robinia natural




### paradiso rotating beam Ola

#### Info box

Minimum space: 600x316x300 cm  
Free falling height: 45 cm  
Impact protection net: 17,0 m<sup>2</sup>  
Foundations: 2x CF

① 5 45 128 053 06    Robinia oiled  
① 5 45 128 063 00    Robinia natural




### paradiso balance bridge Salvia

#### Info box



Minimum space: 607x351x300 cm  
Free falling height: 50 cm  
Impact protection net: 19,5 m<sup>2</sup>  
Foundations: 2x CF

① 5 45 104 053 06    Robinia oiled  
① 5 45 104 063 00    Robinia natural



This is the right place for those who want to improve their sense of balance. Go on, try it! Includes step-ups for beginners.



**paradiso  
balance combination Osawina**

## Info box


Minimum space: 1232x453x231 cm

Free falling height: 51 cm


Impact protection net: 43,0 m<sup>2</sup>

Foundations: 6x CF

- ① 5 45 177 053 06    Robinia oiled  
② 5 45 177 063 00    Robinia natural



2

**paradiso  
balance combination Kosawin**

## Info box



Minimum space: 1265x400x240 cm

Free falling height: 59 cm

Impact protection net: 45,0 m<sup>2</sup>

Foundations: 9x CF

- ① 5 45 178 053 06    Robinia oiled  
② 5 45 178 063 00    Robinia natural



①



The demanding climbing combination hones co-ordination and motor skills.



①



### paradiso play unit Crona

#### Info box


Minimum space: 1075x620x400 cm

Free falling height: 220 cm

Impact protection net: 54,0 m<sup>2</sup>


Foundations: 17x CF

① 5 45 097 053 06    **Robinia oiled**  
5 45 097 063 00    **Robinia natural**





Scope of delivery deviates from the image



### paradiso play unit Climbing Tree Ema

#### Info box



Minimum space: 940x780x390 cm

Free falling height: 210 cm

Impact protection net: 58,0 m<sup>2</sup>

Foundations: 21x CF

① 5 45 083 053 06   Robinia oiled  
5 45 083 063 00   Robinia natural





### paradiso climbing hexagon Rikka

#### Info box


Minimum space: 675x635x200 cm

Free falling height: 200 cm

Impact protection net: 34,0 m<sup>2</sup>

Foundations: 7x CF

① 5 45 242 053 00    Robinia oiled  
 5 45 242 063 00    Robinia natural





## paradiso play unit Climbing Garden

## Info box



Minimum space: 740x570x420 cm

Free falling height: 210 cm

Impact protection net: 33,0 m<sup>2</sup>

Foundations: 11x CF

① 5 45 279 053 06 Robinia oiled  
 5 45 279 063 00 Robinia natural



## paradiso climbing giraffe Greg

## Info box




Minimum space: 730x540x330 cm

Free falling height: 150 cm

Impact protection net: 31,0 m<sup>2</sup>

Foundations: 9x CF

① 5 45 171 053 00 Robinia oiled  
 5 45 171 063 00 Robinia natural





## minimondo little swing Daisy

### Info box


Minimum space: 675x185x200 cm

Free falling height: 93 cm


Impact protection net: 19,5 m<sup>2</sup>

Foundations: 2x CF

① 5 59 812 5 SW pi  
② 5 59 812 041 21 Larch GL green



②





### minimondo swing Daisy with nest seat

#### Info box


Minimum space: 510x230x200 cm

Free falling height: 90 cm

Impact protection net: 12,0 m<sup>2</sup>

Foundations: 2x CF

**5 59 813 0** Steel, PE






## minimondo swing Lily of the Valley

### Info box

Minimum space: 675x188x200 cm  
 Free falling height: 93 cm  
 Impact protection net: 12,0 m<sup>2</sup>  
 Foundations: 4x CF or 4x PFs

① 5 59 833 5 SW pi  
 ② 5 59 833 041 21 Larch GL green




**minimondo  
double swing Lily of the Valley****Info box**

Minimum space: 675x359x200 cm

Free falling height: 93 cm

Impact protection net: 24,0 m<sup>2</sup>

Foundations: 6x CF or 6x PFs

**① 5 59 834 5 SW pi**  
**② 5 59 834 041 21 Larch GL green**





## playo swing Kondor


### Info box

Minimum space: 800x350x317 cm  
Free falling height: 137 cm  
Impact protection net: 24,0 m<sup>2</sup>  
Foundations: 4x CF or 4x PFs

- ① 5 10 072 011 00 SW pi  
5 10 072 031 00 Larch natural  
② 5 10 072 041 00 Larch GL



**Swing beam height: 2,35 m**  
**The best swing joint!**  
**Galvanised swing joint**  
**Swing chain stainless steel**





## playo triple swing Kondor

### Info box

Minimum space: 800x527x317 cm  
Free falling height: 137 cm  
Impact protection net: 38,0 m<sup>2</sup>  
Foundations: 6x CF or 6x PFs

- ① 5 10 140 011 00 SW pi  
5 10 140 031 00 Larch natural  
② 5 10 140 041 00 Larch GL





## playo quadruple swing Kondor

### Info box

Minimum space: 800x643x368 cm  
Free falling height: 146 cm  
Impact protection net: 47,0 m<sup>2</sup>  
Foundations: 6x CF or 6x PFs + 6x CF

- ① 5 10 170 011 00 SW pi  
5 10 170 031 00 Larch natural  
② 5 10 170 041 00 Larch GL





**playo**  
**swing Kondor with nest seat**  
**Ø 100**

**Info box**



Minimum space: 800x350x368 cm

Free falling height: 146 cm

Impact protection net: 24,0 m<sup>2</sup>



Foundations: 4x CF or 4x PFs + 4x CF

- ① 5 10 073 011 00 SW pi  
5 10 073 031 00 Larch natural  
② 5 10 073 041 00 Larch GL





## playo swing frame Kondor

① 5 10 074 011 00 SW pi  
5 10 074 031 00 Larch natural  
① 5 10 074 041 00 Larch GL






## playo triple swing frame Kondor

① 5 10 150 011 00 SW pi  
5 10 150 031 00 Larch natural  
① 5 10 150 041 00 Larch GL



## playo quadruple swing frame Kondor

① 5 10 160 011 00 SW pi  
5 10 160 031 00 Larch natural  
① 5 10 160 041 00 Larch GL





**ecorino®**



### ecorino double swing with swing seats

#### Info box



Minimum space: 333x800x330 cm

Free falling height: 137 cm

Impact protection net: 23,5 m<sup>2</sup>

Foundations: 4x CF

5 15 001 133 00 Steel galv.



Best price!



### ecorino double swing with nest seat Ø 100 cm

#### Info box



Minimum space: 333x800x368 cm

Free falling height: 146 cm

Impact protection net: 20,0 m<sup>2</sup>

Foundations: 4x CF


5 15 002 133 00 Steel galv.






**unique  
single swing frame Eagle**

① 5 25 133 011 00 SW pi  
 5 25 133 031 00 Larch nature  
 ① 5 25 133 041 00 Larch GL  
 5 25 133 041 06 Larch GL green



**unique double swing  
Eagle without swing seats**

5 25 031 011 00 SW pi  
 5 25 031 031 00 Larch nature  
 ① 5 25 031 041 00 Larch GL  
 5 25 031 041 06 Larch GL green



2x Mounting kit  
 2x Swing suspension  
 1x Safety swing seat



4x Mounting kit  
 4x Swing suspension  
 1x Swing rope




4x Mounting kit  
 4x Swing suspension  
 2x Safety swing seat



2x Mounting kit  
 2x Cardan joint  
 1x Nest seat

**unique triple swing  
Eagle without swing seats**



5 25 089 011 00 SW pi  
 5 25 089 031 00 Larch nature  
 ① 5 25 089 041 00 Larch GL  
 5 25 089 041 06 Larch GL green



4x Mounting kit  
 4x Swing suspension  
 2x Cardan joint  
 1x Safety swing seat  
 1x Swing rope



4x Mounting kit  
 2x Swing suspension  
 2x Cardan joint  
 1x Safety swing seat  
 1x Nest seat



**unique  
quadruple swing frame Eagle**



5 25 091 011 00 SW pi  
 5 25 091 031 00 Larch nature  
 ① 5 25 091 041 00 Larch GL  
 5 25 091 041 06 Larch GL green



6x Mounting kit  
 4x Swing suspension  
 2x Cardan joint  
 2x Safety swing seat  
 1x Nest seat



8x Mounting kit  
 8x Swing suspension  
 2x Safety swing seat  
 1x Swing rope





### Safety swing seat for small children

5 63 203 0 Steel, rubber



### Toddler swing seat Colour

5 63 195 0 Steel rope



### Safety swing seat incl. chain

5 63 207 0 Steel, rubber


5 55 003 120 00 Stainless steel, rubber



### Safety swing seat wide, incl. chain

5 63 204 0 Steel, rubber

5 55 004 120 00 Stainless steel, rubber



### Swing for kids and parents

Size: 62x157x104 cm

5 63 244 0 Stahl, VA, Gummi

**NEW**now also in  
natural and green

The nest seat is a communal swing shaped like a bird's nest.  
Several children can swing or relax together here.

### Nest seat, steel cable net mesh Ø 100 cm

5 55 052 0 blue

5 55 052 01 natural

5 55 052 50 green

Material: Steel, polyester-coated steel cable  
Scope of delivery: 1x nest swing Ø 100 cm:  
rope ring, plastic-coated steel cable



### Mounting set for swing beam

5 63 251 0

The eibe swing suspension  
is galvanised and is  
mounted with two  
screws.



### Swing suspension

5 63 011 0 Steel

5 55 001 120 00 Stainless steel



### Universal joints

5 63 253 0 Steel

5 55 368 120 00 Stainless steel



### Safety chain for cardan joint

5 63 252 0 Steel

5 55 369 120 00 Stainless steel





**unique  
double swing Eagle with  
swing seats**

**Info box**



Minimum space: 800x428x317 cm

Free falling height: 137 cm

Impact protection net: 24,0 m<sup>2</sup>

Foundations: 4x CF or 4x PFs

- |                   |                |
|-------------------|----------------|
| ① 5 25 029 011 00 | SW pi          |
| 5 25 029 031 00   | Larch nature   |
| ② 5 25 029 041 00 | Larch GL       |
| 5 25 029 041 06   | Larch GL green |



**For decades  
childrens'  
favourite  
worldwide!**



**unique  
double swing Luna with  
swing seats**

**Info box**




Minimum space: 775x310x316 cm

Free falling height: 136 cm

Impact protection net: 23,0 m<sup>2</sup>

Foundations: 4x CF

- |                 |                    |
|-----------------|--------------------|
| ① 5 55 354 0 24 | Steel powder. blue |
| ② 5 55 354 0 25 | Steel powder. grey |



**Prevents the chains  
from winding.**



**unique double swing Luna with  
360° swing hinge**

- |                 |                    |
|-----------------|--------------------|
| 5 30 009 143 24 | Steel powder. blue |
| 5 30 009 143 25 | Steel powder. grey |





**unique  
double swing Eagle with  
nest seat**

**Info box**


Minimum space: 800x428x380 cm

Free falling height: 149 cm


Impact protection net: 24,0 m<sup>2</sup>

Foundations: 4x CF or 4x PFs + 4x CF

- ① 5 25 030 011 00 SW pi
- 5 25 030 031 00 Larch nature
- ② 5 25 030 041 00 Larch GL
- 5 25 030 041 06 Larch GL green



②



**Height of swing beam: 2.35 m  
The best swing joint:  
Galvanised swing joint,  
Swing chain: stainless steel**



**Playing alone or in groups –  
everyone enjoys a swing!**



**unique  
nest seat swing Luna  
with nest seat**

**Info box**


Minimum space: 710x300x330 cm

Free falling height: 145 cm


Impact protection net: 18,0 m<sup>2</sup>

Foundations: 4x CF

- ① 5 55 355 0 24 Steel powder. blue
- ② 5 55 355 0 25 Steel powder. grey



②







**unique  
triple swing Eagle with nest  
seat & swing seat**

**Info box**

Minimum space: 800x647x380 cm  
Free falling height: 149 cm  
Impact protection net: 41,5 m<sup>2</sup>  
Foundations: 6x CF or 6x PFs + 6x CF

- |                   |                |
|-------------------|----------------|
| ① 5 25 088 011 00 | <b>SW pi</b>   |
| 5 25 088 031 00   | Larch nature   |
| ② 5 25 088 041 00 | Larch GL       |
| 5 25 088 041 06   | Larch GL green |





**unique  
quadruple swing Eagle with  
nest seat & swing seats**

**Info box**

Minimum space: 800x772x380 cm  
Free falling height: 149 cm  
Impact protection net: 50,0 m<sup>2</sup>  
Foundations: 6x CF or 6x PFs + 6x CF

- |                   |                |
|-------------------|----------------|
| ① 5 25 090 011 00 | <b>SW pi</b>   |
| 5 25 090 031 00   | Larch nature   |
| ② 5 25 090 041 00 | Larch GL       |
| 5 25 090 041 06   | Larch GL green |





**unique  
swing Luna with nest seat 120,  
single swing**

**Info box**



Minimum space: 770x520x330 cm

Free falling height: 145 cm

Impact protection net: 31,5 m<sup>2</sup>

Foundations: 6x CF

- ① 5 55 356 0 24    Steel powder. blue  
 ② 5 55 356 0 25    Steel powder. grey



**Prevents the chains  
from winding.**



**unique  
nest seat and swing Luna with 360° swing  
hinge**

- ① 5 30 010 143 24    Steel powder. blue  
 ② 5 30 010 143 25    Steel powder. grey





**Height of swing beam: 4.15 m!**



### unique double swing Crane

#### Info box

Minimum space: 1074x535x415 cm

Free falling height: 220 cm

Impact protection net: 36,5 m<sup>2</sup>

Foundations: 4x CF

① 5 55 139 5

SW pi

5 55 139 031 00




Larch nature

② 5 55 139 041 00

Larch GL

5 55 139 041 06

Larch GL green



**NEW**

## Metal pendulum swing


### Info box

Minimum space: 990x297x265 cm

Free falling height: 151 cm

Impact protection net: 18,0 m<sup>2</sup>

Foundations: 4x CF

**5 55 365 0** Powdered steel, stainless steel

## unique swing Snake

### Info box



Minimum space: 1305x466x360 cm


Free falling height: 205 cm

Impact protection net: 23,0 m<sup>2</sup>

Foundations: 6x CF

- ① 5 55 334 5 SW pi  
 5 55 334 031 00 Larch nature  
 ② 5 55 334 041 00 Larch GL  
 5 55 334 041 06 Larch GL green





### unique hexagonal swing



#### Info box

Minimum space: 01240x320 cm

Free falling height: 149 cm

Impact protection net: 121,0 m<sup>2</sup>

Foundations: 6x CF



### unique six-bay swing with tyre seats

#### Info box



Minimum space: 1302x1215x328 cm

Free falling height: 148 cm

Impact protection net: 60,5 m<sup>2</sup>

Foundations: 6x CF

- ① 5 55 133 5 SW pi Larch nature
- ② 5 55 133 031 00 Larch GL
- ② 5 55 133 041 00 Larch GL green





### unique circular swing with nest seat

#### Info box


Minimum space: Ø 810x320 cm

Free falling height: 203 cm

Impact protection net: 52,0 m<sup>2</sup>

Foundations: 3x CF

- ① 5 55 359 0 24 Steel powder. blue  
② 5 55 359 0 25 Steel powder. grey



### unique youth circular swing Vogelburg

#### Info box


Minimum space: Ø 810x320 cm


Free falling height: 70 cm

Impact protection net: 52,0 m<sup>2</sup>

Foundations: 3x CF

- ① 5 55 360 0 24 Steel powder. blue  
② 5 55 360 0 25 Steel powder. grey





**Horizontal swinging fun**





**unique  
parallel swinger**

**Info box**

Minimum space: 860x428x343 cm  
Free falling height: 153 cm  
Impact protection net: 21,5 m<sup>2</sup>  
Foundations: 4x CF or 4x PFs

- ① 5 55 335 5    SW pi  
5 55 335 031 00    Larch nature  
② 5 55 335 041 00    Larch GL  
5 55 335 041 06    Larch GL green





**unique  
tarzan swing with seat**


**Info box**

Minimum space: 917x800x389 cm  
Free falling height: 210 cm  
Impact protection net: 66,0 m<sup>2</sup>  
Foundations: 3x CF

- ① 5 55 358 0 24    Steel powder. blue  
② 5 55 358 0 25    Steel powder. grey



**Stainless steel  
ball-and-socket joint**







**unique  
Double Curver**

**Info box**

Minimum space: 590x582x265 cm  
Free falling height: 85 cm  
Impact protection net: 21,5 m<sup>2</sup>  
Foundations: 3x CF

① 5 55 364 0 24    Steel powder. blue  
5 55 364 0 25    Steel powder. grey



Sociable and fun, use the swing together for optimum enjoyment.

Consulting. Design. Cost effective.  
**CONSULTATIONS  
ON SITE**





**unique  
Single Curver**

**Info box**

Minimum space: 300x582x265 cm  
Free falling height: 85 cm  
Impact protection net: 11,0 m<sup>2</sup>  
Foundations: 2x CF

① 5 55 363 0 24    Steel powder. blue  
5 55 363 0 25    Steel powder. grey





**paradiso  
toddler swing  
with toddler seat**

**Info box**



Minimum space: 300x660x280 cm

Free falling height: 93 cm

Impact protection net: 12,0 m<sup>2</sup>

Foundations: 2x CF

① 5 45 113 053 06    **Robinia oiled**  
5 45 113 063 00    **Robinia natural**



**paradiso  
rocking crib  
Milo**

**Info box**


Minimum space: 572x300x150 cm

Free falling height: 95 cm

Impact protection net: 13,0 m<sup>2</sup>

Foundations: 2x CF

① 5 45 078 053 06    **Robinia oiled**  
5 45 078 063 00    **Robinia natural**





## paradiso belly swing Leif

### Info box


Minimum space: 650x220x210 cm

Free falling height: 95 cm

Impact protection net: 13,0 m<sup>2</sup>

Foundations: 2x CF

- ① 5 45 333 053 06 Robinia oiled  
② 5 45 333 063 00 Robinia natural



## paradiso single swing Vini

### Info box


Minimum space: 790x305x270 cm

Free falling height: 140 cm

Impact protection net: 14,0 m<sup>2</sup>

Foundations: 4x CF

- ① 5 45 335 053 06 Robinia oiled  
② 5 45 335 063 00 Robinia natural





3+ 

**paradiso  
double swing Yanna with  
safety swing seats**

**Info box**



Minimum space: 785x400x271 cm

Free falling height: 139 cm

Impact protection net: 22,0 m<sup>2</sup>

Foundations: 4x CF

① 5 45 002 053 06    **Robinia oiled**  
⑤ 45 002 063 00    **Robinia natural**





**paradiso  
nest seat swing Yanna  
with bird's nest 120**

**Info box**



Minimum space: 760x400x271 cm

Free falling height: 150 cm

Impact protection net: 19,0 m<sup>2</sup>

Foundations: 4x CF

① 5 45 003 053 06    Robinia oiled  
5 45 003 063 00    Robinia natural



①



1



Scope of delivery deviates from the image



## paradiso double swing combination Elon

### Info box


Minimum space: 800x755x271 cm


Free falling height: 150 cm

Impact protection net: 57,0 m<sup>2</sup>

Foundations: 6x CF

- ① 5 45 127 053 06    **Robinia oiled**  
 ② 5 45 127 063 00    **Robinia natural**



**paradiso  
snake swing Hydra****Info box**


Minimum space: 1200x366x296 cm

Free falling height: 150 cm

Impact protection net: 37,5 m<sup>2</sup>

Foundations: 8x CF

- ① 5 45 182 053 00    Robinia oiled  
② 5 45 182 063 00    Robinia natural



Use only under  
supervision

①

lockable

Impact attenuation  
tile included!



## The swing for wheelchairs!

► Find an inclusive seesaw on page 321



### Integration swing

#### Info box

Minimum space: 610x320x241 cm

Free falling height: 82 cm

Impact protection net: -


Foundations: -

① 5 64 005 0 24

Powdered steel blue

② 5 64 005 0 25

Powdered steel grey




②





**paradiso**  
single swing frame Vini

① 5 45 336 053 06 Robinia oiled  
5 45 336 063 00 Robinia natural



①




2x Mounting kit  
2x Swing suspension  
1x Safety swing seat




2x Mounting kit  
2x Swing suspension  
1x Safety swing seat

**paradiso**  
double swing frame Yanna

① 5 45 001 053 06 Robinia oiled  
5 45 001 063 00 Robinia natural




①



4x Mounting kit  
4x Swing suspension  
2x Safety swing seat



2x Mounting kit  
2x Cardan joint  
1x Nest seat




4x Mounting kit  
4x Swing suspension  
1x Swing rope




**climbo**  
Double Swing frame Akina

5 25 904 011 00 SW pi  
5 25 904 031 00 Larch natural  
① 5 25 904 041 00 Larch GL




①



4x Mounting kit  
4x Swing suspension  
2x Safety swing seat



2x Mounting kit  
2x Cardan joint  
1x Nest seat



4x Mounting kit  
4x Swing suspension  
1x Swing rope





### climbo double swing Akina

#### Info box



Minimum space: 800x540x362 cm

Free falling height: 137 cm

Impact protection net: 24,0 m<sup>2</sup>

Foundations: 5x CF or 5x PFs

① 5 25 905 011 00 SW pi  
5 25 905 031 00 Larch natural  
5 25 905 041 00 Larch GL





**Extra high –  
over 5 metres!**



**climbo  
swing Akiko**

**Info box**




Minimum space: 1074x656x529 cm

Free falling height: 221 cm

Impact protection net: 36,5 m<sup>2</sup>

Foundations: 4x CF

① 5 25 903 013 00 SW pi  
5 25 903 033 00 Larch natural  
5 25 903 043 00 Larch GL





**unique  
aerial cable way Fjall 20 m**

**Info box**

Minimum space: 2405x400x387 cm

Free falling height: 80 cm

Impact protection net: 72,0 m<sup>2</sup>

Foundations: 8x CF

**5 55 275 0 24 Steel powder. blue**  
**① 5 55 275 0 25 Steel powder. grey**

**unique  
aerial cable way Fjall 30 m**

**Info box**



Minimum space: 3405x400x387 cm

Free falling height: 80 cm

Impact protection net: 112,0 m<sup>2</sup>

Foundations: 8x CF

**5 55 276 0 24 Steel powder. blue**  
**① 5 55 276 0 25 Steel powder. grey**



**unique aerial  
cableway 50 m for hill installation**

**Info box**



Minimum space: 5500x400x531 cm

Free falling height: 80 cm

Impact protection net: 196,0 m<sup>2</sup>

Foundations: 8x CF

**5 52 042 143 24 Steel powder. blue**  
**5 52 042 143 25 Steel powder. grey**





①



The trip is double the fun when it's parallel.  
The modern, functional design of the  
cableway Fjall makes it the highlight  
of any playground.



**unique  
double aerial cable way Fjall 20 m**

**Info box**

Minimum space: 2405x680x386 cm  
Free falling height: 80 cm  
Impact protection net: 125,5 m<sup>2</sup>  
Foundations: 12x CF

**5 55 278 0 24      Steel powder. blue**  
**① 5 55 278 0 25      Steel powder. grey**





**unique  
double aerial cable way Fjall 30 m**

**Info box**

Minimum space: 3405x680x386 cm  
Free falling height: 80 cm  
Impact protection net: 193,5 m<sup>2</sup>  
Foundations: 12x CF

**5 55 279 0 24      Steel powder. blue**  
**① 5 55 279 0 25      Steel powder. grey**



## unique aerial cableway Sierra 20 m

### Info box

Minimum space: 2184x499x392 cm  
 Free falling height: 146 cm  
 Impact protection net: 85,0 m<sup>2</sup>  
 Foundations: 6x CF

5 55 262 5 SW pi  
 5 55 262 031 00 Larch nature  
 5 55 262 041 00 Larch GL, larch  
 5 55 262 041 06 Larch GL green, Larch



## unique aerial cableway Sierra 30 m

### Info box

Minimum space: 3184x499x392 cm  
 Free falling height: 146 cm  
 Impact protection net: 125,0 m<sup>2</sup>  
 Foundations: 6x CF

5 55 263 5 SW pi  
 5 55 263 031 00 Larch nature  
 5 55 263 041 00 Larch GL, larch  
 5 55 263 041 06 Larch GL green, Larch



With start platform



## unique aerial cableway Sierra Duo 20 m

### Info box

Minimum space: 2184x699x392 cm  
 Free falling height: 146 cm  
 Impact protection net: 125,0 m<sup>2</sup>  
 Foundations: 8x CF

5 55 264 5 SW pi  
 5 55 264 031 00 Larch nature  
 5 55 264 041 00 Larch GL, larch  
 5 55 264 041 06 Larch GL green, Larch

## unique aerial cableway Sierra Duo 30 m


### Info box

Minimum space: 3184x699x392 cm  
 Free falling height: 146 cm  
 Impact protection net: 165,0 m<sup>2</sup>  
 Foundations: 8x CF

5 55 265 5 SW pi  
 5 55 265 031 00 Larch nature  
 5 55 265 041 00 Larch GL, larch  
 5 55 265 041 06 Larch GL green, Larch



Double riding fun





**unique**  
aerial cableway Montana 20 m for hill installation

## Info box

Minimum space: 2048x400x317 cm

Free falling height: 80 cm

Impact protection net: 75,0 m<sup>2</sup>

Foundations: 6x CF

5 55 266 5	SW pi
5 55 266 031 00	Larch nature
5 55 266 041 00	Larch GL
5 55 266 041 06	Larch GL green

**unique**  
aerial cableway Montana 30 m for hill installation

## Info box

Minimum space: 3048x400x317 cm

Free falling height: 80 cm

Impact protection net: 115,0 m<sup>2</sup>

Foundations: 6x CF

5 55 267 5	SW pi
5 55 267 031 00	Larch nature
5 55 267 041 00	Larch GL
5 55 267 041 06	Larch GL green



**unique**  
aerial cableway Montana Duo 20 m for hill installation

## Info box

Minimum space: 2048x600x317 cm

Free falling height: 80 cm

Impact protection net: 115,0 m<sup>2</sup>

Foundations: 8x CF

5 55 268 5	SW pi
5 55 268 031 00	Larch nature
5 55 268 041 00	Larch GL
5 55 268 041 06	Larch GL green

**unique**  
aerial cableway Montana Duo 30 m for hill installation

## Info box



Minimum space: 3048x600x317 cm


Free falling height: 80 cm

Impact protection net: 160,0 m<sup>2</sup>

Foundations: 8x CF

5 55 269 5	SW pi
5 55 269 031 00	Larch nature
5 55 269 041 00	Larch GL
5 55 269 041 06	Larch GL green






**paradiso  
aerial cableway Bardo  
for hill installation 20 m**

**Info box**

Minimum space: 2716x600x312 cm  
Free falling height: <100 cm  
Impact protection net: 72,0 m<sup>2</sup>  
Foundations: 6x CF

- ① 5 45 005 053 06    **Robinia oiled**  
5 45 005 063 00    **Robinia natural**




**paradiso  
aerial cableway Bardo  
for hill installation 30 m**

**Info box**

Minimum space: 3716x600x312 cm  
Free falling height: <100 cm  
Impact protection net: 112,0 m<sup>2</sup>  
Foundations: 6x CF

- ① 5 45 006 053 06    **Robinia oiled**  
5 45 006 063 00    **Robinia natural**





**paradiso  
aerial cableway Tardo with  
start platform 20 m**

**Info box**

Minimum space: 2718x660x392 cm  
Free falling height: 144 cm  
Impact protection net: 80,5 m<sup>2</sup>  
Foundations: 10x CF

- ① 5 45 124 053 06    **Robinia oiled**  
5 45 124 063 00    **Robinia natural**






**paradiso  
aerial cableway Tardo  
with start platform 30 m**

**Info box**

Minimum space: 3718x660x392 cm  
Free falling height: 144 cm  
Impact protection net: 121,0 m<sup>2</sup>  
Foundations: 10x CF

- ① 5 45 125 053 06    **Robinia oiled**  
5 45 125 063 00    **Robinia natural**





Scope of delivery deviates from the image



### paradiso double aerial cableway Telesto for hill installation 20 m

#### Info box



Minimum space: 2625x900x309 cm

Free falling height: <100 cm

Impact protection net: 112,0 m<sup>2</sup>

Foundations: 8x CF

① 5 45 114 053 06    Robinia oiled  
5 45 114 063 00    Robinia natural





## ecorino aerial cableway Jota 20 m

### Info box


Minimum space: 2850x584x371 cm

Free falling height: 80 cm

Impact protection net: 76,5 m<sup>2</sup>

Foundations: 6x CF

**5 15 034 133 00 Steel galv.**



## ecorino aerial cableway Jota 30 m

### Info box


Minimum space: 3842x580x365 cm

Free falling height: 80 cm

Impact protection net: 107,0 m<sup>2</sup>

Foundations: 6x CF

**5 15 035 133 00 Steel galv.**





①



②

Up and down on the  
eibe ecorino beam  
seesaw.



#### ecorino four-seater seesaw

##### Info box


Minimum space: 660x314x303 cm


Free falling height: 124 cm

Impact protection net: 12,5 m<sup>2</sup>

Foundations: 1x CF

- ① 5 15 022 013 00 SW pi  
② 5 15 022 033 00 Larch natural  
5 15 022 043 00 Larch GL





### unique safety high rocker

#### Info box


Minimum space: 750x750x380 cm

Free falling height: 185 cm

Impact protection net: 56,0 m<sup>2</sup>

Foundations: 1x CF

- ① 5 55 071 0 24 Steel powder. blue
- ② 5 55 071 0 25 Steel powder. grey





### unique stand-up seesaw

#### Info box


Minimum space: 680x341x252 cm

Free falling height: 72 cm

Impact protection net: 21,5 m<sup>2</sup>

Foundations: 1x CF

- ① 5 55 194 011 00 SW pi  
 5 55 194 031 00 Larch nature  
 ② 5 55 194 041 00 Larch GL, larch  
 5 55 194 041 06 Larch GL green, Larch



## Seesaw fun for lots of children!



**Top shock attenuation:  
1.7 million cycles –  
extremely long  
useful life**



### unique seesaw, non-bump

#### Info box



Minimum space: 600x216x305 cm

Free falling height: 125 cm

Impact protection net: 12,0 m<sup>2</sup>

Foundations: 1x CF

- ① 5 55 097 5 SW pi  
 5 55 097 033 00 Larch nature  
 ② 5 55 097 043 00 Larch GL





### unique two-seater seesaw

#### Info box


Minimum space: 600x230x290 cm

Free falling height: 110 cm



Impact protection net: 13,0 m<sup>2</sup>

Foundations: 1x CF

- ① 5 55 090 5 SW pi  
 5 55 090 033 00 Larch nature  
 ② 5 55 090 043 00 Larch GL  
 5 55 090 043 06 Larch GL green



②



### unique four-seater seesaw

#### Info box



Minimum space: 600x230x290 cm

Free falling height: 110 cm

Impact protection net: 13,0 m<sup>2</sup>

Foundations: 1x CF

- ① 5 55 091 5 SW pi  
 ② 5 55 091 033 00 Larch nature  
 5 55 091 043 00 Larch GL  
 5 55 091 043 06 Larch GL green





### unique two-seater seesaw Stella

#### Info box


Minimum space: 600x229x280 cm

Free falling height: 100 cm

Impact protection net: 13,0 m<sup>2</sup>

Foundations: 2x CF

- ① 5 55 352 0 24 Steel powder. blue  
② 5 55 352 0 25 Steel powder. grey



①



### unique four-seater seesaw Stella

#### Info box


Minimum space: 600x229x280 cm

Free falling height: 100 cm

Impact protection net: 13,0 m<sup>2</sup>

Foundations: 2x CF

- ① 5 55 353 0 24 Steel powder. blue  
② 5 55 353 0 25 Steel powder. grey





**paradiso**  
beam seesaw Golpio, four-seater

**Info box**



Minimum space: 600x250x290 cm

Free falling height: 140 cm

Impact protection net: 14,0 m<sup>2</sup>

Foundations: 2x CF

- ① 5 45 008 053 06    Robinia oiled  
5 45 008 063 00    Robinia natural



**climbo**  
stand-up seesaw Suri

**Info box**




Minimum space: 800x541x317 cm

Free falling height: 138 cm

Impact protection net: 22,0 m<sup>2</sup>

Foundations: 1x CF

- ① 5 25 906 013 00    SW pi  
5 25 906 033 00    Larch natural  
② 5 25 906 043 00    Larch GL, larch





**Scope of delivery deviates from the image**





# paradiso

## integration seesaw

## Info box

Minimum space:	700x410x310 cm
Free falling height:	130 cm
Impact protection net:	27,0 m <sup>2</sup>
Foundations:	1x CF





## Integration Seesaw metal

## Info box

Minimum space:	556x406x237 cm
Free falling height:	57 cm
Impact protection net:	21,0 m <sup>2</sup>
Foundations:	1x CF

**5 64 008 0** Powdered steel, HPL





**paradiso**  
multifunctional seesaw Erik

**Info box**


Minimum space: 950x275x240 cm

Free falling height: 60 cm

Impact protection net: 26,0 m<sup>2</sup>

Foundations: 10x CF

- ① 5 45 346 053 06    Robinia oiled  
5 45 346 063 00    Robinia natural



**paradiso**  
movement platform car Sören

**Info box**


Minimum space: 430x430x220 cm

Free falling height: 40 cm

Impact protection net: 18,5 m<sup>2</sup>

Foundations: 3x CF

- ① 5 45 344 053 06    Robinia oiled  
5 45 344 063 00    Robinia natural



**spring rocker animal incl.  
foundation anchor**





**Use only under supervision**



### paradiso movement platform boat Tally

#### Info box


Minimum space: 460x320x280 cm

Free falling height: 100 cm


Impact protection net: 14,0 m<sup>2</sup>

Foundations: 4x CF

① 5 45 345 053 06    Robina oiled  
5 45 345 063 00    Robina natural



**spring rocker animal incl.  
foundation anchor**



Spring rockers that make you jump with delight!

2+




3+

### Spring rocker Fire Extinguisher

#### Info box


Minimum space: 366x323x238 cm  
Free falling height: 58 cm  
Impact protection net: 5,5 m<sup>2</sup>  
Foundations: 1x 5591600 + 1x CF or 1x 5632100 + 1x CF

**5 67 255 0** Laminated timber, MDF



#### PLEASE ORDER SEPARATELY!

Please find the right ground anchors for spring rockers on page 378





### Spring rocker Pony

#### Info box

Minimum space: 300x250x238 cm  
Free falling height: 58 cm  
Impact protection net: 7,0 m<sup>2</sup>  
Foundations: 1x 5591600 + 1x CF or 1x 5632100 + 1x CF

**5 67 013 0** Laminated timber, MDF






### Spring rocker Duck

#### Info box

Minimum space: 300x250x238 cm  
Free falling height: 58 cm  
Impact protection net: 7,0 m<sup>2</sup>  
Foundations: 1x 5591600 + 1x CF or 1x 5632100 + 1x CF

**5 67 012 0** Laminated timber, MDF




### Spring rocker Goose

#### Info box

Minimum space: 300x250x238 cm  
Free falling height: 58 cm  
Impact protection net: 7,0 m<sup>2</sup>  
Foundations: 1x 5591600 + 1x CF or 1x 5632100 + 1x CF

**5 67 242 0** Laminated timber, MDF




### Spring rocker Horse

#### Info box

Minimum space: 300x250x238 cm  
Free falling height: 58 cm  
Impact protection net: 7,0 m<sup>2</sup>  
Foundations: 1x 5591600 + 1x CF or 1x 5632100 + 1x CF

**5 67 243 0** Laminated timber, MDF




### Spring rocker Fish

#### Info box

Minimum space: 300x250x238 cm  
Free falling height: 58 cm  
Impact protection net: 7,0 m<sup>2</sup>  
Foundations: 1x 5591600 + 1x CF or 1x 5632100 + 1x CF

**5 67 008 0** Laminated timber, MDF





### Spring rocker Fox

#### Info box

Minimum space: 300x250x238 cm  
Free falling height: 58 cm  
Impact protection net: 7,0 m<sup>2</sup>  
Foundations: 1x 5591600 + 1x CF or 1x 5632100 + 1x CF

**5 67 241 0** Laminated timber, MDF






**paradiso  
double spring rocker Dragonfly**

**Info box**

Minimum space: 440x360x250 cm  
Free falling height: 70 cm  
Impact protection net: 12,5 m<sup>2</sup>  
Foundations: 1x 5632280 + 1x CF

**5 45 291 053 00    Robinia oiled**



**paradiso  
spring rocker Ladybug**


**Info box**

Minimum space: 365x355x250 cm  
Free falling height: 70 cm  
Impact protection net: 11,0 m<sup>2</sup>  
Foundations: 1x 5632280 + 1x CF

**5 45 289 053 00    Robinia oiled**

**PLEASE ORDER  
SEPARATELY!**

Please find the right  
ground anchors for  
spring rockers on  
page 378





**paradiso  
spring rocker Caterpillar**

**Info box**

Minimum space: 370x354x250 cm  
Free falling height: 70 cm  
Impact protection net: 11,0 m<sup>2</sup>  
Foundations: 1x 5632280 + 1x CF

**5 45 290 053 00    Robinia oiled**




**paradiso  
spring rocker Ugo**

**Info box**

Minimum space: 360x354x240 cm  
Free falling height: 60 cm  
Impact protection net: 11,0 m<sup>2</sup>  
Foundations: 1x 5632280 + 1x CF

**5 45 009 053 06    Robinia oiled**





**paradiso  
spring rocker Sheep**

**Info box**

Minimum space: 380x354x250 cm  
Free falling height: 70 cm  
Impact protection net: 10,0 m<sup>2</sup>  
Foundations: 1x 5632280 + 1x CF

**5 45 079 053 06    Robinia oiled**




**paradiso  
spring rocker Lupo**

**Info box**

Minimum space: 370x354x240 cm  
Free falling height: 60 cm  
Impact protection net: 11,0 m<sup>2</sup>  
Foundations: 1x 5632280 + 1x CF

**5 45 116 053 06    Robinia oiled**



1





3+

## paradiso spring rocker Squirrel

### Info box

Minimum space: 320x250x240 cm  
Free falling height: 60 cm  
Impact protection net: 7,5 m<sup>2</sup>  
Foundations: 1x 5632280 + 1x CF

① 5 45 354 053 00 Robinia oiled  
5 45 354 063 00 Robinia natural




## paradiso spring rocker Turtle

### Info box

Minimum space: 320x250x240 cm  
Free falling height: 60 cm  
Impact protection net: 7,5 m<sup>2</sup>  
Foundations: 1x 5632280 + 1x CF

① 5 45 355 053 00 Robinia oiled  
5 45 355 063 00 Robinia natural




## paradiso spring rocker Pony

### Info box

Minimum space: 320x250x240 cm  
Free falling height: 60 cm  
Impact protection net: 7,5 m<sup>2</sup>  
Foundations: 1x 5632280 + 1x CF

① 5 45 361 053 00 Robinia oiled  
5 45 361 063 00 Robinia natural





## paradiso spring rocker Frog

### Info box

Minimum space: 320x250x240 cm  
Free falling height: 60 cm  
Impact protection net: 7,5 m<sup>2</sup>  
Foundations: 1x 5632280 + 1x CF

① 5 45 356 053 00 Robinia oiled  
5 45 356 063 00 Robinia natural




## paradiso spring rocker Duck

### Info box

Minimum space: 320x250x239 cm  
Free falling height: 59 cm  
Impact protection net: 7,5 m<sup>2</sup>  
Foundations: 1x 5632280 + 1x CF

① 5 45 359 053 00 Robinia oiled  
5 45 359 063 00 Robinia natural




## paradiso spring rocker Lamb


### Info box

Minimum space: 320x250x240 cm  
Free falling height: 60 cm  
Impact protection net: 7,5 m<sup>2</sup>  
Foundations: 1x 5632280 + 1x CF

① 5 45 360 053 00 Robinia oiled  
5 45 360 063 00 Robinia natural



**PLEASE ORDER  
SEPARATELY!**  
Please find the right  
ground anchors for  
spring rockers on  
page 378




## paradiso spring rocker Dolphin

### Info box

Minimum space: 320x250x239 cm  
Free falling height: 59 cm  
Impact protection net: 7,5 m<sup>2</sup>  
Foundations: 1x 5632280 + 1x CF

① 5 45 358 053 00 Robinia oiled  
5 45 358 063 00 Robinia natural




## paradiso spring rocker Mouse

### Info box

Minimum space: 320x250x240 cm  
Free falling height: 60 cm  
Impact protection net: 7,5 m<sup>2</sup>  
Foundations: 1x 5632280 + 1x CF

① 5 45 357 053 00 Robinia oiled  
5 45 357 063 00 Robinia natural




## paradiso spring rocker Shoe

### Info box

Minimum space: 320x250x240 cm  
Free falling height: 60 cm  
Impact protection net: 7,5 m<sup>2</sup>  
Foundations: 1x 5632280 + 1x CF

① 5 45 362 053 00 Robinia oiled  
5 45 362 063 00 Robinia natural






2+

**Spring rocker Horse**

## Info box

Minimum space: 320x250x233 cm  
 Free falling height: 53 cm  
 Impact protection net: 6,5 m<sup>2</sup>  
 Foundations: 1x 5632280 + 1x CF

5 67 224 0 PE




2+

**Spring rocker Turtle**

## Info box

Minimum space: 300x260x222 cm  
 Free falling height: 42 cm  
 Impact protection net: 7,0 m<sup>2</sup>  
 Foundations: 1x 5632280 + 1x CF

5 67 229 0 HDPE

**PLEASE ORDER SEPARATELY!**

Please find the right ground anchors for spring rockers on page 378


3+

**Spring rocker Brown bear**

## Info box

Minimum space: 320x250x233 cm  
 Free falling height: 53 cm  
 Impact protection net: 6,5 m<sup>2</sup>  
 Foundations: 1x 5632280 + 1x CF

5 67 238 0 PE




3+

**Spring rocker Giraffe**

## Info box

Minimum space: 370x250x233 cm  
 Free falling height: 53 cm  
 Impact protection net: 8,5 m<sup>2</sup>  
 Foundations: 1x 5632280 + 1x CF

5 67 240 0 PE




3+

**Spring rocker Rattle Box**

## Info box

Minimum space: 300x288x220 cm  
 Free falling height: 42 cm  
 Impact protection net: 8,0 m<sup>2</sup>  
 Foundations: 1x 5632280 + 1x CF

5 67 256 0 HPL




2+

**Spring rocker Duck**

## Info box

Minimum space: 320x250x233 cm  
 Free falling height: 53 cm  
 Impact protection net: 6,5 m<sup>2</sup>  
 Foundations: 1x 5632280 + 1x CF

5 67 226 0 PE





3+

**Spring rocker Elephant**

## Info box

Minimum space: 320x250x233 cm  
 Free falling height: 53 cm  
 Impact protection net: 6,5 m<sup>2</sup>  
 Foundations: 1x 5632280 + 1x CF

5 67 239 0 PE




3+

**Spring rocker Whale**

## Info box

Minimum space: 300x260x222 cm  
 Free falling height: 42 cm  
 Impact protection net: 7,0 m<sup>2</sup>  
 Foundations: 1x 5632280 + 1x CF

5 67 244 0 HDPE





**Double spring rocker Grasshopper**

**Info box**

Minimum space: 330x250x226 cm  
Free falling height: 46 cm  
Impact protection net: 8,0 m<sup>2</sup>  
Foundations: 1x 5632280 + 1x CF

5 55 240 5      Steel, PE




### Little Beetle spring rocker

#### Info box

Minimum space: Ø 280x220 cm  
Free falling height: 40 cm  
Impact protection net: 6,5 m<sup>2</sup>  
Foundations: 1x 5591600 + 1x CF or  
1x 5632100 + 1x CF

5 59 809 0      Steel, PE




### Double spring rocker Flight of the Bumble Bee

#### Info box

Minimum space: 330x250x220 cm  
Free falling height: 40 cm  
Impact protection net: 8,0 m<sup>2</sup>  
Foundations: 1x 5591600 + 1x CF or  
1x 5632100 + 1x CF

5 67 112 0      Steel, PE



**PLEASE ORDER SEPARATELY!**  
Please find the right ground anchors for spring rockers on page 378




### Spring rocker Butterfly

#### Info box

Minimum space: Ø 280x220 cm  
Free falling height: 40 cm  
Impact protection net: 6,5 m<sup>2</sup>  
Foundations: 1x 5591600 + 1x CF or  
1x 5632100 + 1x CF

5 67 018 0      Steel, PE




### Three-seater spring rocker Beetle Ride

#### Info box

Minimum space: Ø 320x225 cm  
Free falling height: 45 cm  
Impact protection net: 8,5 m<sup>2</sup>  
Foundations: 1x 5591600 + 1x CF or  
1x 5632100 + 1x CF

5 67 113 0      Steel, PE




### Spring rocker Snake

#### Info box

Minimum space: Ø 280x220 cm  
Free falling height: 40 cm  
Impact protection net: 6,5 m<sup>2</sup>  
Foundations: 1x 5591600 + 1x CF or  
1x 5632100 + 1x CF

5 67 125 0      Steel, PE




### Four-seater spring rocker Beetle Quartet

#### Info box

Minimum space: Ø 320x229 cm  
Free falling height: 49 cm  
Impact protection net: 8,5 m<sup>2</sup>  
Foundations: 1x 5591600 + 1x CF or  
1x 5632100 + 1x CF


5 55 241 0      Steel, HPL



**Spring rocker Stand-up**


## Info box

Minimum space: 390x350x231 cm  
 Free falling height: 51 cm  
 Impact protection net: 12,0 m<sup>2</sup>  
 Foundations: 1x 5632100 + 1x CF

**5 67 222 0** Stainless steel**3+** **Spring rocker Recliner**

## Info box

Minimum space: 300x250x233 cm  
 Free falling height: 50 cm  
 Impact protection net: 7,5 m<sup>2</sup>  
 Foundations: 1x 5632280 + 1x CF


**5 67 219 0** Stainless steel**PLEASE ORDER SEPARATELY!**

Please find the right ground anchors for spring rockers on page 378

**3+** **Spring rocker Classic**


## Info box

Minimum space: 300x250x233 cm  
 Free falling height: 40 cm  
 Impact protection net: 7,5 m<sup>2</sup>  
 Foundations: 1x 5632280 + 1x CF

**5 67 217 0** Stainless steel**3+** **Spring rocker Bicycle**


## Info box

Minimum space: 300x250x233 cm  
 Free falling height: 40 cm  
 Impact protection net: 7,5 m<sup>2</sup>  
 Foundations: 1x 5632280 + 1x CF

**5 67 221 0** Stainless steel**3+** **Spring rocker Gondola**

## Info box

Minimum space: Ø 320x222 cm  
 Free falling height: 42 cm  
 Impact protection net: 8,5 m<sup>2</sup>  
 Foundations: 2x 5632280 + 1x CF

**5 67 223 0** Stainless steel**NEW****Spring rocker edging**

Size: 130x90x5 cm  
 Material: rubber granulate  
 Scope of delivery: 1x Spring rocker surround: rubber granulate

**5 63 562 0** red-brown  
**5 63 562 50** green  
**5 63 562 80** grey





**NEW**



### Spring rocker nest

#### Info box



Minimum space: Ø 420x263 cm

Free falling height: 85 cm

Impact protection net: 14.0 m<sup>2</sup>

Foundations: 1x CF

**5 67 264 0** Steel galv., PES steel cable



**NEW**



### Surfboard

#### Info box



Minimum space: 403x348x226 cm

Free falling height: 46 cm

Impact protection net: 13.0 m<sup>2</sup>

Foundations: 1x CF

**5 67 263 0** HPL



**NEW**



### Wiggly snake

#### Info box


Minimum space: 503x330x225 cm

Free falling height: 45 cm

Impact protection net: 15.0 m<sup>2</sup>

Foundations: 2x CF

**5 67 262 0** Stainless steel, HPL



### Windsurfer small

#### Info box


Minimum space: Ø 472x226 cm

Free falling height: 46 cm

Impact protection net: 18.0 m<sup>2</sup>

Foundations: 1x CF

**5 67 259 0** Stainless steel, HPL, HDPE



### Windsurfer

#### Info box


Minimum space: 480x370x220 cm

Free falling height: 42 cm

Impact protection net: 14.0 m<sup>2</sup>

Foundations: 3x 5632280 + 2x CF

**5 67 258 0** HPL, stainless steel, steel





### Multi-spring rocker Covered Wagon

## Info box


Minimum space: 450x420x263 cm

Free falling height: 83 cm

Impact protection net: 17,0 m<sup>2</sup>

Foundations: 4x 5632280 + 4x CF

5 67 120 0 SW pi



**PLEASE ORDER  
SEPARATELY!**

Please find the right  
ground anchors for  
spring rockers on  
page 378



### Double spring rocker Frog

## Info box


Minimum space: 320x250x230 cm

Free falling height: 50 cm

Impact protection net: 7,5 m<sup>2</sup>

Foundations: 1x 5632280 + 1x CF

5 67 110 0 SW pi, PE



**Double spring rockers -  
simply twice the fun!**



### Double spring rocker Bear

## Info box


Minimum space: 320x250x230 cm

Free falling height: 50 cm

Impact protection net: 7,5 m<sup>2</sup>

Foundations: 1x 5632280 + 1x CF

5 67 017 0 SW pi, PE



**NEW**

### Balancing and motorik track

#### Info box



Minimum space: 536x573x220 cm

Free falling height: 40 cm

Impact protection net: 24,0 m<sup>2</sup>

Foundations: 13x CF

**5 67 260 0** steel powder., VA, HPL



**PLEASE ORDER  
SEPARATELY!**

Please find the right  
ground anchors for  
spring rockers on  
page 378



### Multi-spring rocker Jumbo

#### Info box



Minimum space: 650x445x261 cm

Free falling height: 81 cm

Impact protection net: 26,5 m<sup>2</sup>

Foundations: 4x 5632280 + 4x CF

**5 67 232 0** SW pi, HPL



### Multi-spring rocker Dolphin and Whales

#### Info box



Minimum space: 650x445x261 cm

Free falling height: 81 cm

Impact protection net: 26,5 m<sup>2</sup>

Foundations: 4x 5632280 + 4x CF

**5 67 233 0** SW pi, HPL





Also suitable for  
public areas!

**NEW**



### Integration carousel Basis Ø 175

#### Info box

Minimum space: 0 574x240 cm



Free falling height: 60 cm

Impact protection net: 23,5 m<sup>2</sup>

Foundations: 1x CF

5 64 009 0

Stainless steel, HPL, HDPE



### Integration carousel

#### Info box

Minimum space: 0 673x244 cm



Free falling height: 80 cm

Impact protection net: 36,0 m<sup>2</sup>

Foundations: 1x CF

5 64 003 0

Stainless steel



Also suitable for  
public areas!





## paradiso running drum Wim

### Info box


Minimum space: 430x330x240 cm

Free falling height: 60 cm

Impact protection net: 14,0 m<sup>2</sup>

Foundations: 2x CF

- ① 5 45 348 053 06 Robinia oiled  
 ② 5 45 348 063 00 Robinia natural



## paradiso carousel Leda

### Info box



Minimum space: Ø 515x180 cm

Free falling height: 17 cm


Impact protection net: 22,0 m<sup>2</sup>

Foundations: 1x CF

- ① 5 45 115 053 06 Robinia oiled  
 ⑤ 5 45 115 063 00 Robinia natural







**NEW**



### Turntabel Saturn Ø 200 cm

#### Info box



Minimum space: Ø 800x235 cm

Free falling height: 70 cm

Impact protection net: 50,5 m<sup>2</sup>

Foundations: 1x CF

**5 56 087 0** Steel galv., stainless steel, rubber



### Whizzer Saturn Ø 250 cm

#### Info box


Minimum space: Ø 850x275 cm

Free falling height: 75 cm

Impact protection net: 57,0 m<sup>2</sup>

Foundations: 1x CF

**5 56 072 0** Stainless steel



### Stand-up roundabout Uranus Ø 115 cm

#### Info box


Minimum space: Ø 515x330 cm

Free falling height: 17 cm

Impact protection net: 22,0 m<sup>2</sup>

Foundations: 1x CF

**5 56 069 0** Stainless steel





Scope of delivery deviates from the image



### Roundabout with seats Neptune Ø 155 cm

#### Info box

Minimum space: Ø 555x280 cm



Free falling height: 45 cm

Impact protection net: 24,5 m<sup>2</sup>


Foundations: 1x CF

5 56 070 0

Stainless steel



Scope of delivery deviates from the image



### Roundabout with seats Jupiter Ø 200 cm

#### Info box

Minimum space: Ø 600x280 cm


Free falling height: 45 cm

Impact protection net: 28,5 m<sup>2</sup>

Foundations: 1x CF

5 56 071 0

Stainless steel



# The roundabout for the whole family - children, parents & grandparents


- Three different swirls, with different degrees of difficulty offer the suitable challenge for every child.
- Climbing net, rope and pendulum seat add additional play fun.
- Due to the high-quality bearing, it takes only the strength of two children to set the roundabout in motion.



**Triple swirl open:  
use body strength**



**Climbing net: twisting  
and climbing, relaxing**



**Double swirl:  
use body strength**



**Group roundabout Moon**

**Info box**

Minimum space: 0 1011x370 cm


Free falling height: 120 cm

Impact protection net: 80,5 m<sup>2</sup>

Foundations: 1x CF

**5 56 077 0**

**Stainless steel, PE, rope**



**Rope:  
twisting and climbing,  
relaxing**

**NEW**

### Stand-up & seat carousel Tethys Ø 110 cm

**Info box**

Minimum space: Ø 410x220 cm


Free falling height: 40 cm

Impact protection net: 13,5 m<sup>2</sup>

Foundations: 1x CF

**5 56 086 0**

Steel galv., HPL, stainless steel



### Roundabout Ceres

**Info box**

Minimum space: Ø 522x249 cm


Free falling height: 69 cm

Impact protection net: 27,0 m<sup>2</sup>

Foundations: 1x CF

**5 56 078 0**

Stainless steel , HPL



### Stand-up roundabout Pluto

**Info box**

Minimum space: Ø 560x192 cm


Free falling height: 12 cm

Impact protection net: 25,0 m<sup>2</sup>

Foundations: 1x CF

**5 56 076 0**

Stainless steel, steel



### Cup carousel Eris

**Info box**

Minimum space: Ø 455x232 cm


Free falling height: 52 cm

Impact protection net: 21,0 m<sup>2</sup>

Foundations: 1x CF

**5 56 079 0**

Steel powder., PE



**NEW**

### Pendulum carousel Hyperion Ø 310 cm


#### Info box

Minimum space: Ø 1120x476 cm

Free falling height: 104 cm

Impact protection net: 66,5 m<sup>2</sup>

Foundations: 1x CF

**5 56 083 0** Powdered steel, rubber**Turning****Turning****NEW**

### Suspension carousel Oberon Ø 110 cm


#### Info box

Minimum space: Ø 715x372 cm

Free falling height: 100 cm

Impact protection net: 21,0 m<sup>2</sup>

Foundations: 1x CF

**5 56 085 0** Powdered steel, HPL**NEW**

### Pendulum carousel Janus Ø 320 cm


#### Info box

Minimum space: Ø 1120x500 cm

Free falling height: 128 cm

Impact protection net: 66,5 m<sup>2</sup>

Foundations: 1x CF

**5 56 084 0** Powdered steel, rubber



## Pendulum carousel Namaka

### Info box

Minimum space: Ø 1085x445 cm



Free falling height: 150 cm

Impact protection net: 79,0 m<sup>2</sup>

Foundations: 1x CF

5 56 080 0

Steel powder., rubber



## Ring carousel Orcus

### Info box

Minimum space: Ø 870x415 cm



Free falling height: 35 cm

Impact protection net: 45,0 m<sup>2</sup>

Foundations: 1x CF

5 56 081 0

Stainless steel, steel powder.



**Hanging & Turning**



## Spinning mushroom Kerberos Ø 95 cm

### Info box

Minimum space: Ø 694x388 cm



Free falling height: 33 cm

Impact protection net: 49,0 m<sup>2</sup>

Foundations: 1x CF

5 56 082 0

Steel powder.





### playo art board All-weather, free-standing

#### Info box



Minimum space: 142x14x180 cm

Free falling height: -

Impact protection net: -

Foundations: 2x CF

**5 45 644 5** SW pi




**140x1x80 cm**



### playo art board All-Weather, wall-mounted

**5 59 067 0** GFRP



### playo Wall mounting kit for play boards

**5 45 682 0** Steel



### playo Elephant piano

#### Info box



Minimum space: 90x18x107 cm

Free falling height: -

Impact protection net: -

Foundations: -


**5 45 220 0** SW pi, HPL



**PLEASE  
ORDER  
SEPARATELY!**

### playo 2 upright posts for elephant piano

**5 45 221 5** SW pi




**playo®**


3+

playo playing panels


We will customise your  
combinations – with  
pleasure!




660x465 mm

playo  
playing panel tooth wheel


5 11 105 150 31 HPL

playo  
playing panel counting ring

5 11 106 150 31 HPL, ROB

playo  
playing panel steering wheel

5 11 107 150 31 HPL, steel galv.

playo  
playing panel click wheel

5 11 108 150 31 HPL, stainless steel


900x755 mm

playo  
playing panel letter wheel


5 11 109 150 31 HPL, steel galv.

playo  
playing panel dice wheel

5 11 110 150 31 HPL, steel galv.

playo  
playing panel hole

5 11 111 150 31 HPL, perspex

playo  
playing panel bridges

5 11 112 150 31 HPL

①



150x75x6 cm

playo  
play fence Swallow 1505 10 058 010 00 SW pi  
① 5 10 058 040 00 Larch oiled

①



200x75x6 cm

playo  
play fence Swallow 2005 10 057 010 00 SW pi  
① 5 10 057 040 00 Larch oiled

①

PLEASE  
ORDER  
SEPARATELY!

106,5x10x10 cm

playo  
play fence post for Swallow5 10 061 011 00 SW pi  
① 5 10 061 041 00 Larch oiled



### unique creative station Wilne

#### Info box

Minimum space: 173x198x240 cm

Free falling height: -

Impact protection net: -



Foundations: 4x CF or 4x PFs

① 5 25 020 011 00 SW pi

Larch nature

② 5 25 020 031 00 Larch GL, larch

③ 5 25 020 041 06 Larch GL green, Larch



For a haptic  
experience



### paradiso barefoot trail Dragon Vin

#### Info box

Minimum space: 1020x500x225 cm


Free falling height: 45 cm

Impact protection net: 39,0 m<sup>2</sup>

Foundations: -

① 5 45 257 053 00 Robinia oiled

② 5 45 257 063 00 Robinia natural





### paradiso insect hotel


#### Info box

Minimum space: 90x17x180 cm

Free falling height: -

Impact protection net: -

Foundations: 2x CF



① 5 45 350 053 00 Robinia oiled

② 5 45 350 063 00 Robinia natural

To make sure that the insect hotel soon attracts many animal guests, the „rooms“ were modelled on the naturally occurring nesting sites. Following the model of feeding tunnels in dead wood, the holes are drilled with a hole diameter of 3-9 mm in the longitudinal direction of the wood.

A nesting aid should always be placed in a southern direction. The best place is a place that can be reached by the sun all the time. This way it is warm in the insect hotel, the inhabitants are protected from wind and weather and in winter it cools down less quickly.



### paradiso play board Turntable

#### Info box

Minimum space: 120x55x160 cm

Free falling height: -

Impact protection net: -

Foundations: 2x CF

① 5 45 352 053 06 Robinia oiled  
② 5 45 352 063 00 Robinia natural

### paradiso play panel Painting Board

#### Info box

Minimum space: 145x55x180 cm

Free falling height: -

Impact protection net: -

Foundations: 2x CF

① 5 45 353 053 06 Robinia oiled  
② 5 45 353 063 00 Robinia natural

### paradiso play board Memorie

#### Info box

Minimum space: 130x55x160 cm

Free falling height: -

Impact protection net: -

Foundations: 2x CF

① 5 45 351 053 06 Robinia oiled  
② 5 45 351 063 00 Robinia natural



**「They playfully  
bring all senses  
to sound!」**

# Experiencing the senses

On the following pages you will find our diverse range of complementary products for a completely inspiring playground. From individual slides, climbing equipment and swings to accessories, spare parts and fall protection.

Of course, all products meet the high eibe quality standards. They are all manufactured under the strict ecological guidelines of our company. As you are used to from eibe, these products are characterised by holistically thought-out concepts that turn a simple playground into an exciting play world.

After all, our goal is always to completely inspire children. Discover the different individual products and accessories in the Basic section.



# The open-air orchestra invites



## 3+ Sound island Wind Piano

### Info box


Minimum space: 425x350x180 cm

Free falling height: -

Impact protection net: -

Foundations: 2x CF

**5 60 442 0** Powder-coated steel, stainless steel, HDPE



## 3+ Sound island Echo Piano

### Info box


Minimum space: 395x355x180 cm

Free falling height: -

Impact protection net: -

Foundations: 2x CF

**5 60 443 0** Powder-coated steel, stainless steel, HDPE



## 3+ Sound island Stream

### Info box


Minimum space: 370x390x180 cm

Free falling height: -

Impact protection net: -

Foundations: 1x CF

**5 60 444 0** Powder-coated steel, stainless steel, HDPE



## 3+ Sound island Calypso

### Info box


Minimum space: 470x365x180 cm

Free falling height: -

Impact protection net: -

Foundations: 2x CF

**5 60 445 0** Powder-coated steel, stainless steel, HDPE





# you to a joint sound play!



71 cm




## Sound island Koala

### Info box

Minimum space: Ø 345x180 cm  
 Free falling height: -  
 Impact protection net: -  
 Foundations: 2x CF

**5 60 447 0** Powder-coated steel, stainless steel, HDPE




## Sound island Duet

### Info box

Minimum space: 440x355x180 cm  
 Free falling height: -  
 Impact protection net: -  
 Foundations: 3x CF

**5 60 446 0** Powder-coated steel, stainless steel, HDPE




## Sound island Monk

### Info box

Minimum space: 350x335x180 cm  
 Free falling height: -  
 Impact protection net: -  
 Foundations: 1x CF

**5 60 449 0** Powder-coated steel, stainless steel




## Sound island Forest

### Info box

Minimum space: 475x355x180 cm  
 Free falling height: -  
 Impact protection net: -  
 Foundations: 1x CF

**5 60 448 0** Powder-coated steel, stainless steel





### Sound island Clappo

#### Info box


Minimum space: 420x330x180 cm

Free falling height: -

Impact protection net: -

Foundations: 2x CF

**5 60 450 0** Powder-coated steel, stainless steel, HDPE



### Sound island Thunder

#### Info box


Minimum space: 390x330x180 cm

Free falling height: -

Impact protection net: -

Foundations: 1x CF

**5 60 451 0** Powder-coated steel, plastic



### Sound island Echo II

#### Info box


Minimum space: 335x335x180 cm

Free falling height: -

Impact protection net: -

Foundations: 2x CF

**5 60 452 0** Powder-coated steel, plastic, HDPE



For a distance of  
up to 15 metres





# Sound through movement

Our interactive sensory stations are very easy to use! By turning the lever or by jumping, the motor is driven and a sound is produced with your own muscle power. Thus the sound bodies can be used anywhere and without

connection to the power supply.

The permanently installed USB stick allows individual playing of music or texts according to your requirements and is therefore flexible in use.



**3+** **56x40x68 cm**

## Sensory station Musical Globe

5 60 453 0 Steel, plastic



**3+** **Ø 35x20 cm**

## Sensory station Sounds

5 60 454 0 Powder-coated steel



**3+** **52x52x25 cm**

## Sensory station Leap Stone

5 60 455 0 Galvanized steel, rubber



**3+** **28x28x112 cm**

## Sensory station DJ Console

5 60 456 0 Powder-coated steel





### eibini Arena

#### Info box


Minimum space: 298x149x212 cm

Free falling height: 32 cm

Impact protection net:

Foundations: 4x CF


**5 59 260 0 SW pi**



An amazingly simple system – pre-assembled seat and table surfaces are bolted to round, wooden palisades: The special design of the seat and table surfaces allows you to arrange seats and tables according to your individual requirements and available space – either upright or to an angle of up to 45°.

Additional charm is provided by including our eibini figures in the system. These can be used as posts as with our rounded-head palisades.


The eibe rounded-head palisades for seat and table heights are supplied with ground anchors and screws, and can be bolted to foundations.



### eibini seat and table surfaces

Size: Seat height 32 cm

**5 60 176 0 SW pi**



### eibini seat surface with backrest

Size: 102x54x42 cm

**5 60 177 0 SW pi**



### Rounded-head palisade for seat

Size: Ø 14x110 cm

**5 55 005 0 SW pi**



### Rounded-head palisade for table

Size: Ø 14x140 cm


**5 55 006 0 SW pi**

**Hexagonal table**

5 60 002 0 SW pi

The eibe hexagonal table is the ideal table for 6-12 children. Suitable for a large sitting group to discuss, tell stories, play and communicate. Team spirit must be learned. With abrasion-resistant HPL tabletop.


Size: Table height 52 cm, Ø= 136 cm

**Trapezoid bench**

5 60 003 0 SW pi

Matches the hexagonal table.

Size: Bench height 30 cm

**Bench-and-table set Sheep Pasture**

5 60 171 0 Robinia

When playing outdoors, our children love to sit in a small group to play or have lunch together, or to have a good chat.

Size: Length 120 cm, table height 60 cm, bench height 31 cm

**Bench-and-table set Eulenberg**

5 60 172 0 Robinia

As this bench and table set is united into one single element, it can be moved to a new place quickly and easily.

Size: Length 160 cm, table height 74 cm, seat height 45 cm





**Table length 135 cm**



**Stool length 60 cm**

## Nursery / un- der 3 years

**Table height 46 cm  
Seat height 26 cm**




### playo toddler's sofa and chair Sederli mini

5 10 173 010 00 SW glazed  
5 10 173 040 00 Larch oiled

### playo toddler's table Sederli mini

5 10 065 010 00 SW glazed  
5 10 065 040 00 Larch oiled

**Bench length 125 cm**



**Bench length 125 cm**

### playo toddler's stool Sederli mini

5 10 064 010 00 SW glazed  
5 10 064 040 00 Larch oiled

### playo toddler's bench with back rest Sederli mini


5 10 062 010 00 SW glazed  
5 10 062 040 00 Larch oiled

### playo toddler's bench w/o back rest Sederli mini

5 10 063 010 00 SW glazed  
5 10 063 040 00 Larch oiled



Our benches and tables are extremely sturdy and conveniently designed for children of different ages.



## Nursery

**Table height 57 cm  
Seat height 35 cm**



### playo children's stool Sederli midi

5 10 174 010 00 SW glazed  
5 10 174 040 00 Larch oiled

### playo children's stool Sederli midi

5 10 070 010 00 SW glazed  
5 10 070 040 00 Larch oiled

### playo children's stool Sederli midi

5 10 069 010 00 SW glazed  
5 10 069 040 00 Larch oiled

### playo children's bench with back rest Sederli midi

5 10 067 010 00 SW glazed  
5 10 067 040 00 Larch oiled

### playo children's bench w/o back rest Sederli midi

5 10 068 010 00 NH lasiert  
5 10 068 040 00 Lärche geölt

## After-school care centre/adults

**Table height 70 cm  
Seat height 42 cm**



### playo adult's bench-and-table Sederli maxi

5 10 175 010 00 SW glazed  
5 10 175 040 00 Larch oiled

### playo adult's table Sederli maxi

5 10 085 010 00 SW glazed  
5 10 085 040 00 Larch oiled

### playo adult's stool Sederli maxi

5 10 084 010 00 SW glazed  
5 10 084 040 00 Larch oiled

### playo adult's bench with backrest Sederli maxi

5 10 082 010 00 SW glazed  
5 10 082 040 00 Larch oiled

### playo adult's bench without backrest Sederli maxi

5 10 083 010 00 SW glazed  
5 10 083 040 00 Larch oiled





### climbo Lodge Hawaii

#### Info box

Minimum space: 631x585x240 cm



Free falling height: 59 cm

Impact protection net: -

Foundations: 8x CF or 8x PFs

**5 25 129 011 00 SW pi**

**5 25 129 041 00 Larch GL**



**integrated game  
board**



①



### Park bench Vogelsberg

#### Info box



Minimum space: 626x522x232 cm

Free falling height: 52 cm

Impact protection net: -

Foundations: 4x CF or 4x FPP

① 5 15 101 011 00 SW pi  
① 5 15 101 041 00 Larch GL, larch



①



### Park bench Black Forest

#### Info box



Minimum space: 694x573x232 cm

Free falling height: 52 cm

Impact protection net: -

Foundations: 6x CF or 6x PF

① 5 15 102 011 00 SW pi  
① 5 15 102 041 00 Larch GL, larch





## Seating group Spessart available also in natural larch and oiled larch!




This set of tables and seats is ideal for day care centres, schools, gardens and parks, picnic areas and open-air swimming pools. The solid design of the benches' substructure guarantees its stability, even on a soft surface such as grass.



### Set of table and seats Spessart 150

Size: 195x150x77 cm, th 70 cm, sh 43 cm


① 5 60 019 0	SW pi
5 60 019 031 00	Larch natural
② 5 60 019 041 00	Larch oiled



### Set of table and seats Spessart 200

Size: 195x200x77 cm, th 70cm, sh 43 cm

① 5 60 009 0	SW pi
5 60 009 031 00	Larch natural
② 5 60 009 041 00	Larch oiled





①

**Square timber table Spessart 150**

Size: 150x62 cm, th 70 cm

5 60 017 0	SW pi
5 60 017 031 00	Larch natural
① 5 60 017 041 00	Larch oiled

①

**Square timber bench Spessart with backrest 150**

Size: 150x57x77 cm, sh 43 cm

5 60 015 0	SW pi
5 60 015 031 00	Larch natural
① 5 60 015 041 00	Larch oiled

①

**Square timber bench Spessart 150**

Size: 150x41 cm, sh 43 cm

5 60 016 0	SW pi
5 60 016 031 00	Larch natural
① 5 60 016 041 00	Larch oiled

**Square timber table Spessart 200**

Size: 200x62 cm, th 70 cm

5 60 013 0	SW pi
5 60 013 031 00	Larch natural
① 5 60 013 041 00	Larch oiled

**Square timber bench Spessart with backrest 200**

Size: 200x57x77 cm, sh 43 cm

5 60 011 0	SW pi
5 60 011 031 00	Larch natural
① 5 60 011 041 00	Larch oiled

**Square timber bench Spessart 200**

Size: 200x41 cm, sh 43 cm

5 60 012 0	SW pi
5 60 012 031 00	Larch natural
① 5 60 012 041 00	Larch oiled


**Extended tabletop suitable  
for wheelchair users!**

①

**Square timber table Spessart 250  
Integration**


Size: 250x63 cm, th 70 cm

5 60 020 0	SW pi
5 60 020 031 00	Larch natural
① 5 60 020 041 00	Larch oiled



Order directly from us at +49 9338 89-0 or shop.eibe.net

# Discover our new outdoor furniture!



**Bench with backrest Fuchsia**

Size: 180x63x82 cm, sh 43 cm


5 60 396 0    Stainless steel, oiled hardwood



**Bench with backrest Hedera**

Size: 190x69x103 cm, sh 52 cm, armrest height: 76 cm

5 60 397 0    Stainless steel, oiled hardwood



**Bench Galium**

Size: 240x55 cm, sh 44 cm


5 60 399 0    Concrete, oiled hardwood



**Bench with backrest Lamium**

Size: 195x60x83 cm, sh 44 cm


5 60 400 0    Concrete, oiled hardwood



**Bench with armrest Erica**

Size: 300x58x84 cm, sh 44 cm

5 60 398 0    Stainless steel, oiled hardwood



**Line up bench after bench for endless sitting pleasure.**

**Bench with backrest Erica running metre**

Size: running metre x58x84 cm, sh 44 cm

5 60 398 5    Stainless steel, oiled hardwood



**Example installation**



**Park bench Monika****5 60 030 0 Steel, SW glazed**

The park bench Monika is of classic design with clear, well-balanced lines. Thanks to its generous dimensions, it is extremely stable.

Size: 200x69x75 cm, sh 45 cm

**Table for park bench Monika****5 60 088 0 Steel, SW glazed**

Matches the park bench Monika.

Size: 200x60 cm

**PLEASE ORDER SEPARATELY!****Ground fixing kit for eibini set of table and bench****5 63 247 0 Steel**

The permanent attachment on a load-bearing surface or to concrete foundations cast on-site is possible at any time using this kit. For the complete eibini Set of Table and Seats, 3 Ground Fixing Kits are required.


Scope of delivery: 4x angle: galvanised steel attachment materials




The attractively shaped group of chairs invites to have a rest and a nice chat.

**eibini bench without backrest**

Size: 200x62x48 cm, SH 43 cm

**5 60 154 0 SW pi****eibini table**

Size: 200x78x83 cm, th 78 cm

**5 60 156 0 SW pi****eibini bench with backrest**

Size: 200x62x83 cm, sh 43 cm

**5 60 155 0 SW pi**




### paradiso bench with back Schkeud

① 5 45 187 053 00 Robinia oiled  
5 45 187 063 00 Robinia natural

Size: 195x65x77 cm, SH 42 cm

Scope of delivery: 1x bench with backrest: robinia




### paradiso table Schkeud

① 5 45 188 053 00 Robinia oiled  
5 45 188 063 00 Robinia natural

Size: 195x82x70 cm, TH 70 cm

Scope of delivery: 1x table: robinia  
4x ground pegs: galvanised steel



### paradiso seating group Simba

① 5 45 117 053 06 Robinia oiled  
5 45 117 063 00 Robinia natural

Size: 310x150x83 cm

Table: 150x110x72 cm

Bench: 150x43x83 cm, SH 45 cm

Scope of delivery: 1x table: robinia  
2x bench with backrest: robinia



### paradiso seating group Sitmo


① 5 45 087 053 06 Robinia oiled  
5 45 087 063 00 Robinia natural

Added value for every garden: classical bench-and-table set in robinia design.

Size: 200x196x72 cm

SH 45 cm, TH 72 cm

Scope of delivery: 1x table: robinia  
2x bench, firmly connected: robinia






**paradiso  
tree bench Badun**

① 5 45 287 053 00    Robinia oiled  
5 45 287 063 00    Robinia natural

Size: 240x240x90 cm, SH 45 cm


Inside diameter 135 cm

Scope of delivery: 1x round bench: robinia



**paradiso  
seating group Noa**

① 5 45 118 053 06    Robinia oiled  
5 45 118 063 00    Robinia natural



Size: 300x300x72 cm  
Table: Ø 200 cm, TH 45 und 72 cm  
Bench: SH 45 cm  
Stool: SH 25 cm

Scope of delivery:  
1x round table: robinia  
2x bench without backrest: robinia  
2x bench with backrest: robinia  
4x seat bollard: robinia








**paradiso  
mountaineering ramp  
Harvis, for hill installation**

**Info box**

Minimum space: 495x440x155 cm  
 Free falling height: 2 cm  
 Impact protection net: 22,0 m<sup>2</sup>  
 Foundations: 2x CF

① 5 45 026 053 06 **Robinia oiled**  
 5 45 026 063 00 **Robinia natural**



**Application example**



①


**one step**



**paradiso  
rungs Eno**

① 5 45 028 053 06 **Robinia oiled**  
 5 45 028 063 00 **Robinia natural**

**Distance between posts max. 1.5 m**



**paradiso  
post for rope railing Garvin**

**Fine-link chain per metre**

① 5 45 366 053 00 **Robinia oiled**  
 5 45 366 063 00 **Robinia natural**

5 63 037 6 **Stainless steel**


① **paradiso  
fence Tilo**

**100x100 cm**

**Info box**

Minimum space: 100x9x100 cm  
 Free falling height: -  
 Impact protection net: -  
 Foundations: 1x CF

① 5 45 274 053 00 **Robinia oiled**  
 5 45 274 063 00 **Robinia natural**



② **paradiso  
post  
Addi**

**15x15x100 cm**


① 5 45 273 053 00 **Robinia oiled**  
 5 45 273 063 00 **Robinia natural**



**Wooden waste box****5 60 042 0 SW pi**

The eibe Wooden Waste Box can be used with a plastic bag.  
Size: Ø 45x100 cm

This makes your playground complete.

**Scooter- and bicycle parking****Info box**

Minimum space: 155x36x41 cm

Free falling height: 42 cm

Impact protection net: -

Foundations: 2x CF or 2x PFs

**5 25 134 151 00 HPL****Rubbish bin metal****5 60 046 0 Steel**

With removable basket and lock, the metal waste bin impresses with its simple design. Capacity: 20 litres.  
Size: Ø 25x40 cm

**Posts for metal litter bin**

Size: 150 cm

**5 60 047 0 Steel**

**PLEASE ORDER SEPARATELY!**

**Wooden litter bin****5 60 038 0 SW pi**

The removable basket consists of spot-welded, 2 mm-thick wire mesh.  
Size: 46x46x60 cm

**Rubbish bin Cian****5 60 331 80 Steel**

This metal wastepaper bin blends in with its surroundings. Capacity: 35 litres.  
Size: Insert opening Ø 15 cm



①



①



### Wooden goal with net, 180x120 cm

#### Info box


Minimum space: 204x94x140 cm

Free falling height: -

Impact protection net: -

Foundations: 5x CF

① 5 62 108 013 00 SW pi, PP  
① 5 62 108 043 00 Larch GL, PP



### Wooden goal with net, 300x200 cm

#### Info box



Minimum space: 324x94x220 cm

Free falling height: -



Impact protection net: -

Foundations: 5x CF

① 5 62 109 013 00 SW pi, PP  
① 5 62 109 043 00 Larch GL, PP



①



### paradiso football goal with net

#### Info box


Minimum space: 120x65x75 cm

Free falling height: -

Impact protection net: -

Foundations: 2x CF

① 5 45 349 053 00 Robinia oiled  
⑤ 5 45 349 063 00 Robinia natural



### Football-tennis-wall

#### Info box



Minimum space: 710x310x100 cm

Free falling height: -

Impact protection net: -


Foundations: 3x CF

5 62 004 0 Steel galv.



**Small aluminium goal big**

5 62 049 0    Aluminium




The super goals for school sports and clubs. Due to their light weight, the goals are convenient to store, transport and set up.

Size: 500x150x200 cm  
Scope of delivery: 1x small football goal 5x2 m: aluminium  
2x ground sleeve: aluminium

**Goal small with ground sleeve**

5 62 003 0    Aluminium




The dimensions of the small field goals comply with the tournament regulations and are approved as youth football goals. Version for insertion into ground sockets, insertion depth 50cm.  
Size: 300x150x200 cm  
Scope of delivery: 1x small field goal 3x2 m: aluminium  
2x ground sleeve: aluminium

**Net for big field goal**

5 62 049 5    PE

**Please order the net separately!****Street hockey goal**

5 62 048 0    Stahl verzinkt



A hockey goal for the street. Ground anchors for fastening are included in the scope of delivery.  
Size: 132x86x60 cm  
Scope of delivery: 1x street goal 132x60x86 cm: galvanised steel  
2x ground anchor


**Net for small field goal**

5 62 002 0    PE

**Please order the net separately!****Mini goal**

5 62 013 0    120x60x80 cm

5 62 014 0    180x60x80 cm




The mini-goal is ideal for small football fields, schoolyards and playgrounds as it only takes up a small amount of space.

Scope of delivery: 1 mini goal frame: aluminium  
1 net: PE rope

**All-purpose goal**

5 62 012 0    Aluminium



The goal is ideal for small playgrounds, break areas and recreational areas. The goal must be set on foundations and fastened with threaded rods.

Size: 300x70x200 cm  
Scope of delivery: 1x amateur football field goal 316x70x208 cm: aluminium  
6x threaded rod: stainless steel



**NEW**




### Football goal with basketball

5 62 113 0      Powdered steel, HDPE, stainless steel

The combined goal and basketball facility offers a variety of games and sports fun for different interests.

Size: 308x315x384 cm

Scope of delivery: 1x football goal



### Stainless steel ball distributor

**NEW**




### Ball distributor

5 62 069 0      Powdered steel, stainless steel

The ball catcher collects balls from different directions and distributes them randomly.

Size: Ø 76x217 cm

Scope of delivery: 1x post: powdered steel  
1x ball distributor: stainless steel



**NEW**



### Basketball unit


5 62 112 0      Powdered steel, HDPE, stainless steel

Size: 230x385 cm, target board: 150x99 cm

Scope of delivery: 1x post: powdered steel

1x target board: HDPE

1x chain basket: stainless steel



### Basketball system Robust


5 62 044 0      Steel

Whether on public playgrounds and sports facilities, in schools or on club grounds, a basketball facility is the classic when it comes to popular team games.

Size: Basket height: 236 cm


Target board: 120x90 cm

Total height: 352 cm






### Volleyball post Miami

**5 62 015 0** Aluminium

Volleyball posts made of special aluminium profile. Prepared for setting into ground sockets. Equipped with tensioning device with lever tensioner and chain, for easy application in play and leisure areas.  
Size: Ø 8x335 cm  
Scope of delivery: 2x posts incl. clamping device: aluminium

### Protection safety net for ball fence

**5 62 084 0** PP

3 mm thick net with a mesh size of 4.5 cm. Matches the light metal uprights.

Size: individuell

Scope of delivery: 1 sqm protection and stopping net: PP



### Post for ball fence

**5 62 083 0** Aluminium

The stand posts are perfectly suited for a mesh size of 10-12 cm and are easily set up in ground sockets.  
Size: Ø 8.3x550 cm, digging depth 50 cm

Scope of delivery:  
1x standing posts incl. net  
hooks: light metal  
1x ground sleeve  
1x cover cap

**Please order net and ground sleeves separately!**

### Universal net

**5 62 009 0** PP

Ideal for volleyball, fistball, tennis, beach ball, badminton and other sports where a net is needed.  
Size: 950x100 cm,  
Maschenweite 10 cm  
Scope of delivery:  
1x net 950x100 cm: PE-line

### Ground socket for concrete-cast

**5 62 017 0** Steel

Scope of delivery:  
1x ground sleeve:  
galvanised steel





### Swing seat for toddlers single

**5 63 240 0** Rubber, plastic-coated steel cable, steel

The swing seat for all small children who want to swing like the big ones. Suspension height: 200-250 cm.

Size: Sitz: 36x32 cm

Scope of delivery:

1x toddler swing seat 36x32 cm: rubber

4x suspension rope: plastic-coated steel cable

2x adjustment chain: steel

1x attachment set: steel

suspension height: 200-250 cm



### Toddler swing seat Colour

**5 63 195 0** Steel rope

The particularly high edge and colourful design of the swing seat Color makes it perfect for toddlers

Scope of delivery: 1x swing seat: plastic-coated steel cable



**NEW**

### Swing seat Hollywood Duo

**5 63 246 0** PES steel cable, VA

The Hollywood Duo swing seat provides a great swinging experience for children - whether alone, in pairs or in threes.

Max. Suspension height 300 cm.

Size: 129x117x70 cm

Scope of delivery:

1x swing seat: PES steel cable, VA



### Swing rope

**5 63 225 0** PP Fentex rope

Co-operation with other children is encouraged here. Size: Ø 15x215 cm

Scope of delivery: 1x swing rope: PP-Fentex rope



### Swing for kids and parents

**5 63 244 0** Stahl, VA, Gummi

This swing seat allows parents and children to swing together. For a suspension height of up to 235 cm with a seat height of 35 cm.

Size: 62x157x104 cm

Scope of delivery: 1x stainless steel frame: stainless steel

1x safety swing seat: rubber

1x safety swing seat for toddlers: steel, rubber for suspension height up to 235 cm with a seat height of 35 cm



### Swing chair midi

**5 63 245 0** Steel galv., rubber, PES steel cable

Seat made of fabric-reinforced rubber with textile insert and additional stable HDPE board.

Size: 60x90x60 cm

Scope of delivery: 1x swing chair: rubber, steel, plastic-coated steel cable, HDPE suspension height: 200-250 cm



### Safety swing seat for small children

**5 63 203 0** Steel, rubber

The eibe basic safety swing seat for toddlers is inherently stable and the rim has a padded crash protection surface all the way around it.

Size: Chain length: 160 cm,  
Sitz: 44x35x29 cm

Scope of delivery: 1x safety swing seat with fine-link chain: stainless steel, rubber



### Safety strap

**5 63 921 0** Stainless steel, PU

Scope of delivery: 1 piece



### Safety swing seat wide, solo

**5 63 199 0** Rubber

The broad safety swing seat is suitable for all swing types.

Size: 43x22 cm

Scope of delivery: 1x safety swing seat 43x22 cm (LxW)



### Safety swing seat solo

**5 63 205 0** Rubber

The safety swing seat is ergonomically designed, UV-resistant and weatherproof.

Size: 44x18 cm

Scope of delivery: 1x safety swing seat 44x18 cm (LxW)



### Safety swing seat wide, incl. chain

**5 63 204 0** Steel, rubber

**5 55 004 120 00** Stainless steel, rubber

The broad safety swing seat is suitable for all swing types.

Size: 43x22 cm

Scope of delivery: 1x safety swing seat 43x22 cm (LxW) with fine-link chain

### Safety swing seat incl. chain

**5 63 207 0** Steel, rubber

**5 55 003 120 00** Stainless steel, rubber

The safety swing seat is ergonomically designed, UV-resistant and weatherproof.

Size: 44x18 cm

Scope of delivery: 1x safety swing seat 44x18 cm (LxW) with fine-link chain





### Nest seat for parallel swing

**5 55 048 5** Ring rope, steel cable links mat, rubber fabric

The nest seat is roomy enough for several children altogether.

Size: Ø 120 cm

Scope of delivery: 1x bird's nest, rope ring, steel cable-link mat, rubber fabric



### Tyre swing seat

**5 55 057 0** Rubber

Rocking seat connected to a surface-treated rubber tyre. Conical suspension, galvanised safety fine link chain.

Size: Chain length approx. 140 cm, Ø 55 cm, seat: 43x15 cm

Scope of delivery: 1x tyre swing seat: rubber



**NEW**

now also in  
natural and green



The nest seat is a communal swing shaped like a bird's nest. Several children can swing or relax together here.

### Nest seat, steel cable net mesh Ø 100 cm

**5 55 052 0** blue

**5 55 052 01** natural

**5 55 052 50** green

Size: Ø 100 cm

Scope of delivery: 1x nest swing Ø 100 cm: rope ring, plastic-coated steel cable

### Nest seat, steel cable net mesh Ø 120 cm

**5 55 627 0** blue

**5 55 627 01** natural

**5 55 627 50** green

Size: Ø 120 cm

Scope of delivery: 1x nest swing Ø 120 cm: rope ring, plastic-coated steel cable

### Nest seat rubber linked mat Ø 120 cm

**5 55 048 0** blue

**5 55 048 01** natural

**5 55 048 50** green

Size: Ø 120 cm

Scope of delivery: 1x nest swing Ø 120 cm: rope ring, steel cable-link mat, rubber fabric over chain suspension

# This makes your playground complete.

**incl. posts**

## Playground sign

**5 55 629 0      Aluminium**

This makes your playground complete.  
Size: 42x31,5x0,3 cm  
Scope of delivery: 1x customised playground sign: aluminium printed  
1x post: galvanised steel



Your sign will be  
printed individually  
for you.

**English  
training  
instructions**



**Example installation**



There are many possible uses for palisade trunks, for example as fencing, balancing beam, design element and more.

Please indicate the required quantity and heights as follows:  
Height <1 m + dig-in depth 60 cm  
Height >1 m + dig-in depth 80 cm

The Paradiso playing equipment has fresh and natural colours with glazed colours green, brown and oiled robinia.

The paint and oil layers offer additional protection and prevent early greying of the robinia.

All colours and oils used are harmless for health and therefore no danger to the children.

## Wood stain 0.75 l

**5 45 223 0000 0      transparent**  
**5 45 223 0002 0      terra brown**  
**5 45 223 0002 1      iguana**

## Wood stain 2.5 l

**5 45 224 0000 0      transparent**  
**5 45 224 0002 0      terra brown**  
**5 45 224 0002 1      iguana**



**0.75 l  
approx. 15 m<sup>2</sup>**



**2.5 l  
approx. 50 m<sup>2</sup>**



Order directly from us at +49 9338 89-0 or shop.eibe.net



### Impact attenuating tile glue

Impact attenuation plate glue ensures a lasting and secure attachment to concrete and asphalt surfaces.

5 63 033 0 PUR-adhesive

**PLEASE ORDER  
SEPARATELY!**

## Safe in free fall

- Certified quality
- More than 40 years of worldwide experience
- Environmentally friendly manufacturing
- Maximum safety and durability
- Pre-assembled connectors secure the EUROFLEX safety tiles against slipping and removing
- Excellent drainage qualities
- Easy installation and low maintenance costs
- Permanently usable due to the water permeability of the material


**NEW**

now also in grey

red-brown


green

grey



Half-tile safety slabs

**25 x 50 cm**



Standard safety slabs


**50 x 50 cm**



The professional transition between the surface and the impact-protection covering. Suitable for wheelchairs.

Edge impact attenuation tiles

**100x25 cm**





The professional crossover from the surface to the impact attenuation plates reduces the danger of tripping and allows wheelchairs to pass safely.

Corner edge impact attenuation tiles

**100x25 cm**

**Impact protection for free falling heights 100 cm, 175 cm, 210 cm or 300 cm**


Tile thicknesses for respective falling heights

**Layout of substructure**

1. Compact the underground
2. Base layer, depending on situation on site, approx. 15 cm gravel
3. Setting bed, approx. 3 cm chippings
4. Impact attenuation tiles
5. Bordering
6. Connection at ground level

**Impact zone**

Overview of the required shock absorbing features in the impact area according to DIN EN-1176-1.



dotted line: impact zone without impact attenuation  
continuous line: impact zone with impact attenuation

Falling height < 100 cm	Falling height < 150 cm	Falling height < 210 cm	Falling height < 300 cm
Half-tile 25x50x3 cm Scope of delivery: 1 sqm <b>5 63 565 0</b> red-brown <b>5 63 565 50</b> green <b>5 63 565 80</b> grey	Half tile 25x50x5 cm Scope of delivery: 1 sqm <b>5 63 580 0</b> red-brown <b>5 63 580 50</b> green <b>5 63 580 80</b> grey	Half-tile 25x50x3 cm Scope of delivery: 1 sqm <b>5 63 567 0</b> red-brown <b>5 63 567 50</b> green <b>5 63 567 80</b> grey	
Standard slab 50x50x3 cm Scope of delivery: 1 sqm <b>5 63 539 0</b> red-brown <b>5 63 551 0</b> green <b>5 63 539 80</b> grey	Standard slab 50x50x5 cm Scope of delivery: 1 sqm <b>5 63 579 0</b> red-brown <b>5 63 579 50</b> green <b>5 63 579 80</b> grey	Standard slab 50x50x7 cm Scope of delivery: 1 sqm <b>5 63 541 0</b> red-brown <b>5 63 554 0</b> green <b>5 63 541 80</b> grey	Standard slab 50x50x9 cm Scope of delivery: 1 sqm including substructure role <b>5 63 569 0</b> red-brown <b>5 63 569 50</b> green <b>5 63 569 80</b> grey
Corner slab 100x25x3 cm Scope of delivery: 1 tile <b>5 63 560 0</b> red-brown <b>5 63 560 50</b> green <b>5 63 560 80</b> grey	Corner slab 100x25x2/5 cm Scope of delivery: 1 tile <b>5 63 543 0</b> red-brown <b>5 63 543 50</b> green <b>5 63 543 80</b> grey	Corner slab 100x25x2/7 cm Scope of delivery: 1 tile <b>5 63 544 0</b> red-brown <b>5 63 544 50</b> green <b>5 63 544 80</b> grey	Corner slab 100x25x2/9 cm Scope of delivery: 1 tile <b>5 63 571 0</b> red-brown <b>5 63 571 50</b> green <b>5 63 571 80</b> grey
Outer corner slab 100x25x3 cm Scope of delivery: 1 tile <b>5 63 561 0</b> red-brown <b>5 63 564 50</b> green <b>5 63 564 80</b> grey	Outer corner slab 100x25x2/5 cm Scope of delivery: 1 tile <b>5 63 546 0</b> red-brown <b>5 63 546 50</b> green <b>5 63 546 80</b> grey	Outer corner slab 100x25x2/7 cm Scope of delivery: 1 tile <b>5 63 547 0</b> red-brown <b>5 63 547 50</b> green <b>5 63 547 80</b> grey	Outer corner slab 100x25x2/9 cm Scope of delivery: 1 tile <b>5 63 573 0</b> red-brown <b>5 63 573 50</b> green <b>5 63 573 80</b> grey





**NEW**



## EPDM impact attenuation tiles for effective fall protection on playgrounds, schoolyards, sports fields and leisure facilities.

Certified according to DIN EN 1177:2018, their excellent fall protection properties guarantee tested safety up to a critical fall height of 3 metres, wherever there is an increased risk of falling and injury.

The fall protection slabs are robust, weather-resistant and low-maintenance and also offer a wide range of individual design options with a large selection of colours.

All areas where people play, move or rest become safe visual highlights.



## Choice of 20 colours




Consulting. Design. Cost effective.

**CONSULTATIONS  
ON SITE**

Bring colour into play!

With our large selection of colours, EPDM fall protection becomes an eye-catcher. Design play zones, patterns, pathways and much more – contact us!

**Perforated rubber matting****5 35 000 0** Rubber

resilient flooring for frequently-used lawns

Size: 100x150x2,2 cm

Scope of delivery: 1x ring hole mat 100x150x2.2 cm: rubber

**NEW** now also in green and grey**Fall protection tiles sport field****5 63 550 0** red-brown**5 63 550 50** green**5 63 550 80** grey

The sports field tile is the ideal floor covering for all sports and leisure activities. Equally suitable as resilient flooring for break yards, tennis courts, golf courses and fitness rooms, etc.  
Size: 50x50x3 cm (LxWxH)


Scope of delivery: 1 sqm sport field panel, 50x50x3 cm each: rubber granulate

**Fall height 1 m****Impact attenuating interlocking tiles****5 63 022 0** red-brown**5 63 022 50** green

Beautiful design and top safety.

Size: Height 4.3 cm

Scope of delivery: 1 sqm interlocking impact attenuating tiles, H 4.5 cm: rubber granulate

**Granulate palisades**

① Size: 25x40 cm (ØxH)

**5 63 534 0** red-brown**5 63 534 50** green**5 63 534 80** grey

② Size: 25x60 cm (ØxH)

**5 63 535 0** red-brown**5 63 535 50** green**5 63 535 80** grey

③ Size: 25x80 cm (ØxH)

**5 63 536 0** red-brown**5 63 536 50** green**5 63 536 80** grey

An elegant border for playgrounds and sandpits. The galvanised steel pipe is 30 cm long and is to be concreted in.

Scope of delivery: 1x granulate palisade Ø 25 cm, H 40 cm: galvanised steel, rubber granulate

**Stair block****5 63 531 0** red-brown**5 63 531 50** green**5 63 531 80** grey

The perfect edging for jumping pits and equipment play areas; as a border for playing surfaces, as steps e.g. for ascending slope slides, standing and sitting stands.

Size: 100x30x15 cm (LxWxH)

Scope of delivery: 1x block step


100x30x15 cm: rubber granulate

**Granulate edging****5 63 533 0** red-brown**5 63 533 50** green**5 63 533 80** grey

Side borders between unbonded upper surfaces and impact attenuation areas - simply set them in cement.

Size: 100x25x5 cm (LxWxH)

Scope of delivery: 1x granulate enclosure 100x25x5 cm: rubber granulate

**Seat cube****5 63 549 0** red-brown**5 63 549 50** green**5 63 549 80** grey

The granulated cubes are superbly suited as seating in the sandpit or for fencing off separate areas.

Size: 40x40x40 cm (LxWxH)

Scope of delivery: 1x seat cube 40x40x40 cm: rubber granulate



## Prefabricated foundation with cast-in mounting rail.



### PLEASE ORDER SEPARATELY!

Simple and fast installation with the eibe prefabricated foundation



Save time & money with eibe prefabricated foundations



**FFg**

**380 kg**

#### Prefabricated foundation large (PFl)

**5 63 073 0 Concrete**

Prefabricated foundation without mounting rail and with M20 threaded sleeves for transport on site.

Size: 120x90x15 cm

Scope of delivery: 1x prefabricated foundation 90x120x15 cm without mounting rail. With threaded sleeves M16 for transport on the construction site



**FFk**

**45 kg**

#### Prefabricated foundation small (PFs)

**5 63 070 0 Concrete**

Prefabricated foundation with cast-in mounting rail.

Size: 90x20x12 cm

Scope of delivery: 1x foundation 90x20x12 cm with cast-in assembly rail  
2x galvanised hammer-head screws



**FFr**

**16 kg**

#### Prefabricated foundation round (PFr)

**5 63 096 0 Concrete**

Prefabricated foundation with cast-in mounting rail.

Size: Ø 29x12 cm

Scope of delivery: prefabricated foundation Ø 29x12 cm with cast-in assembly rail  
2x galvanised hammer-head screw

Overview of foundations for all spring rockers!



#### Can also be used as ground anchor 1

#### Concrete foundation for spring rockers

**5 59 160 0 Concrete**

All eibe spring rockers are mounted safely, durably and stably with our concrete prefabricated foundation. The fastening screws for the spiral pressure springs are already firmly set in concrete.

Size: 30x30x30 cm

Scope of delivery:

1x concrete foundation 30x30x30 cm



#### Ground anchor 1 for spring rockers

**5 63 210 0 Steel**

Stable anchor with base plate made of corrosion-protected steel for fastening spring rockers. In case of heavily frequented eibe spring rockers, it should be surrounded with concrete.

Size: 51.6x40x45 cm (LxWxH)

Scope of delivery:

1x ground anchor: galvanised steel



#### Ground anchor 2 for spring rockers

**5 63 228 0 Steel**

For mounting the polyethylene spring rocker with its plastic body and stainless steel spring rocker securely.

Size: 48x48x48 cm

Scope of delivery:

1x earth anchor: galvanised steel

For information on the required number of ground anchors, please refer to the info box of each spring rocker.





© aws architekten Paderborn




# Abbreviations and other interesting information.

## Abbreviations in the catalogue

<b>SW:</b>	softwood	<b>TH:</b>	table height
<b>ROB:</b>	robinia	<b>CF:</b>	concrete foundation
<b>GL:</b>	glued-laminated timber	<b>PFs:</b>	prefabricated foundation small
<b>PI:</b>	pressure-impregnated	<b>PFr:</b>	prefabricated foundation round
<b>RAL:</b>	RAL quality mark for wood preservation agent	<b>PFI:</b>	prefabricated foundation large
<b>MDF:</b>	medium density fibreboard	<b>L:</b>	length
<b>HPL:</b>	high-pressure laminate	<b>W:</b>	width
<b>GFRP:</b>	glass fibre reinforced plastic	<b>H:</b>	height
<b>PP:</b>	polypropylene	<b>D:</b>	diameter
<b>VA:</b>	stainless steel	<b>s t e e l</b>	
<b>PE:</b>	polyethylene	<b>galv.:</b>	steel hot-dip galvanised
<b>PU:</b>	polyurethane	<b>s t e e l</b>	
<b>PPM:</b>	polypropylene multifill	<b>powder.:</b>	steel galvanised and powder-coated
<b>PAH:</b>	polycyclic aromatic hydrocarbons	<b>PES:</b>	polyester
<b>PA:</b>	polyamide	<b>HDPE:</b>	high density polyethylene
<b>PVC:</b>	polyvinyl chloride	<b>FSC®:</b>	Forest Stewardship Council

## An overview of the foundation levels



- 1 Prefabricated foundation  
2 Cast foundation  
3 Concrete floor plate  
4 Loose impact attenuation, e.g. sand  
5 Base layer, approx. 10 cm gravel  
6 Underground  
7 Impact attenuation tiles
- \*on request

## Impact attenuation

► page 374

Examples of commonly used impact attenuating materials, depths and corresponding maximum free heights of fall.

Material <sup>1</sup>	Description (mm)	Minimum layer thickness <sup>2</sup> (mm)	Largest possible free falling height (mm)
Turf/topsoil			< 1000
Bark	chopped bark of softwood trees, 20 mm to 80 mm grain size	200	< 2000
		300	< 3000
Woodchip	mechanically chopped wood (no wood materials), without bark and foliage share, 5 mm to 30 mm grain size	200	< 2000
		300	< 3000
Sand or gravel <sup>3</sup>	0.2 mm to 2 mm grain size	200	< 2000
		300	< 3000
other materials or other layer thicknesses	as tested according to HIC (see EN 1177)		critical fall height as tested


\*1 Material carefully prepared for use on playgrounds

\*2 For loose bulk material, 100 mm must be added to the minimum depth to compensate for displacement

\*3 No silty or clay particles. Grain size may be determined using the screening procedure, such as EN 933-1.

## Impact zone

Overview of the required shock absorbing features in the impact area according to DIN EN-1176-1.



dotted line: impact zone without impact attenuation  
continuous line: impact zone with impact attenuation

## Play values

	Running, climbing, jumping, dancing, romping, gymnastics, hand-over-hand climbing, crawling		Building, constructing		Observing, experimenting		Throwing, catching, batting, shooting, juggling
	Meeting, playing, communicating		Crafting, painting, designing, working with tools		Togetherness		Social Integration
	Playing with water, sand, mud, natural materials		Reading, arithmetic, writing, counting		Doing puzzles, threading beads, promoting co-ordination		Sliding
	Making music, singing, creating sounds		Balancing, rocking		Sorting, arranging, keeping things safe		Recommended age group
					Relaxing		Inclusion

**PREVIEW!**  
Available from mid 2022



Strawberry

minimondo  
play unit Dog house

Find on page 48



also in the colour  
concept

Forest

eibe Produktion +  
Vertrieb GmbH & Co. KG  
Industriestraße 1  
D-97285 Röttingen  
Germany  
Phone +49 9338 89-0  
Fax +49 9338 89-199  
[eibe@eibe.de](mailto:eibe@eibe.de)  
[www.eibe.net](http://www.eibe.net)