

# vinci play





# About us

Vinci Play is a company bringing happiness to children all around the world.

We design, manufacture and install fully safe, aesthetically pleasing and extremely attractive playgrounds. We root for beautiful and imaginative design that stimulates the child's unbridled curiosity while encouraging kids to have fun together. Nearly as many as 80 million girls and boys play joyfully on the Vinci Play devices in over 50 countries around the globe. Such a vast number of parents have placed their trust in us because every day we strive to give children what they need so much - some carefree fun in a safe and friendly environment, while our customers can enjoy extremely durable, top-quality equipment covered by an unrivalled 30-year warranty. Our professional attitude makes us a reliable business partner for those companies and institutions that are looking for a competent playground manufacturer. Our two factories equipped with the most modern equipment, including welding robots, 3D and 2D lasers and many other devices are enabling efficient and effective completion of orders. We employ over 250 people from all over the world, and we all have one goal: witness children's joy in a safe, inspiring and fabulously colourful environment.



# What makes us unique

## Advanced production processes

From the design, through production, all the way to shipping, the highest quality and safety of the playground are our priorities at every step of the way. In the production process, we implement only certified materials, and the multi-stage quality control system ensures that all equipment components that leave our production line meet stringent safety norms. We employ top specialists in their field who ensure a high standard of our products, reliable customer service and professional maintenance service of the equipment. Our modern machine park and advanced production organisation facilitate 4-week order processing. We also offer products with a 7 and 14-days production time and goods that are available directly from the warehouse.

We are proud to offer children, their parents and guardians the guarantee of carefree fun and relaxation on the playground, thanks to the strict safety procedures and quality standards implemented within our company.



## Customer service

Our Customer Service department operates guided by the highest standards of cooperation, confirmed by the ISO 9001: 2015 certificate. The employees of this department endeavour to respond to inquiries addressed to the company within the shortest time possible while meeting the expectations of even the most demanding buyers. We guarantee cooperation based on the understanding of the customer's needs and offer full support at every stage of the contract execution, during the warranty period and afterwards.



## Care for the environment

Care for the natural environment constitutes a vital aspect of our business activities. FSC® certificate number RINA-COC-000904: (licence number FSC® C163573) confirms the use of materials from properly managed FSC certified forests and other controlled sources. We follow the principles of sustainable development in all our undertakings, including the selection of contractors and suppliers. We hold the ISO 14001: 2015 certificate, which confirms the implementation of an environmental-management system.



## Standards and safety

Children's safety is of the utmost importance to us, which is why all Vinci Play equipment complies with the EN 1176 European standard. The products also hold the TÜV Rheinland or TÜV SÜD certificate, which confirms their safety and high quality. Our high-end specialists support the Customer during the playground planning process to guarantee the compliance of the project with the applicable EU safety standards.



## Quality control

All the elements that make up the final Vinci Play equipment undergo a multi-phase and precise quality control to ensure that they comply with the EN 1176 standard. Our quality specialists use modern laboratory, as well as devices and measuring equipment to evaluate the quality of materials at every stage of production – from the acceptance of goods or components, through all manufacturing steps, all the way to packaging and preparation for shipment. Owing to regular controls and audits of our suppliers and contractors, we make sure that we cooperate only with verified companies.




## Laser steel cutting

The LC5 laser, which is the most modern integrated system for cutting profiles and metal sheets, enables optimal metal processing parameters, allowing to obtain the best results in the shortest time.



## Welding robots

Welding robots working on matrices built especially for our needs. They increase efficiency thanks to the possibility of carrying out welding processes in a continuous manner. The quality of welding connections is at the highest level thanks to the use of the latest CMT technology. All robots work on high-class welding machines.



## Steel welding

Our products are characterised by the highest quality of welds and a precise finish, which guarantees safe use and durability of our playground equipment. A team of highly-qualified welders, supported by cutting-edge welding robots, ensures the finest quality connections of the steel components.



## Abrasives treatment (shot blasting)

The steel used to manufacture the Vinci Play playground equipment is subjected to a shotblasting cleaning process which allows us to obtain the proper surface, as well as even welds and edges. This ensures better paint adhesion, thus making the product even safer, more durable and even more aesthetically pleasing. We use professional shot-blasting chambers to process elements of different sizes. For hot-dip galvanised steel, we use electrocorundum shot blasting, and in the case of carbon steel, we employ shot blasting using broken cast steel shot.



## Powder coating

Our products are aesthetically pleasing and are available in a wide range of colours thanks to the modern powder coating line. We use the highest quality, child-safe paints which hold the QUALICOAT certificate. Our powder coating process complies with strict standards for the temperature of paint heating, coating thickness and adhesion of the paint to steel elements.



## Welding of stainless steel tubes

The entire production process of stainless steel tube slides is performed by highly-qualified Vinci Play employees. They design the tubes, then roll them with high precision, match all the elements of the device, and finally, connect the components using durable and secure welds. At Vinci Play, we implement high-quality AISI 304 and AISI 316 stainless steel.



## Galvanisation

We always galvanise steel components before applying powder paint. Galvanisation offers effective protection of the metal surface against corrosion caused by atmospheric conditions. We use two types of galvanisation: powder and hot-dip. We store metal components galvanised with the help of both techniques, as this allows us to swiftly process orders of our customers.



## Processing ropes

We use the highest quality 16mm-thick steel ropes with polypropylene or nylon braiding for the manufacturing of climbing equipment and components, as well as for bridges and interlaces. We link them with durable fasteners made of plastic, stainless steel or aluminium. The rope elements are dimensioned, cut to the appropriate length, and then connected using hydraulic presses with a pressure of 150 tons.



## CNC

We purchase the HDPE and HPL sheets that we use for the production of our equipment from leading manufacturers around the world. This ensures that we use components of the highest quality. The plates are machined using CNC milling plotters which guarantee precise cutting and milling. The desired shapes and millings - compatible with even the most complicated design requirements - are characterised by their high aesthetic and educational values and at the same time meet the highest standards of safe use.



## Robinia cutting and milling

The 5-axis Robinia acacia wood cutting and milling machine is an excellent tool for precise execution of even the most complex details. Complemented by meticulous manual work in surface grinding, allows us to achieve the best results for production of the Robinia series.






### Hand made finish

Our experienced carpenters passionately process and finish all wooden elements by hand, and each piece of equipment is built individually. The process is complemented by modern 5D machining centres, which precisely prepare repeatable details. This way, we produce the highest quality elements, fast order fulfilment, and high production efficiency.



### Wood processing

CNC saws and industrial robots precisely cut and machine the wood used for the production of wooden parts of our playground equipment. Chamfering of the wood removes any sharp edges, and four-sided surface sanding prepares the wood for the impregnation process. The high quality of wooden elements guarantees the safety of the equipment, and the automation of the process ensures short manufacturing time and fast order realization.



### Wood painting

For the production of our wooden equipment, we use pine wood which has been glued together in plies under pressure. The process of machining square timbers, which entails sanding, impregnation, painting, drying and hardening, takes place on a fully automated production line. The wood undergoes a multi-stage protection process, which guarantees long-term durability of the wooden parts of our equipment and makes them resistant to weather conditions.

# Materials and components

At Vinci Play, we believe that every detail matters, therefore, for the production of our equipment, we use the highest quality materials and components with certificates, and cooperate with world-renowned manufacturers. Only thanks to this we are able to obtain the final product, which is not only aesthetic and functional, but also safe and compliant with applicable standards.



## Wood

Laminated wood with a cross-section of 90 mm x 90 mm. Top-quality first-class wood: without knots, uniform colour, straight grain. Ground, impregnated and varnished over a multi-stage production process. Protected from the top with durable plastic covers and from the bottom with hot-dip galvanised steel anchors, which secure the wood against direct contact with the ground, and thus prevent the development of rot, consequently extending its life span.



## Robinia wood

Acacia is the most durable wood found in Europe. The wood is characterized by natural, light colours. It does not require impregnation due to the content of many oils, which naturally protect the material very well against weather conditions, rotting processes and pests. Acacia is distinguished by exceptional hardness, resistance to moisture or contact with soil. We obtain this wood from European plantations that are FSC® certified and other controlled sources.



## Stainless steel

An AISI 304 or AISI 316 stainless steel construction used for the production of playground equipment, slides, tube slides, fasteners and chains. With a smooth surface, it is completely weather-resistant, thus ensuring its long life span.



## Steel components

A steel construction of components is made of profiles with various cross-sections. It is available in the following options:

- hot-dip galvanised and powder coated with UV-resistant paints holding the QUALICOAT certificate,
- as a steel construction: shot-blasted, iron-phosphated, powder galvanised and powder coated with UV-resistant paints holding the QUALICOAT certificate.



## HEXA platforms

Anti-slip and waterproof HPL or, optionally, waterproof anti-slip plywood. Cross-structured plywood coated with a hot-pressed phenolic film with a honeycomb surface imprint – it offers increased resistance to abrasion, mechanical damage and chemical agents. It is PFEC-certified.



## HDPE

HDPE is a high-density polyethylene. It represents a high-quality material which is resistant to atmospheric agents, i.e. it is waterproof, resistant to frost, UV radiation or moisture. We use three-layer plates (with a black core made of 100% recycled granulate) for the production of various panels, roofs and other playground components.



## HPL

HPL is a duroplastic laminate cured with polyurethane-acrylic resins, forming a highly resistant surface layer that protects against external factors. HPL sheets are resistant to chemical and biological factors, UV rays and fluctuating weather conditions. This laminate is used for the production of various types of panels, roofs and other playground components. It is PFEC-certified.



## Polycarbonate (PC)

An excellent alternative to glass, a very durable material with similar transparency, and at the same time twice as light and 200 times more resistant to impacts. Additionally, it is resistant to weather conditions, including UV rays and a wide range of temperatures. Used by us for the production of panels, covers and windows or spherical 3d windows (portholes).



## PP tunnels

Tunnels with a double wall resistant to deformations, made of PP (diameter of 500 or 600 mm). Resistant to wear and tear, acts of vandalism and external factors.



## Ropes

Galvanised steel ropes with a diameter of 16 mm, covered with polypropylene or nylon, connected with plastic, stainless steel or aluminium connectors, resistant to UV radiation, abrasion and rot.



## Climbing stones

Colourful climbing stones made of durable composite resin with mineral fillers; resistant to abrasion and UV radiation.



## Slides

Slides are made of AISI 304 stainless steel, resistant to acts of vandalism and external factors. Our offer also includes versions made of fiberglass. The side panels of a slide are made of HDPE or HPL sheets, which are resistant to weather conditions, including frost and UV radiation.



## Inox slides

Slides made of AISI 304 stainless steel, resistant to vandalism and external factors. Made with attention to every detail, with the highest quality welds, they are an elegant finish for products for playgrounds.



## Tube slides

Slides made of certified AISI 304 and AISI 316 stainless steel. Sheet thickness: 2.5 mm, diameter of the slide: 790 mm, sanded surface. The length of the slide exit depends on the length of the slide itself, the exit cap is made of a pipe with a diameter of 33.7 mm. Available variants: straight, curved or spiral (360 degrees). The tube slides meet the EN 1176 Standard.



## PE tubes

Made of colourful, impact-resistant and scratch-resistant polyethylene (PE) with inside diameter approx. 75cm. Tubes are available in various bright colours, shapes (straight, curved, spiral) and from different heights.



## Anchors

In wooden products we use hot-dip galvanised anchors protecting wood against direct contact with the ground. They prevent rot, thus extend the lifespan of wooden products and ensure many years of use.



## Chains

Certified AISI 304 and AISI 316 stainless steel chains.



## Protective plugs

Rubber or polypropylene protective plugs protect the main construction profiles against weather conditions and children from injuries.



## Bolts

AISI 304 and AISI 316 stainless steel or galvanised bolts are secured against external factors by durable polyamide caps. This makes our equipment resistant to wear and tear as well as to changing weather conditions.



## Movable elements

Elements from the Fitness series based on two groups: the Swiss articulation system – safe, durable and long-lasting, allowing fully guided movement, resistant to overload, weather conditions and vandalism, with a mechanical stop and a durable bearing system closed in the casing, thanks to which it does not require lubrication and maintenance. These parts ensure a long service life of devices with moving parts.



# Guarantee

The highest quality of our products is ensured by experienced specialists and high quality materials. That is why we can offer our customers a long-term guarantee of fault-free and fully safe use of our devices. We also provide post-warranty services. Orders for most spare parts are completed within 48 hours.

## Selected warranty periods:



### 30 year guarantee

Structural strength of steel and stainless steel components



### 15 year guarantee

Structural failure of steel and stainless steel, for dynamic equipment;  
structural elements made of Robinia wood



### 10 year guarantee

Structural failure of high density polyethylene and high pressure laminate  
components



### 5 year guarantee

Corrosion of stainless steel and hot-dip galvanized and powder coated components;  
against bark beetles and rot in case of wooden structural elements


More information on other warranty periods for selected parameters - available on request in the Guarantee Card.





# Design your playground!

Design a functional and safe playground with the 3D Planner application. Thanks to this user-friendly app you will be able to create several versions of the playground and choose the one you like the best in just 5 minutes. Upload a photo of the space you have at your disposal and fill it up with Vinci Play equipment. See what your new playground will look like in the morning, in the evening and during different seasons of the year. You will be able to export the created visualizations to .jpg/.png or .pdf files. Our 3D application will calculate the area needed for the installation of the Vinci Play equipment based on their safety zones, so that your modern playground can meet all the requirements of the EN 1176 standard.




## 1. How to start?

You can easily name the project, define the size of the area and the shape and size of the playground.

## 2. Choosing Vinci Play products

You can search for a Vinci Play product by the age of users, product series, materials or colour versions through a quick and intuitive search engine. The application contains an up-to-date library of all devices available in the offer.




## 3. Adding products, plants and creating a playground of your dreams

Adding equipment or plants is child's play. As soon as you make your choice - just click on the product (or on a plant) and drag it to the selected area. When putting more products, special attention should be paid to ensure that the safety zones of individual elements do not overlap (this is very important!) - when this happens, the contact area will be highlighted in red.



## 4. Defining surface texture

Each playground also has a surface. Not all devices can be installed on grass or sand. You can easily sketch various shapes on the surface that can be made of flexible poured surfaces. Just choose a defined shape - circle, square or hexagon, or draw an irregular shape by hand. It is very easy! Then you can choose the colour or texture of each element of the surface.



## 5. Displaying a 3D view and printing

All steps so far have taken place in top view. It's cool, but the visualization of the playground is something that interests us much more. How to show a 3D view? It's also very easy. Just click one button and the playground we have created will show up in all its glory! The view can be zoomed in and out, shown from different angles, thanks to which we will feel as if we are walking on an already existing playground. We can also quickly print a specific view and leave it with the customer together with the offer.

# What's new?

Over 100 brand-new and attractive playground structures await children this season. New products are distinguished by their unique design and modern functionalities. These safe, fun-inspiring tower constructions and themed products stimulate the imagination and are sure to provide both younger and older children with hours of carefree fun.



## High towers

Towers reaching up to 9,5 m, connected by bridges, with a whole range of fun and activity elements, with stainless steel tube slides, enabling joyful play for children of all ages.



## Robinia series

Robinia series consists of playground equipment made of natural raw material - Robinia acacia wood, the most durable wood found in Europe. Products, enriched with slides, handrails and ladders made of stainless steel, and elements made of HPL plates in subdued colours are an excellent extension of the offer enabling the design of a natural and elegant playground.



## Thematic series

The new CASTILLO, JUNGLE and the SPACE series are high towers and multifunctional sets with motifs and printed polycarbonate referring to the times of chivalry, jungle and space exploration. Made of the highest quality materials, enabling children to have fun at any age.



## Role playing devices

A lighthouse with a height of 7 m, station with fire engine or train station are devices that allow you to create a themed playground providing unlimited number of roles to play. Wooden structures based on systems known from the WOODEN series, enriched with durable PE tube slides.



## Complementary devices

The individual Vinci Play series are characterized by separate colour, material, motif and form. We have prepared classic devices, incl. swings, carousels, spring riders and sandboxes to complement each of the series.



## Inclusive devices

Carousels and swings designed for easy and safe use for people who move independently in a wheelchair and for joint integration fun for everyone, without age and fitness restrictions.



## Movable equipment

Carousels, swings (including see-saws), spring riders and outdoor gym equipment based on articulated systems or closed bearings which do not require maintenance. Equipment, which allows physical activity, makes playground more attractive, allowing development of many skills while bringing a lot of joy.



## Jumppo series

Durable outdoor trampolines encouraging activity, made of the highest quality materials. Jumping on the trampolines strengthens muscles, has a positive effect on motor coordination, and at the same time enables unrestricted fun.



## Fitness series

The Fitness series was created with wellness in mind, encouraging to train and lead a healthy lifestyle. The series devices are available in several colour and material options which will allow you to create a professional outdoor gym responding to various needs.



## Workout series

A series designed for development, keeping fit and returning to good physical condition. Steel and wooden structures with many bars and elements for training with the weight of your own body. Modern design, durable materials and colour options, perfect for creating a contemporary sports ground.



## Arena series

Multifunctional sports fields with a modular construction, based on galvanised steel profiles and panels available in several material options, consisting of goals of various sizes, basketball baskets, will encourage children of all ages to spend time outdoors and compete in sports.



# Walk in the clouds!

The 9,5 m high towers, with challenging bridges, activity elements and tube slides stimulate the imagination and enable inspiring fun. Towers with a theme referring to fairy tales and stories about castles, knights, princesses and dragons. They allow for fun and role play.



Castillo 3040-1

9,5m tower

Castillo 3030-1

6,5m tower

Castillo 3027-1

5m tower



# Choose how many you want!

The offer includes tower sets consisting of two, three or even six towers, so it is possible to adjust the offer to the size of the investment. The connecting elements are strong bridges made of the highest quality ropes, fasteners and stainless steel bars, providing a thrill and at the same time increasing the fun.



Castillo 3031-1

The set includes: 5m + 6,5m towers



Castillo 3045-1

The set includes: 5m + 6,5m + 9,5m towers



# Robinia, naturally!

The ROBINIA series is an inexhaustible source of inspiration for play for younger and older children. The variety of educational and sensory panels, as well as moving elements, stimulate in children great interest and joy.


The environmentally friendly, wooden devices in the ROBINIA series stimulate the comprehensive physical development of a child and allow a large group of children to play at the same time. Thanks to this, the child learns to establish relationships with peers, and cooperate in a group.

Over 150 playground-equipment, sports, and small architecture products fit perfectly into both the natural landscape and modern architecture.

New series!



See Robinia catalogue!



Produced  
from natural  
raw material



## Robinia wood

The acacia wood used in the production of the Robinia series contains many oils which protect the material very well against weather conditions, naturally preserving it against rotting processes and pests. By obtaining wood, we are sure that it comes from European plantations with FSC® certification and other controlled sources, thanks to which we care for the future in the spirit of sustainable development.



## Safety standards

In order to maintain the unique and irregular nature of the acacia wood, each product is individually prepared in accordance with the safety standards. In the Robinia series, we have developed unique technical solutions ensuring compliance with the EN 1176 safety standard. The products are certified by the international certifying institution TÜV SÜD. In addition, our production plants undergo periodic control audits by independent certification bodies.



## Safe finish

Thanks to the processing of wood by sanding, we smooth its surface, erasing any rough edges or unevenness, so we make the product not only aesthetic but also safe.

## Anti-slip HPL plates

Anti-slip HPL plates are a perfect supplement used in various types of steps and small platforms. Thanks to their highest quality, they are resistant to chemical and biological factors, UV rays, and changing weather conditions. The safe anti-slip structure, subdued colours, and natural look, all perfectly harmonise with the wooden style of the series.



## Durable metal parts

In order to guarantee the highest quality and long-term use of the Robinia series, we have supplemented it with bars, slides, and other construction elements in stainless steel and hot-dip galvanised steel.

## High-quality ropes

We use galvanised steel ropes sheathed in polypropylene braid in the production of climbing elements. The fitted aluminum rope connections, and safe, calibrated, stainless steel chains, ensure the reliability of solutions and safety of use.

## Quick and easy installation

Before shipment, all products undergo preliminary assembly in our factory to prevent jams. We have developed a special connection system, consisting of appropriate undercutting, specialised fastening, and machining holes in key places. Thanks to the clear instructions and the individual marking of the components, it is possible to install quickly and easily, without specialist knowledge and tools.

## Packing and transportation

All elements are manufactured in such a way, that it is possible to transport both by road (by bus, or semi-trailer), or by sea or air. The appropriate packing of the elements optimises space and transport costs, and facilitates convenient unloading without the need for cranes or specialist equipment.

# Arena, let's play!

The Arena is a multifunctional playing field that can be an independent sports facility, perfectly suited for public spaces. In the Arena you can play football, basketball, handball, hockey, tennis and many more.

Thanks to the modularity of the size and functional design, as well as the possibility to choose the material and colour version, the Arena can be adapted to individual needs.



Products available  
in the first quarter of 2022



# Inclusive playground



1 SPRING 0630 p. 108

2 WOODEN WD1506 p. 54

3 HOOP 0712 p. 124

4 SOLO WD1443 p. 66

5 CLIMBOO 0499 p. 96

6 SPRING 0671 p. 109

7 SWING ST1494 p. 116

8 SWING ST0509 p. 121

9 SPRING 0608-2 p. 106

10 STEEL+ 1726 p. 43

11 HOOP 0728 p. 122

12 SWING ST0531 p. 113

13 PARK 0926 p. 180

14 PARK 0905-1 p. 181

# Natural playground



1 ROBINIA RB1392 s. 156

2 ROBINIA RB1272 s. 139

3 ROBINIA RB1319 s. 142

4 ROBINIA RB1385 s. 155

5 ROBINIA RB1277 s. 141

6 ROBINIA RB1369 s. 148

7 ROBINIA RB1362 s. 148

8 ROBINIA RB1260 s. 137

9 ROBINIA RB1332 s. 145

10 ROBINIA RB1217 s. 131

11 ROBINIA RB1492 s. 153

12 ROBINIA RB1203 s. 126

13 ROBINIA RB1253 s. 137

# Thematic playground



**1** SWING ST0522 p. 112

**2** CASTILLO 3001-1 p. 36

**3** CLIMBOO 0419-1 p. 99

**4** CASTILLO 3028-1 p. 36

**5** SWING ST1494 p. 116

**6** SPRING 0651 p. 106

**7** CASTILLO 3080 p. 41

**8** SOLO WP2807 p. 76

**9** SPRING 0623 p. 107

**10** SOLO 0802-1 p. 68

**11** HOOP 0703-1 p. 122

# jungle

## Wild adventure!

The JUNGLE series will allow you to climb to the heights and conquer the unconquered.

High, up to 9,5 meters above the ground, the greatest adventures will take place like in the crown of trees! Among green leaves, branches and colourful cheerful graphics, everyone will be able to turn into a traveler and explorer.

High tube slides are real fun - not only for small kids, and the climbing elements are a challenge and encouragement to be active.



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Construction steel	inox	wood	HDPE	HPL
3231	●	1154 cm	810 cm	656 cm	4 - 14	86	90,0 m <sup>2</sup>	270 cm	90, 210 cm	360 cm	●	●	-	-
3240	●	1051 cm	796 cm	950 cm	4 - 14	105	77,6 m <sup>2</sup>	270 cm	180, 210 cm	570 cm	●	●	-	-
3230	●	742 cm	554 cm	656 cm	4 - 14	46	51,5 m <sup>2</sup>	270 cm	150 cm	360 cm	●	●	-	-
3227	●	530 cm	369 cm	505 cm	4 - 14	38	43,1 m <sup>2</sup>	270 cm	90, 120 cm	-	●	●	-	-



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction steel	inox	wood	HDPE	HPL
3241	●	1527 cm	1321 cm	950 cm	4 - 14	162	139,6 m <sup>2</sup>	270 cm	150, 180, 210 cm	360, 570 cm	●	●	-	-	-
3245	●	1527 cm	1515 cm	950 cm	4 - 14	198	174,3 m <sup>2</sup>	270 cm	90, 180, 210 cm	360, 570 cm	●	●	-	-	-
3260	●	2046 cm	1995 cm	950 cm	4 - 14	342	248,8 m <sup>2</sup>	270 cm	90, 180, 210 cm	240, 360, 570 cm	●	●	-	-	-

### Characteristics of the JUNGLE series:

- Galvanised steel construction
- Stainless steel construction or elements
- HPL HEXA platforms
- HDPE panels
- Polycarbonate (PC) panels
- UV printed PC panels
- Stainless steel slides
- Durable connectors
- Ropes with steel core
- Protective tops

### Colour & material options\*:

- |   |                       |   |                   |   |                   |
|---|-----------------------|---|-------------------|---|-------------------|
|   | Construction:         |   | Slides:           |   | Tubes:            |
| ● | Painted steel RAL1011 | ● | - Stainless steel | ● | - Stainless steel |
| ● | Stainless steel       | ● | - Fiberglass      | ● | - PE              |

\*Material options apply to selected products, for more information visit: [www.vinci-play.com](http://www.vinci-play.com)

# space

**Explore the universe!**

The SPACE series is a fulfillment of childhood dreams of space travel.

The towers up to 9,5 meters high, like space rockets, will lift children high above the ground. Colourful graphics, lots of activity and play elements, including tube slides made of the highest quality stainless steel, will not let you get bored.

New series!



3427



3430

3431

Product code	Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction steel	Panels inox	wood	HDPE	HPL
3427	• 530 cm	369 cm	505 cm	4 - 14	38	43,1 m <sup>2</sup>	270 cm	90, 210 cm	-	●	●	-	●	-
3430	• 742 cm	554 cm	656 cm	4 - 14	46	51,5 m <sup>2</sup>	270 cm	150 cm	360 cm	●	●	-	●	-
3431	• 1154 cm	810 cm	656 cm	4 - 14	86	90,0 m <sup>2</sup>	270 cm	90, 210 cm	360 cm	●	●	-	●	-






3440



3441



New series!



3445

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Construction steel	inox	wood	HDPE	HPL
3440	●	1051 cm	796 cm	950 cm	4 - 14	105	77,6 m <sup>2</sup>	270 cm	180, 210 cm	570 cm	●	●	-	● -
3441	●	1527 cm	1321 cm	950 cm	4 - 14	162	139,6 m <sup>2</sup>	270 cm	150, 180, 210 cm	360, 570 cm	●	●	-	● -
3445	●	1527 cm	1515 cm	950 cm	4 - 14	198	174,3 m <sup>2</sup>	270 cm	90, 180, 210 cm	360, 570 cm	●	●	-	● -



3460

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction steel	inox	wood	HDPE	HPL
3460	●	2046 cm	1995 cm	950 cm	4 - 14	342	284,8 m <sup>2</sup>	270 cm	90, 180, 210 cm	240, 360, 570 cm	●	●	-	● -	

#### Characteristics of the SPACE series:

- Galvanised steel construction
- Stainless steel construction or elements
- HPL HEXA platforms
- HDPE panels
- Polycarbonate (PC) panels
- UV printed PC panels
- Stainless steel slides
- Durable connectors
- Ropes with steel core
- Protective tops

#### Colour & material options\*:

- |                         |                   |                   |         |  |        |
|-------------------------|-------------------|-------------------|---------|--|--------|
|                         | Construction:     |                   | Slides: |  | Tubes: |
| ● Painted steel RAL5000 | - Stainless steel | - Stainless steel | - PE    |  |        |
| ● Stainless steel       | - Fiberglass      | - Fiberglass      |         |  |        |

\*Material options apply to selected products, for more information visit: [www.vinci-play.com](http://www.vinci-play.com)

# castillo

## Explore a new theme!

Breathtaking castles, monumental towers, passages and hiding places made of rope elements, tube slides... And much more! Each child will be able to feel the atmosphere of medieval times, turn into knights and princesses, fight dragons, and lock the wicked in dungeons.

Castillo towers made of the highest quality materials will provide guaranteed entertainment for users of all ages.

New series!



3028-1



3040-1



3001-1



3002-1



3003-1



3004-1

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction	Panels			
											steel	inox	wood	HDPE	HPL
3028-1	●	821 cm	733 cm	505 cm	4 - 14	44	63,4 m <sup>2</sup>	270 cm	90, 120 cm	240 cm	●	●	-	●	-
3040-1	●	1051 cm	796 cm	950 cm	4 - 14	105	77,6 m <sup>2</sup>	270 cm	180, 210 cm	570 cm	●	●	-	●	-
3001-1	●	344 cm	212 cm	285 cm	1 - 8	11	25,5 m <sup>2</sup>	< 60 cm	-	-	●	●	-	●	-
3002-1	●	278 cm	170 cm	376 cm	3 - 14	7	21,1 m <sup>2</sup>	120 cm	120 cm	-	●	●	-	●	-
3003-1	●	388 cm	300 cm	345 cm	3 - 14	19	32,2 m <sup>2</sup>	200 cm	90 cm	-	●	●	-	●	-
3004-1	●	565 cm	166 cm	376 cm	3 - 14	17	33,4 m <sup>2</sup>	150 cm	120 cm	-	●	●	-	●	-



3027-1



3030-1

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction	Panels			
											steel	inox	wood	HDPE	HPL
3027-1	●	530 cm	369 cm	505 cm	4 - 14	38	43,1 m <sup>2</sup>	270 cm	90, 210 cm	-	●	●	-	●	-
3030-1	●	742 cm	554 cm	656 cm	4 - 14	46	51,5 m <sup>2</sup>	270 cm	150 cm	360 cm	●	●	-	●	-



3029-1



3041-1



3045-1




3031-1

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction	Panels
											steel	inox wood HDPE HPL
3029-1	●	1191 cm	1072 cm	505 cm	4 - 14	101	134,6 m <sup>2</sup>	240 cm	90, 120, 150 cm	240 cm	●	● - - ● -
3041-1	●	1527 cm	1321 cm	950 cm	4 - 14	162	139,6 m <sup>2</sup>	270 cm	150, 180, 210 cm	360, 570 cm	●	● - - ● -
3031-1	●	1154 cm	810 cm	656 cm	4 - 14	86	90,0 m <sup>2</sup>	270 cm	90, 210 cm	360 cm	●	● - - ● -
3045-1	●	1527 cm	1515 cm	950 cm	4 - 14	198	174,3 m <sup>2</sup>	270 cm	90,180, 210 cm	360, 570 cm	●	● - - ● -



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction steel	Panels inox	wood HDPE	HPL
3060-1	●	2046 cm	1995 cm	950 cm	4 - 14	342	284,8 m <sup>2</sup>	270 cm	90, 180, 210 cm	240, 360, 570 cm	●	●	-	●



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction steel	Panels inox	wood HDPE	HPL
3080	●	1195 cm	603 cm	640 cm	4 - 14	87	101,2 m <sup>2</sup>	270 cm	120, 150 cm	180 cm	●	●	-	●

#### Characteristics of the CASTILLO series:

- Galvanised steel construction
- Stainless steel construction or elements
- HPL HEXA platforms
- HDPE panels
- Polycarbonate (PC) panels
- UV printed PC panels
- Stainless steel slides
- Durable connectors
- Ropes with steel core
- Protective tops
- PP tunnels

#### Colour & material options\*:

- |                         |                   |              |         |  |        |
|-------------------------|-------------------|--------------|---------|--|--------|
|                         | Construction:     |              | Slides: |  | Tubes: |
| ● Painted steel RAL7016 | - Stainless steel | - Fiberglass | - PE    |  |        |
| ● Stainless steel       | - Stainless steel | - PE         |         |  |        |

\*Material options apply to selected products, for more information visit: [www.vinci-play.com](http://www.vinci-play.com)

# steel+

## Simple fun!

The STEEL+ series comprises modern tower structures with many features that will delight both younger and older children.

Colourful towers enriched with musical elements are just the perfect place to have some fun with fellow companions and are also a great spot for relaxation.

A vast variety of devices with educational elements facilitate the integration of children of different fitness levels.



1723



1702



1709



1701



1724



1726

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction steel	inox wood	Panels variants HDPE	HPL	
1723	●	313 cm	283 cm	206 cm	1 - 8	13	25,3 m <sup>2</sup>	70 cm	-	-	●	●	-	● ● ● ● ●	-
1702	●	278 cm	226 cm	313 cm	1 - 8	9	23,9 m <sup>2</sup>	120 cm	120 cm	-	●	●	-	● ● ● ● ●	-
1709	●	521 cm	364 cm	373 cm	3 - 14	27	44,6 m <sup>2</sup>	180 cm	150, 180 cm	-	●	●	-	● ● ● ● ●	-

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction steel	inox wood	Panels variants HDPE	HPL	
1701	●	224 cm	234 cm	286 cm	1 - 8	9	22,2 m <sup>2</sup>	90 cm	90 cm	-	●	●	-	● ● ● ● ●	-
1724	●	323 cm	310 cm	283 cm	1 - 8	14	30,5 m <sup>2</sup>	90 cm	90 cm	-	●	●	-	● ● ● ● ●	-
1726	●	642 cm	525 cm	231 cm	1 - 8	38	53,1 m <sup>2</sup>	99 cm	-	-	●	●	-	● ● ● ● ●	-



1703



1704



1705

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction steel inox wood	Panels variants HDPE	Panels variants HPL
1703	●	475 cm	217 cm	343 cm	3-14	12	31,7 m <sup>2</sup>	200 cm	150 cm	-	● ● -	● ● ● ● ●	-
1704	●	367 cm	304 cm	313 cm	3 - 14	9	31,5 m <sup>2</sup>	220 cm	120 cm	-	● ● -	● ● ● ● ●	-
1705	●	363 cm	503 cm	313 cm	3 - 14	11	40,6 m <sup>2</sup>	200 cm	120 cm	-	● ● -	● ● ● ● ●	-

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction steel inox wood	Panels variants HDPE	Panels variants HPL
1706	●	499 cm	461 cm	316 cm	3 - 14	13	41,4 m <sup>2</sup>	200 cm	120 cm	-	● ● -	● ● ● ● ●	-
1717	●	332 cm	252 cm	316 cm	3 - 14	11	29,3 m <sup>2</sup>	200 cm	-	-	● ● -	● ● ● ● ●	-
1707	●	349 cm	334 cm	343 cm	3 - 14	15	31,0 m <sup>2</sup>	150 cm	150 cm	-	● ● -	● ● ● ● ●	-
1708	●	400 cm	356 cm	373 cm	3 - 14	24	40,5 m <sup>2</sup>	220 cm	150 cm	-	● ● -	● ● ● ● ●	-
1710	●	451 cm	395 cm	343 cm	3 - 14	29	45,1 m <sup>2</sup>	200 cm	90, 150 cm	-	● ● -	● ● ● ● ●	-
1712	●	568 cm	396 cm	373 cm	3 - 14	31	52,1 m <sup>2</sup>	220 cm	180 cm	-	● ● -	● ● ● ● ●	-
1711	●	702 cm	338 cm	373 cm	3 - 14	32	55,1 m <sup>2</sup>	200 cm	90, 180 cm	-	● ● -	● ● ● ● ●	-
1713	●	606 cm	365 cm	343 cm	3 - 14	45	55,8 m <sup>2</sup>	220 cm	-	-	● ● -	● ● ● ● ●	-



1727



1728



1730-1



1741



1745



1731



1740




SEE MORE!



1790

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction steel inox wood	Panels variants HDPE	Panels variants HPL
1727	●	530 cm	369 cm	505 cm	4 - 14	38	43,1 m <sup>2</sup>	270 cm	90, 210 cm	-	● ● -	● ● ● ● ●	-
1728	●	821 cm	733 cm	505 cm	4 - 14	44	63,4 m <sup>2</sup>	270 cm	90, 120 cm	240 cm	● ● -	● ● ● ● ●	-
1730-1	●	742 cm	554 cm	656 cm	4 - 14	47	51,5 m <sup>2</sup>	270 cm	150 cm	360 cm	● ● -	● ● ● ● ●	-
1731	●	1154 cm	810 cm	656 cm	4 - 14	86	90,0 m <sup>2</sup>	270 cm	90, 210 cm	360 cm	● ● -	● ● ● ● ●	-
1740	●	1051 cm	796 cm	950 cm	4 - 14	105	77,6 m <sup>2</sup>	270 cm	180, 210 cm	570 cm	● ● -	● ● ● ● ●	-

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction steel inox wood	Panels variants HDPE	Panels variants HPL
1741	●	1527 cm	1321 cm	950 cm	4 - 14	162	139,6 m <sup>2</sup>	270 cm	150, 180, 210 cm	360, 570 cm	● ● -	● ● ● ● ●	-
1745	●	1527 cm	1515 cm	950 cm	4 - 14	198	174,3 m <sup>2</sup>	270 cm	90, 180, 210 cm	360, 570 cm	● ● -	● ● ● ● ●	-
1790	●	2046 cm	1995 cm	950 cm	4 - 14	342	284,8 m <sup>2</sup>	270 cm	90, 180, 210 cm	240, 360, 570 cm	● ● -	● ● ● ● ●	-



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction steel inox wood	Panels variants HDPE HPL
1736	●	498 cm	324 cm	286 cm	3 - 14	24	37,9 m <sup>2</sup>	90 cm	90 cm	-	● ● -	● ● ● ● ● -
1780	●	1195 cm	603 cm	640 cm	4 - 14	87	101,2 m <sup>2</sup>	270 cm	120, 150 cm	180 cm	● ● -	● ● ● ● ● -

#### Characteristics of the STEEL+ series:

- Galvanised steel construction
- Stainless steel construction or elements
- HPL HEXA platforms
- HDPE panels
- Polycarbonate (PC) panels
- UV printed PC panels
- Stainless steel slides
- Durable connectors
- Ropes with steel core
- Protective tops
- PP tunnels

#### Colour & material options\*:

- |  |   |                           |                           |                     |
|--|---|---------------------------|---------------------------|---------------------|
| Colour (panels):   | Construction:   | Slides:                   | Tubes:                    | Anchoring:          |
| ● HDPE - RAL6024   ● HDPE - RAL3020   ● C11E HDPE - multicolour<br>● HDPE - RAL5015   ● HDPE - RAL8024 | ● Painted steel RAL 7040<br>● Stainless steel<br>● Fiberglass | - Stainless steel<br>- PE | - Stainless steel<br>- PE | - Surface<br>- Deep |

\*Material options apply to selected products, for more information visit: [www.vinci-play.com](http://www.vinci-play.com)

# topicco

## Play a role!

A series of role-playing devices: a train station, a fire station, a fire truck, a lighthouse, a ship, a truck or a roller. These devices release a child's natural tendency to play happily and learn the "adult world" as well as engage in teamwork training.

The TOPICCO series offers a number of elements such as educational panels or manual elements that stimulate motor skills and positively affect the intellectual development of young children.



WD1541



WD1542



WD1534



3101

3102



3103

3104

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction steel inox wood	Panels variants HDPE HPL
3101	●	346 cm	268 cm	202 cm	3 - 12	13	27,9 m <sup>2</sup>	90 cm	90 cm	-	● -	● -
3102	●	439 cm	207 cm	202 cm	3 - 12	15	29,2 m <sup>2</sup>	90 cm	90 cm	-	● -	● -
3103	●	296 cm	268 cm	200 cm	3 - 12	14	25,9 m <sup>2</sup>	90 cm	90 cm	-	● -	● -
3104	●	298 cm	268 cm	206 cm	3 - 12	14	26,2 m <sup>2</sup>	90 cm	90 cm	-	● -	● -

### Characteristics of the TOPICCO series:

- Wood construction
- Galvanised anchors
- Galvanised steel construction or elements
- Stainless steel elements
- HPL HEXA platforms
- HDPE panels
- Polycarbonate (PC) panels
- UV printed PC panels
- Stainless steel slides
- PE tube slides
- Durable connectors

### Colour & material options\*:

- |                                     |                   |                   |            |
|-------------------------------------|-------------------|-------------------|------------|
| Anti-slip and waterproof platforms: | Slides:           | Tubes:            | Anchoring: |
| - HEXA HPL                          | - Stainless steel | - PE              | - Surface  |
| - HEXA plywood                      | - Fiberglass      | - Stainless steel | - Deep     |

\*Material options apply to selected products, for more information visit: [www.vinci-play.com](http://www.vinci-play.com)



# wooden

## Equipment from painted wood

The WOODEN series is an endless source of inspiration for both younger and older children how to have fun.

Various educational and sensory panels, coupled with moving elements, will bring children lots of joy and draw a lot of interest.

The environmentally friendly wooden equipment from this series stimulates the child's comprehensive physical development and also allows a large group of kids to play together at the same time. Thanks to this, child learns how to establish relationships with their fellows and how to work as part of a team.



WD1503



WD1403



WD1437



WD1401




WD1402



WD1407

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction	Panels variants			
											steel	inox	wood	HDPE	HPL
WD1503	●	342 cm	336 cm	247 cm	1 - 8	25	33,8 m <sup>2</sup>	<60 cm	59 cm	35, 59 cm	-	-	●	● ● ● ● ●	
WD1403	●	204 cm	139 cm	170 cm	3 - 14	7	18,8 m <sup>2</sup>	90 cm	90 cm	90 cm	-	-	●	● ● ● ● ●	
WD1437	●	349 cm	173 cm	103 cm	1 - 8	15	27,3 m <sup>2</sup>	<60 cm	-	-	-	-	●	● ● ● ● ●	
WD1401	●	97 cm	96 cm	139 cm	1 - 8	4	13,8 m <sup>2</sup>	60 cm	-	-	-	-	●	● ● ● ● ●	
WD1402	●	166 cm	99 cm	191 cm	1 - 8	6	15,6 m <sup>2</sup>	<60 cm	-	35 cm	-	-	●	● ● ● ● ●	
WD1407	●	260 cm	270 cm	280 cm	3 - 14	13	27,3 m <sup>2</sup>	90 cm	90 cm	-	-	●	● ● ● ● ●		





Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction steel	Panels variants HDPE	HPL
WD1505	●	652 cm	555 cm	277 cm	1 - 8	58	60,8 m <sup>2</sup>	90 cm	90 cm	35, 40, 59, 90 cm	- -	● ● ○ ○ ○	●
WD1501	-	218 cm	224 cm	277 cm	1 - 8	9	21,7 m <sup>2</sup>	90 cm	90 cm	40, 90 cm	- -	● ○ ○ ○ ○	●
WD1506	●	821 cm	811 cm	277 cm	1 - 8	90	94,5 m <sup>2</sup>	90 cm	59, 90 cm	35, 40, 59, 90 cm	- -	● ○ ○ ○ ○	●



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction steel	Panels variants HDPE	HPL
WD1434	●	215 cm	145 cm	280 cm	1 - 8	7	19,2 m <sup>2</sup>	90 cm	90 cm	59, 90 cm	- -	● ○ ○ ○ ○	●
WD1436	-	360 cm	315 cm	280 cm	1 - 8	14	30,2 m <sup>2</sup>	90 cm	59, 90 cm	59, 90 cm	- -	● ○ ○ ○ ○	●
WD1504	●	440 cm	451 cm	367 cm	3 - 14	29	43,4 m <sup>2</sup>	180 cm	120, 150 cm	35, 120, 150, 180 cm	- -	● ○ ○ ○ ○	●
WD1502	●	247 cm	213 cm	307 cm	1 - 8	11	22,9 m <sup>2</sup>	120 cm	120 cm	120 cm	- -	● ○ ○ ○ ○	●



WD1408



WD1406



WD140



WD1405



WD1438



WD1438



WD1409



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction steel	inox wood	HDPE	Panels variants HPL
WD1408	●	365 cm	290 cm	310 cm	3 - 14	13	31,1 m <sup>2</sup>	120 cm	120 cm	90, 120 cm	-	-	●	
WD1406	-	316 cm	252 cm	310 cm	3 - 14	11	26,2 m <sup>2</sup>	120 cm	90, 120 cm	90, 120 cm	-	-	●	
WD1404	-	314 cm	150 cm	307 cm	3 - 14	7	22,4 m <sup>2</sup>	120 cm	120 cm	120 cm	-	-	●	
WD1405	●	328 cm	245 cm	337 cm	3 - 14	13	26,4 m <sup>2</sup>	150 cm	150 cm	150 cm	-	-	●	
WD1438	●	474 cm	328 cm	307 cm	3 - 14	12	38,1 m <sup>2</sup>	130 cm	120 cm	120 cm	-	-	●	


Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction steel	inox	wood	HDPE	HPL
WD1409	-	460 cm	355 cm	340 cm	3 - 14	19	37,9 m <sup>2</sup>	190 cm	150 cm	90, 150 cm	-	-			  
WD1410	-	405 cm	335 cm	370 cm	3 - 14	23	40,7 m <sup>2</sup>	220 cm	150 cm	150, 180 cm	-	-			  



WD1449



WD1412



WD1411




WD1454



WD1413



WD1450



WD1439



WD1452



WD1453



WD1451

Product code	Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction Panels variants		
										steel	inox	wood
WD1449	-	322 cm	278 cm	367 cm	3 - 14	16	28,5 m <sup>2</sup>	220 cm	-	120, 150, 180 cm	-	-
WD1412	●	565 cm	424 cm	367 cm	3 - 14	31	50,2 m <sup>2</sup>	210 cm	90, 180 cm	90, 120, 150, 180 cm	-	-
WD1411	●	563 cm	357 cm	367 cm	3 - 14	30	47,4 m <sup>2</sup>	180 cm	150 cm	120, 150, 180 cm	-	-
WD1454	-	910 cm	405 cm	410 cm	3 - 14	30	55,1 m <sup>2</sup>	210 cm	210 cm	120, 150, 180, 210 cm	-	-
WD1413	●	627 cm	319 cm	340 cm	3 - 14	51	56,2 m <sup>2</sup>	220 cm	-	120, 150, 180 cm	-	-
WD1450	●	535 cm	510 cm	235 cm	7 - 16	31	44,9 m <sup>2</sup>	220 cm	120, 150 cm	-	-	-

Product code	Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction Panels variants		
										steel	inox	wood
WD1439	-	306 cm	230 cm	230 cm	3 - 14	17	29,9 m <sup>2</sup>	220 cm	-	120, 150 cm	-	-
WD1452	-	528 cm	428 cm	260 cm	7 - 16	31	46,5 m <sup>2</sup>	250 cm	-	150, 180 cm	-	-
WD1453	-	686 cm	547 cm	230 cm	4 - 16	36	54,8 m <sup>2</sup>	200 cm	-	150 cm	-	-
WD1451	-	427 cm	206 cm	260 cm	7 - 16	14	33,2 m <sup>2</sup>	250 cm	-	150, 180 cm	-	-



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction	Panels variants
											steel	inox wood HDPE HPL
WD1433	●	300 cm	275 cm	250 cm	1 - 8	14	24,7 m <sup>2</sup>	<60 cm	59 cm	35, 59 cm	- -	● ● ● ● ●
WD1414	●	395 cm	330 cm	260 cm	3 - 14	21	31,1 m <sup>2</sup>	90 cm	90 cm	90 cm	- -	● ● ● ● ●
WD1415	●	615 cm	395 cm	290 cm	3 - 14	34	47,5 m <sup>2</sup>	120 cm	90, 120 cm	90, 120 cm	- -	● ● ● ● ●
WD1580	●	1280 cm	735 cm	486 cm	3 - 14	82	96,9 m <sup>2</sup>	180 cm	120, 150, 180 cm	120, 150, 180 cm	- -	● ● ● ● ●
WD1581	●	1097 cm	424 cm	486 cm	3 - 14	52	69,4 m <sup>2</sup>	150 cm	90, 150 cm	35, 90, 120, 150 cm	- -	● ● ● ● ●
WD1418-1	●	1575 cm	782 cm	486 cm	3 - 14	120	128,7 m <sup>2</sup>	180 cm	120, 150, 180* cm	120, 150, 180 cm	- -	● ● ● ● ●

\*Height of tube slides.





WD1430

WD1431

WD1432



WD1550



WD1551



WD1552

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction steel	Panels variants inox wood HDPE HPL
WD1430	●	154 cm	99 cm	120 cm	1 - 8	9	16,2 m <sup>2</sup>	110 cm	-	-	-	● ● ●
WD1431	●	154 cm	99 cm	120 cm	1 - 8	11	16,2 m <sup>2</sup>	110 cm	-	-	-	● ● ●
WD1432	●	154 cm	104 cm	120 cm	1 - 8	9	162 m <sup>2</sup>	110 cm	-	-	-	● ● ●
WD1550	●	386 cm	336 cm	260 cm	1 - 12	28	33,3 m <sup>2</sup>	90 cm	90 cm	90, 120 cm	-	● ● ●
WD1551	●	292 cm	220 cm	214 cm	1 - 8	12	25,3 m <sup>2</sup>	< 60 cm	59 cm	59 cm	-	● ● ●
WD1552	●	244 cm	100 cm	184 cm	1 - 8	10	19,9 m <sup>2</sup>	< 60 cm	-	35 cm	-	● ● ●

## Characteristics of the WOODEN series:

- Wood construction
- Galvanised anchors
- HPL HEXA platforms
- HDPE panels
- Polycarbonate (PC) panels
- Stainless steel elements
- Stainless steel slides
- Durable connectors
- Ropes with steel core
- Protective tops
- PP tunnels
- PE tube slides

## Colour &amp; material options\*:

- |                    |                         |                           |                |                   |           |  |            |
|--------------------|-------------------------|---------------------------|----------------|-------------------|-----------|--|------------|
|                    | Colour (panels):        |                           | Platforms:     |                   | Slides:   |  | Anchoring: |
| ● C1 HPL - RAL6000 | ● C2 HPL - RAL3000      | ● C11E HDPE - multicolour | - HEXA HPL     | - Stainless steel | - Surface |  |            |
| ● C3 HPL - RAL5024 | ● C9 HPL - wood pattern |                           | - HEXA plywood | - Fiberglass      | - Deep    |  |            |

\*Material options apply to selected products, for more information visit: [www.vinci-play.com](http://www.vinci-play.com)

# solo.

## Fun for youngsters!

The SOLO series is a paradise for preschoolers, which is ruled by sand, water, sound and movement.

Free fun develops natural creativity of the child, encourages to do experiments and triggers the desire to cooperate with other children.


The richness of colours, manual and sound elements, along with educational panels: all these elements comprehensively stimulate the senses and the intellectual development of child.



0820



0824



0840



0810



0825




0811



0812



0813



0821



0822



0841

Product code	♿	Product length	Product width	Product height	Age range	Number of users	Safety zone	Construction			Panels	
								steel	inox	wood	HDPE	HPL
0820	●	170 cm	100 cm	100 cm	3 - 12	5	17,0 m <sup>2</sup>	< 60 cm	●	-	-	● ●
0825	-	734 cm	94 cm	166 cm	3 - 12	20	38,6 m <sup>2</sup>	90 cm	●	-	-	● ● ● ● ●
0810	-	168 cm	94 cm	166 cm	3 - 12	5	16,5 m <sup>2</sup>	< 60 cm	●	-	-	● ● ● ● ●
0811	-	143 cm	92 cm	74 cm	3 - 12	4	15,4 m <sup>2</sup>	< 60 cm	●	-	-	● ● ● ● ●
0812	-	130 cm	89 cm	96 cm	3 - 12	4	14,8 m <sup>2</sup>	90 cm	●	-	-	● ● ● ● ●
0813	-	143 cm	94 cm	165 cm	3 - 12	6	15,4 m <sup>2</sup>	< 60 cm	●	-	-	● ● ● ● ●

Product code	♿	Product length	Product width	Product height	Age range	Number of users	Safety zone	Construction			Panels	
								steel	inox	wood	HDPE	HPL
0824	●	188 cm	141 cm	155 cm	1 - 8	13	17,6 m <sup>2</sup>	< 60 cm	●	-	-	● ●
0840	●	128 cm	76 cm	119 cm	1 - 8	7	14,2 m <sup>2</sup>	< 60 cm	●	-	-	● ●
0821	-	173 cm	55 cm	133 cm	1 - 8	3	15,0 m <sup>2</sup>	< 60 cm	●	-	-	● ●
0822	●	204 cm	100 cm	73 cm	1 - 8	3	18,5 m <sup>2</sup>	< 60 cm	●	-	-	● ●
0841	●	378 cm	199 cm	144 cm	1 - 8	13	29,4 m <sup>2</sup>	< 60 cm	●	-	-	● ●



Product code		Product length	Product width	Product height (A)	Age range	Number of users	Safety zone	Free-fall height	Slide height (B)	Slide length (C)	Platform height (D)	Construction	Panels variants
0830	-	177 cm	67 cm	175 cm	3 - 12	3	15,2 m <sup>2</sup>	< 60 cm	90 cm	135 cm	90 cm	● - -	● ● -
0831	-	218 cm	67 cm	205 cm	3 - 14	4	16,3 m <sup>2</sup>	120 cm	120 cm	180 cm	120 cm	● - -	● ● -
0832	-	270 cm	67 cm	235 cm	3 - 14	4	17,6 m <sup>2</sup>	150 cm	150 cm	240 cm	150 cm	● - -	● ● -
WD1440	-	168 cm	84 cm	141 cm	1 - 8	3	15,8 m <sup>2</sup>	< 60 cm	59 cm	88 cm	35 cm	- - -	● ● ●
WD1441	-	203 cm	84 cm	171 cm	1 - 8	3	16,7 m <sup>2</sup>	< 60 cm	90 cm	135 cm	35 cm	- - -	● ● ●
WD1442	-	239 cm	84 cm	201 cm	3 - 14	3	17,9 m <sup>2</sup>	< 60 cm	120 cm	180 cm	35 cm	- - -	● ● ●
WD1443	-	285 cm	84 cm	231 cm	3 - 14	3	19,5 m <sup>2</sup>	< 60 cm	150 cm	240 cm	35 cm	- - -	● ● ●
WD1444	-	321 cm	84 cm	261 cm	3 - 14	3	20,8 m <sup>2</sup>	< 60 cm	180 cm	285 cm	35 cm	- - -	● ● ●
WD1445	-	358 cm	84 cm	291 cm	3 - 14	3	22,1 m <sup>2</sup>	< 60 cm	210 cm	330 cm	35 cm	- - -	● ● ●
WD1446	-	515 cm	84 cm	380 cm	3 - 14	3	26,8 m <sup>2</sup>	< 60 cm	300 cm	513 cm	35 cm	- - -	● ● ●
WD1447	-	635 cm	84 cm	480 cm	3 - 14	3	31,1 m <sup>2</sup>	< 60 cm	400 cm	670 cm	35 cm	- - -	● ● ●
WD1448	-	755 cm	84 cm	581 cm	3 - 14	3	35,2 m <sup>2</sup>	< 60 cm	500 cm	826 cm	35 cm	- - -	● ● ●




**Modular system!**



0801-1



0802-1




More configurations  
available on [www.vinci-play.com](http://www.vinci-play.com)



More configurations  
available on [www.vinci-play.com](http://www.vinci-play.com)


**Modular system!**



WD1458




More configurations  
available on [www.vinci-play.com](http://www.vinci-play.com)



WD1429



More configurations  
available on [www.vinci-play.com](http://www.vinci-play.com)



0800



WD1482



WD1457-1



WD1455



WD1456

Product code	♿	Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Panels	
									steel	inox	wood	HDPE	HPL
0801-1	-	178 cm	178 cm	30 cm	1 - 12	11	20,9 m <sup>2</sup>	< 60 cm	●	-	-	●	● ● ● ●
0802-1	-	323 cm	287 cm	43 cm	1 - 12	18	29,1 m <sup>2</sup>	< 60 cm	●	-	-	●	● ● ● ●
0800	●	30 cm	30 cm	40 cm	1 - 12	1	8,9 m <sup>2</sup>	< 60 cm	●	-	-	●	● ● ● ●
WD1416	-	415 cm	165 cm	140 cm	1 - 12	11	27,0 m <sup>2</sup>	< 60 cm	-	-	●	●	● ● ● ●
WD1482	●	139 cm	139 cm	78 cm	1 - 12	8	17,3 m <sup>2</sup>	< 60 cm	-	-	●	●	● ● ● ●

Product code	♿	Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Panels	
									steel	inox	wood	HDPE	HPL
WD1458	-	258 cm	258 cm	28 cm	1 - 12	16	29,2 m <sup>2</sup>	< 60 cm	-	-	●	●	● ● ● ●
WD1429	-	254 cm	221 cm	28 cm	1 - 12	9	21,8 m <sup>2</sup>	< 60 cm	-	-	●	●	● ● ● ●
WD1457-1	-	380 cm	210 cm	35 cm	1 - 12	11	32,5 m <sup>2</sup>	< 60 cm	-	-	●	●	● ● ●
WD1455	●	348 cm	171 cm	191 cm	1 - 12	23	28,6 m <sup>2</sup>	< 60 cm	-	-	●	●	● ● ● ●
WD1456	●	145 cm	62 cm	170 cm	1 - 12	5	13,7 m <sup>2</sup>	< 60 cm	-	-	●	●	● ● ●



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction steel	inox	wood	HDPE	HPL	Panels
WD1427	●	167 cm	97 cm	114 cm	1 - 8	5	14,5 m <sup>2</sup>	< 60 cm	-	-	●	●	●	●
WD1467	●	84 cm	12 cm	130 cm	1 - 8	1	10,1 m <sup>2</sup>	< 60 cm	-	-	●	●	●	●
WD1468	●	84 cm	12 cm	130 cm	1 - 8	1	10,1 m <sup>2</sup>	< 60 cm	-	-	●	●	●	●
WD1469	●	84 cm	12 cm	130 cm	1 - 8	1	10,1 m <sup>2</sup>	< 60 cm	-	-	●	●	●	●
WD1470	●	84 cm	11 cm	130 cm	1 - 8	1	10,0 m <sup>2</sup>	< 60 cm	-	-	●	●	●	●
WD1471	●	84 cm	12 cm	130 cm	1 - 8	1	10,0 m <sup>2</sup>	< 60 cm	-	-	●	●	●	●
WD1472	●	84 cm	15 cm	130 cm	1 - 8	2	10,2 m <sup>2</sup>	< 60 cm	-	-	●	●	●	-



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction steel	inox	wood	HDPE	HPL	Panels
WD1473	●	84 cm	21 cm	130 cm	1 - 8	1	10,4 m <sup>2</sup>	< 60 cm	-	-	●	●	●	●
WD1474	●	84 cm	21 cm	130 cm	1 - 8	2	10,4 m <sup>2</sup>	< 60 cm	-	-	●	●	●	●
WD1475	●	84 cm	11 cm	130 cm	1 - 8	1	10,0 m <sup>2</sup>	< 60 cm	-	-	●	●	●	●
WD1476	●	84 cm	11 cm	130 cm	1 - 8	1	10,0 m <sup>2</sup>	< 60 cm	-	-	●	●	●	●
WD1477	●	84 cm	11 cm	130 cm	1 - 8	1	10,0 m <sup>2</sup>	< 60 cm	-	-	●	●	●	●
WD1478	●	84 cm	11 cm	130 cm	1 - 8	1	10,0 m <sup>2</sup>	< 60 cm	-	-	●	●	●	●
WD1560	●	84 cm	20 cm	130 cm	2 - 14	1	10,4 m <sup>2</sup>	< 60 cm	-	-	●	●	●	●
WD1561	●	84 cm	20 cm	130 cm	2 - 14	1	10,4 m <sup>2</sup>	< 60 cm	-	-	●	●	●	●
WD1562	●	84 cm	20 cm	130 cm	2 - 14	1	10,4 m <sup>2</sup>	< 60 cm	-	-	●	●	●	●
WD1563	●	84 cm	11 cm	130 cm	1 - 8	1	10,0 m <sup>2</sup>	< 60 cm	-	-	●	●	●	●
WD1564	●	84 cm	15 cm	130 cm	1 - 8	2	10,2 m <sup>2</sup>	< 60 cm	-	-	●	●	●	●
WD1565	●	84 cm	10 cm	130 cm	1 - 8	1	10,0 m <sup>2</sup>	< 60 cm	-	-	●	●	●	●



0122

0120

0121



0806-1




0808-1



0809



0804



0685

Product code	♿	Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Panels	
									steel	inox	wood	HDPE	HPL
0122	●	144 cm	77 cm	97 cm	1 - 12	4	13,2 m <sup>2</sup>	< 60 cm	●	●	-	●	● ● ● ● ●
0120	●	76 cm	15 cm	97 cm	1 - 12	2	9,9 m <sup>2</sup>	< 60 cm	●	●	-	●	●
0121	●	80 cm	77 cm	97 cm	1 - 12	3	11,6 m <sup>2</sup>	< 60 cm	●	●	-	●	● ● ● ● ●
0806-1	●	90 cm	15 cm	165 cm	3 - 12	2	10,3 m <sup>2</sup>	< 60 cm	●	-	-	●	●
0808-1	●	35 cm	17 cm	100 cm	3 - 12	2	8,8 m <sup>2</sup>	< 60 cm	-	●	-	●	●
0804	●	120 cm	17 cm	130 cm	3 - 12	2	11,4 m <sup>2</sup>	< 60 cm	●	-	-	●	●
0685	-	84 cm	79 cm	123 cm	3 - 12	2	11,5 m <sup>2</sup>	< 60 cm	-	●	-	●	-
0809	-	81 cm	81 cm	300 cm	3 - 12	4	11,7 m <sup>2</sup>	< 60 cm	●	-	-	-	-





Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction	Panels			
									steel	inox	wood	HDPE	HPL
1760	●	81 cm	14 cm	134 cm	1 - 8	2	10,0 m <sup>2</sup>	< 60 cm	●	●	-	● ● ● ● ●	-
1761	●	81 cm	15 cm	134 cm	1 - 8	1	10,1 m <sup>2</sup>	< 60 cm	●	●	-	● ● ● ● ●	-
1762	●	81 cm	12 cm	134 cm	1 - 8	1	10,0 m <sup>2</sup>	< 60 cm	●	●	-	● ● ● ● ●	-
1763	●	91 cm	22 cm	143 cm	1 - 8	2	10,5 m <sup>2</sup>	< 60 cm	●	●	-	● ● ● ● ●	-
1770	●	81 cm	38 cm	134 cm	1 - 8	1	10,9 m <sup>2</sup>	< 60 cm	●	●	-	● ● ● ● ●	-
1771	●	130 cm	17 cm	116 cm	1 - 8	2	11,7 m <sup>2</sup>	< 60 cm	●	●	-	● ● ● ● ●	-
1772	●	137 cm	77 cm	206 cm	1 - 8	5	12,5 m <sup>2</sup>	< 60 cm	●	●	-	● ● ● ● ●	-
1720	●	240 cm	77 cm	206 cm	1 - 8	7	16,2 m <sup>2</sup>	67 cm	●	●	-	● ● ● ● ●	-
1721	●	349 cm	166 cm	206 cm	1 - 8	10	21,6 m <sup>2</sup>	80 cm	●	●	-	● ● ● ● ●	-
1722	●	263 cm	112 cm	206 cm	1 - 8	6	20,2 m <sup>2</sup>	< 60 cm	●	●	-	● ● ● ● ●	-



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction steel	Construction inox	Construction wood	Panels HDPE	Panels HPL
WP2801	●	101 cm	19 cm	-	1 - 12	4	10,9 m <sup>2</sup>	< 60 cm	-	●	-	-	-
WP2804	●	101 cm	19 cm	-	1 - 12	4	10,9 m <sup>2</sup>	< 60 cm	-	●	-	-	-
WP2802	●	151 cm	19 cm	-	1 - 12	6	12,4 m <sup>2</sup>	< 60 cm	-	●	-	-	-
WP2805	●	151 cm	19 cm	-	1 - 12	6	12,5 m <sup>2</sup>	< 60 cm	-	●	-	-	-
WP2807	●	61 cm	61 cm	-	1 - 12	5	11,1 m <sup>2</sup>	< 60 cm	-	●	-	-	-
WP2808	●	121 cm	61 cm	-	1 - 12	7	13,3 m <sup>2</sup>	< 60 cm	-	●	-	-	-
WP2803	●	201 cm	19 cm	-	1 - 12	8	14,0 m <sup>2</sup>	< 60 cm	-	●	-	-	-
WP2806	●	201 cm	19 cm	-	1 - 12	8	14,1 m <sup>2</sup>	< 60 cm	-	●	-	-	-



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction steel	Construction inox	Construction wood	Panels HDPE	Panels HPL
0816	-	94 cm	87 cm	60 cm	3 - 12	3	12,1 m <sup>2</sup>	< 60 cm	●	-	-	●	●
0817	-	120 cm	50 cm	59 cm	3 - 12	2	12,0 m <sup>2</sup>	< 60 cm	●	-	-	●	●
0823	●	395 cm	100 cm	160 cm	3 - 16	2	19,9 m <sup>2</sup>	90 cm	-	●	-	-	-

## Characteristics of the SOLO series:

- Stainless steel construction or elements
- Galvanised steel construction or elements
- Wood construction
- Galvanised anchors
- HPL HEXA platforms
- HDPE panels
- Polycarbonate (PC) panels
- Stainless steel slides
- Durable connectors
- Ropes with steel core
- Protective tops
- PP tunnels

## Colour &amp; material options\*:

- |                              |                                     |                |                   |            |
|------------------------------|-------------------------------------|----------------|-------------------|------------|
| Colour (panels):             | Construction:                       | Platforms:     | Slides:           | Anchoring: |
| C11E HDPE - multicolour      | ● C12E HDPE - grey/black            | - HEXA HPL     | - Stainless steel | - Surface  |
| HDPE RAL6024 / ● HPL RAL6000 | ● HDPE RAL3020 / ● HPL RAL3000      | - HEXA plywood | - Fiberglass      | - Deep     |
| HDPE RAL5015 / ● HPL RAL5024 | ● HDPE RAL8024 / ● HPL wood pattern |                |                   |            |

\*Material options apply to selected products, for more information visit: [www.vinci-play.com](http://www.vinci-play.com)

# minisweet

## Colourful series for the youngest

The MINISWEET series consists of playground equipment designed for the youngest children and preschoolers.

Friendly houses, tunnels and slides are an ideal place to have fun together. This is also where the child learns the principles of functioning in a group while perfecting its language skills.

Minisweet devices encourage children to exercise and support the development of key mobility aptitudes. They allow every toddler to enjoy joyful and carefree fun.



0106-1C1



0100C1

0103C1

0101-1C1

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction steel	HDPE	HPL
0106-1C1	●	315 cm	170 cm	220 cm	1 - 8	12	23,3 m <sup>2</sup>	< 60 cm	59 cm	12, 35, 59 cm	●	●	●
0100C1	●	100 cm	100 cm	170 cm	1 - 8	3	13,9 m <sup>2</sup>	< 60 cm	-	12 cm	●	●	●
0103C1	●	255 cm	240 cm	170 cm	1 - 8	14	22,9 m <sup>2</sup>	< 60 cm	-	12 cm	●	●	●
0101-1C1	●	160 cm	100 cm	170 cm	1 - 8	7	15,4 m <sup>2</sup>	< 60 cm	-	12 cm	●	●	●



0108-2C2



0102C2



0107C3



0105C3



0109-1C9



0104C9

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction steel	Construction inox	Construction wood	Panels HDPE	Panels HPL
0108-2C2	●	305 cm	160 cm	170 cm	1 - 8	19	24,9 m <sup>2</sup>	< 60 cm	-	-	●	●	-	●	●
0102C2	●	165 cm	160 cm	170 cm	1 - 8	12	17,7 m <sup>2</sup>	< 60 cm	-	12 cm	●	●	-	●	●
0107C3	●	320 cm	245 cm	220 cm	1 - 8	17	25,8 m <sup>2</sup>	< 60 cm	59 cm	12, 35, 59 cm	●	●	-	●	●
0105C3	-	175 cm	160 cm	220 cm	1 - 8	7	18,1 m <sup>2</sup>	< 60 cm	59 cm	35, 59 cm	●	●	-	●	●
0109-1C9	-	320 cm	370 cm	220 cm	1 - 8	21	32,9 m <sup>2</sup>	< 60 cm	59 cm	12, 35, 59 cm	●	●	-	●	●
0104C9	●	220 cm	100 cm	220 cm	1 - 8	6	17,9 m <sup>2</sup>	< 60 cm	59 cm	59 cm	●	●	-	●	●



0110

0111

0112



0114



0113

Product code	Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction	Panels		
									steel	inox	wood	HDPE	HPL
0110	260 cm	250 cm	250 cm	1 - 8	15	26,8 m <sup>2</sup>	< 60 cm	59, 90 cm	59, 90 cm	●	●	-	● ● ● ● ●
0111	255 cm	200 cm	240 cm	1 - 8	11	21,7 m <sup>2</sup>	< 60 cm	59 cm	59 cm	●	●	-	● ● ● ● ●
0112	260 cm	160 cm	250 cm	1 - 8	11	20,1 m <sup>2</sup>	< 60 cm	90 cm	59, 90 cm	●	●	-	● ● ● ● ●
0113	410 cm	290 cm	270 cm	1 - 8	27	30,5 m <sup>2</sup>	90 cm	59 cm	59, 90 cm	●	●	-	● ● ● ● ●
0114	335 cm	350 cm	250 cm	1 - 8	26	34,9 m <sup>2</sup>	90 cm	59 cm	59, 90 cm	●	●	-	● ● ● ● ●

## Characteristics of the MINISWEET series:

- Stainless steel construction or elements
- Galvanised steel construction or elements
- HPL HEXA platforms
- HDPE panels
- Polycarbonate (PC) panels
- Stainless steel slides
- Durable connectors
- Ropes with steel core
- Protective tops
- PP tunnels

## Colour &amp; material options\*:

- |  |  |  |                              |                                   |                     |  |         |  |            |
|--|--|--|------------------------------|-----------------------------------|---------------------|--|---------|--|------------|
|  | Colour (panels):                                     |  | Construction:                |                                   | Platforms:          |  | Slides: |  | Anchoring: |
| ● C1 HPL - RAL6000<br>● C2 HPL - RAL3000<br>● C3 HPL - RAL5024 | ● C11E HDPE - multicolour<br>● C9 HPL - wood pattern | ● Painted steel RAL7040<br>● Stainless steel | - HEXA HPL<br>- HEXA plywood | - Stainless steel<br>- Fiberglass | - Surface<br>- Deep |  |         |  |            |

\*Material options apply to selected products, for more information visit: [www.vinci-play.com](http://www.vinci-play.com)

# steel

## Classic tower sets


The STEEL series consists of classic structures that offer unlimited fun for older children. The sets of equipment from this series can be perfectly adapted to the needs of children and the available space.

Rows of towers connected by various attractive movable elements make for a great training ground for motor coordination. They allow a large group of children to play together at the same time, which helps to establish relationships and also teaches teamwork as well as healthy competition.



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction	Panels				
											steel	inox	wood	HDPE	HPL	
0204C9	-	455 cm	404 cm	321 cm	3 - 14	14	38,2 m <sup>2</sup>	180 cm	120 cm	120 cm						
0814C9	●	100 cm	97 cm	164 cm	1 - 8	4	14,0 m <sup>2</sup>	< 60 cm	-	10 cm						
0815-2C9	●	175 cm	99 cm	164 cm	1 - 8	5	16,9 m <sup>2</sup>	< 60 cm	-	10 cm						
0201-1C9	-	272 cm	166 cm	321 cm	3 - 14	5	21,5 m <sup>2</sup>	120 cm	120 cm	120 cm						
0200C9	-	209 cm	162 cm	176 cm	3 - 14	7	19,7 m <sup>2</sup>	90 cm	90 cm							

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction	Panels				
											steel	inox	wood	HDPE	HPL	
0212C1	-	283 cm	185 cm	291 cm	3 - 14	8	22,6 m <sup>2</sup>	90 cm	90 cm	90 cm						
0202-1C1	-	345 cm	274 cm	321 cm	3 - 14	8	28,4 m <sup>2</sup>	120 cm	120 cm	120 cm						
0203-1C1	-	361 cm	345 cm	321 cm	3 - 14	14	35,0 m <sup>2</sup>	120 cm	120 cm	120 cm						
0205-1C2	-	540 cm	365 cm	351 cm	3 - 14	16	44,4 m <sup>2</sup>	150 cm	120, 150 cm	120, 150 cm						
0213C2	-	400 cm	330 cm	292 cm	3 - 14	17	36,6 m <sup>2</sup>	90 cm	90 cm	90 cm						
0207C2	-	470 cm	440 cm	321 cm	3 - 14	18	44,1 m <sup>2</sup>	120 cm	90, 120 cm	90, 120 cm						
0208C3	-	495 cm	470 cm	351 cm	3 - 14	30	51,0 m <sup>2</sup>	150 cm	90, 150 cm	90, 150 cm						
0209C3	●	633 cm	556 cm	352 cm	3 - 14	25	59,6 m <sup>2</sup>	150 cm	120, 150 cm	120, 150 cm						
0206C3	-	537 cm	457 cm	321 cm	3 - 14	23	55,9 m <sup>2</sup>	210 cm	-	120 cm						



Product code	Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction steel	inox	Panels HDPE	Panels HPL
0211-1C3	● 1145 cm	910 cm	409 cm	3 - 14	78	160,0 m <sup>2</sup>	210 cm	90, 180, 210 cm	35, 40, 59, 90, 120, 150, 180, 210 cm	●	-	-	● ● ● ● ●
0214C3	- 809 cm	725 cm	322 cm	3 - 14	45	90,4 m <sup>2</sup>	210 cm	120, 150 cm	120, 150 cm	●	-	-	● ● ● ● ●
0210-1C3	● 980 cm	932 cm	351 cm	3 - 14	55	107,6 m <sup>2</sup>	180 cm	90, 150, 180 cm	35, 40, 90, 120, 150 cm	●	-	-	● ● ● ● ●

#### Characteristics of the STEEL series:

-  Galvanised steel construction or elements
-  HPL HEXA platforms
-  HDPE panels
-  Stainless steel elements
-  Stainless steel slides
-  Durable connectors
-  Ropes with steel core
-  Protective tops
-  PP tunnels

#### Colour & material options\* :

- |   |                         |   |                |   |           |   |            |
|---|-------------------------|---|----------------|---|-----------|---|------------|
|  | Colour (panels):        |  | Platforms:     |  | Slides:   |  | Anchoring: |
| ● C1 HPL - RAL6000  | ● C2 HPL - RAL3000      | ● C11E HDPE - multicolour   | - HEXA HPL     | - Stainless steel   | - Surface |   |            |
| ● C3 HPL - RAL5024  | ● C9 HPL - wood pattern |   | - HEXA plywood | - Fiberglass  | - Deep    |   |            |

\*Material options apply to selected products, for more information visit: [www.vinci-play.com](http://www.vinci-play.com)




## Unique houses

The CROOC series is all about beautiful, unique designs, vibrant colours and multi-tower playground sets that allow large group to have fun together.

Fairytales houses encourage children to engage in role-playing activities with their fellows. Element merging platforms, ladders, climbing walls and slides of different difficulty levels comprehensively stimulate the proper motor development of each child.

This series guarantees that the child's energy is channeled effectively.



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction	Panels		
										steel	inox	wood	HDPE	HPL
0305	●	324 cm	292 cm	250 cm	3 - 12	15	30,3 m <sup>2</sup>	90 cm	59, 90 cm	-	●	-	●	● ●
0310	-	201 cm	105 cm	122 cm	5 - 14	8	18,1 m <sup>2</sup>	120 cm	-	●	●	-	●	● ●
0306	●	400 cm	322 cm	284 cm	3 - 12	16	32,3 m <sup>2</sup>	120 cm	90, 120 cm	-	●	-	●	● ●
0300S1	●	450 cm	370 cm	340 cm	5 - 14	19	36,1 m <sup>2</sup>	180 cm	180 cm	90, 180 cm	-	●	-	● ●
0303	●	419 cm	330 cm	331 cm	3 - 14	15	33,5 m <sup>2</sup>	180 cm	90, 180 cm	90, 180 cm	-	●	-	● ●
0304	-	258 cm	254 cm	244 cm	3 - 12	9	24,0 m <sup>2</sup>	90 cm	90 cm	90 cm	-	●	-	● ●
0300	●	630 cm	370 cm	340 cm	5 - 14	19	42,2 m <sup>2</sup>	180 cm	180* cm	90, 180 cm	-	●	-	● ●

\*Height of tube slides.

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction	Panels		
										steel	inox	wood	HDPE	HPL
0301S1	●	775 cm	945 cm	370 cm	5 - 14	43	69,6 m <sup>2</sup>	210 cm	180, 210 cm	90, 120, 180, 210 cm	-	●	-	● ●
0301	●	965 cm	945 cm	370 cm	5 - 14	43	75,6 m <sup>2</sup>	210 cm	180, 210* cm	90, 120, 180, 210 cm	-	●	-	● ●

\*Height of tube slides.



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction steel	inox	wood	HDPE	HPL
0302	●	1460 cm	1060 cm	370 cm	5 - 14	64	112,6 m <sup>2</sup>	210 cm	180, 210* cm	90, 120, 180, 210 cm	-	-	-	-	● ● ●
0302S1	●	1120 cm	945 cm	370 cm	5 - 14	64	101,2 m <sup>2</sup>	210 cm	180, 210 cm	90, 120, 180, 210 cm	-	-	-	-	● ● ●

\*Height of tube slides.





Product code	Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction	Panels
0330	●	1492 cm	672 cm	616 cm	5 - 14	110	101,3 m <sup>2</sup>	210 cm	210* cm	steel inox wood	HDPE HPL

\*Height of tube slides.

#### Characteristics of the CROOC series:

- Stainless steel construction or elements
- HPL HEXA platforms
- HPL panels
- Polycarbonate (PC) panels and platforms
- Stainless steel slides
- Stainless steel tube slides
- Durable connectors
- Ropes with steel core
- Protective tops

#### Colour & material options\*:

- |                       |                   |                   |            |
|-----------------------|-------------------|-------------------|------------|
| Colour (panels):      | Slides:           | Tubes:            | Anchoring: |
| C5H HPL - multicolour | - Stainless steel | - Stainless steel | - Surface  |
| C9 HPL - wood pattern | - Fiberglass      | - PE              | - Deep     |

\*Material options apply to selected products, for more information visit: [www.vinci-play.com](http://www.vinci-play.com)

# climbo<sup>o</sup>

## Climb, crawl and pull-up

The CLIMBOO series comprises equipment that develops the fitness and coordination of older children, increasing their faith in their own abilities.

Various climbing ladders and walls with a varying level of difficulty strengthen the muscles and teach the child to concentrate and maintain balance.

This series is the perfect place to organise competitive games where exciting physical challenges are coupled with maximum safety.



WD1420



WD1465



WD1487



WD1464



WD1428



WD1426



WD1460



WD1417



WD1419



WD1466



WD1459



WD1462

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Platform/s height	Construction steel / inox / wood	Colour variants HDPE / HPL ropes
WD1420	-	290 cm	255 cm	200 cm	3 - 14	18	31,8 m <sup>2</sup>	190 cm	- - -	● ● / ● ●	● ● ● ● ●
WD1464	-	158 cm	10 cm	46 cm	7 - 16	4	12,2 m <sup>2</sup>	< 60 cm	- - -	●	- - -
WD1428	-	208 cm	10 cm	131 cm	3 - 14	4	13,8 m <sup>2</sup>	122 cm	- - -	●	- - -
WD1426	-	220 cm	87 cm	170 cm	3 - 14	4	18,2 m <sup>2</sup>	99 cm	- - -	●	- - -
WD1417	-	162 cm	91 cm	230 cm	3 - 14	9	22,1 m <sup>2</sup>	220 cm	- - -	● ● / ● ●	● ● ● ● ●
WD1419	-	310 cm	306 cm	230 cm	3 - 14	11	31,2 m <sup>2</sup>	220 cm	- - -	● ● / ● ●	● ● ● ● ●
WD1466	-	232 cm	158 cm	200 cm	7 - 16	19	25,3 m <sup>2</sup>	190 cm	- - -	●	- - -

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Platform/s height	Construction steel / inox / wood	Colour variants HDPE / HPL ropes
WD1465	-	158 cm	84 cm	200 cm	7 - 16	6	20,2 m <sup>2</sup>	190 cm	- - -	●	- - -
WD1487	-	290 cm	255 cm	230 cm	7 - 16	18	30,7 m <sup>2</sup>	220 cm	- - -	●	- - -
WD1460	-	232 cm	87 cm	110 cm	1 - 8	7	16,7 m <sup>2</sup>	99 cm	- - -	● ● / ● ●	● ● ● ● ●
WD1459	-	102 cm	84 cm	104 cm	1 - 12	1	13,5 m <sup>2</sup>	< 60 cm	- - -	● ● / ● ●	● ● ● ● ●
WD1462	-	240 cm	233 cm	230 cm	3 - 14	23	33,9 m <sup>2</sup>	220 cm	120 cm	● ● / ● ●	● ● ● ● ●





WD1461




WD1463

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Platform/s height	Construction	Colour variants
										steel inox wood	HDPE / HPL ropes
WD1461	-	535 cm	306 cm	140 cm	3 - 14	28	44,7 m <sup>2</sup>	< 60 cm	29, 59 cm	- -	
WD1463	-	536 cm	316 cm	230 cm	7 - 16	52	60,4 m <sup>2</sup>	220 cm	120, 150 cm	- -	








Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Platform/s	Construction height	steel / inox / wood	HDPE / HPL	Colour variants ropes
0411	-	250 cm	10 cm	30 cm	3 - 12	5	15,1 m <sup>2</sup>	< 60 cm	29 cm	-	-	-	-
0410	-	230 cm	115 cm	59 cm	3 - 14	5	18,7 m <sup>2</sup>	< 60 cm	59 cm	-	-	-	-
0409	-	210 cm	125 cm	80 cm	3 - 14	9	19,7 m <sup>2</sup>	80 cm	59, 80 cm	-	-	-	-
0499	-	133 cm	180 cm	40 cm	3 - 14	4	18,9 m <sup>2</sup>	< 60 cm	-	-	●	● / -	● ●
0404-1	-	241 cm	88 cm	121 cm	3 - 14	3	19,1 m <sup>2</sup>	< 60 cm	34 cm	-	-	● ● ●	● ● ●
0401	-	176 cm	92 cm	194 cm	3 - 14	8	19,8 m <sup>2</sup>	180 cm	-	●	-	-	● ● ●
0402	-	256 cm	172 cm	194 cm	3 - 14	13	26,1 m <sup>2</sup>	180 cm	-	●	-	-	● ● ●
0403	-	350 cm	311 cm	194 cm	3 - 14	8	30,0 m <sup>2</sup>	180 cm	-	●	-	-	● ● ●
0405-1	-	474 cm	88 cm	195 cm	3 - 14	10	31,8 m <sup>2</sup>	194 cm	-	●	-	-	● ● ●
0406	-	241 cm	88 cm	195 cm	3 - 14	6	24,2 m <sup>2</sup>	194 cm	-	●	-	-	-
0407	-	302 cm	8 cm	165 cm	3 - 14	6	16,6 m <sup>2</sup>	150 cm	-	●	-	-	-
0408	-	169 cm	60 cm	135 cm	3 - 14	6	14,9 m <sup>2</sup>	120 cm	-	●	-	-	-



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Platform/s	Construction height	steel / inox / wood	HDPE / HPL	Colour variants ropes
1750	-	229 cm	155 cm	166 cm	3 - 14	7	16,2 m <sup>2</sup>	147 cm	-	●	●	-	-
1714	-	260 cm	68 cm	289 cm	3 - 14	4	22,0 m <sup>2</sup>	200 cm	-	●	●	-	● / -
1716	-	453 cm	187 cm	241 cm	3 - 14	17	39,0 m <sup>2</sup>	225 cm	-	●	●	-	●



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Platform/s height	Construction	Colour variants
0412	●	242 cm	88 cm	121 cm	3 - 14	3	17,2 m <sup>2</sup>	< 60 cm	35 cm	● - - - ● / ● ● ● ● ●	-
0413-1	-	482 cm	401 cm	121 cm	3 - 14	18	46,9 m <sup>2</sup>	< 60 cm	35 cm	● - - - ● ● ● ● ●	-
0414-1	-	594 cm	401 cm	121 cm	3 - 14	29	57,0 m <sup>2</sup>	< 60 cm	35 cm	● - - - ● ● ● ● ●	-



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Platform/s height	Construction	Colour variants
0419-1	-	700 cm	700 cm	450 cm	3 - 14	44	78,5 m <sup>2</sup>	100 cm	-	● - - - ● ● ● ● ● ●	● ● ● ● ● ● ● ● ● ● ● ●
0418-1	-	305 cm	305 cm	300 cm	3 - 14	14	34,8 m <sup>2</sup>	99 cm	-	● - - - ● ● ● ● ● ●	● ● ● ● ● ● ● ● ● ● ● ●
0417-1	-	260 cm	260 cm	250 cm	3 - 14	10	30,8 m <sup>2</sup>	99 cm	-	● - - - ● ● ● ● ● ●	● ● ● ● ● ● ● ● ● ● ● ●
0416-1	-	170 cm	170 cm	250 cm	3 - 14	4	17,8 m <sup>2</sup>	70 cm	-	● - - - ● ● ● ● ● ●	● ● ● ● ● ● ● ● ● ● ● ●



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Platform/s height	Construction steel / inox / wood	Colour variants HDPE / HPL ropes
0420	-	2439 cm	309 cm	391 cm	5 - 14	1	87,9 m <sup>2</sup>	175 cm	98 cm	● - -	- - -
0421	-	2417 cm	298 cm	394 cm	5 - 14	2	139,5 m <sup>2</sup>	175 cm	98 cm	● - -	- -
0415	-	2255 cm	326 cm	346 cm	5 - 14	1	80,1 m <sup>2</sup>	140 cm	59 cm	● - -	- -

#### Characteristics of the CLIMBOO series:

- Stainless steel construction or elements
- Galvanised steel construction or elements
- Wood construction
- Galvanised anchors
- HPL HEXA platforms
- HDPE panels
- Durable connectors
- Ropes with steel core
- Protective tops
- PP tunnels

#### Colour & material options\*:

- |                                      |   |  |   |
|--------------------------------------|---|--|---|
| Colour (panels):                     | Colour (ropes):                           | Platforms:   | Anchoring:  |
| C1 HPL - RAL6000<br>C3 HPL - RAL5024 | C2 HPL - RAL3000<br>C9 HPL - wood pattern | C11E HDPE - multicolour<br>L5 - blue<br>L6 - black | L7 - red<br>L8 - beige<br>- HEXA HPL<br>- HEXA plywood<br>- Surface<br>- Deep |

\*Material options apply to selected products, for more information visit: [www.vinci-play.com](http://www.vinci-play.com)

# nettix<sup>®</sup>

## Ropes, ladders and spinners


The NETTIX series comprises modern equipment in the form of ladders and rope crossings, which constitute a combination of carefree fun and effective fitness training.

Rope climbing stimulates the sense of balance, strengthens the muscles and improves the child's dexterity. It also encourages children to compete with each other.

This series is a creative adventure among ropes, where the boundaries are set only by the children's imagination.



1632



1638



1601

1602

1603

1604

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction	Ropes options	
									steel	inox	wood
1632	-	365 cm	260 cm	225 cm	4 - 14	7	26,3 m <sup>2</sup>	200 cm	●	-	-
1638	-	925 cm	260 cm	225 cm	4 - 14	15	51,3 m <sup>2</sup>	200 cm	●	-	-
1601	-	336 cm	44 cm	223 cm	4 - 14	10	19,9 m <sup>2</sup>	120 cm	●	-	-
1602	-	336 cm	72 cm	223 cm	4 - 14	5	21,8 m <sup>2</sup>	100 cm	●	-	-
1603	-	336 cm	60 cm	223 cm	4 - 14	1	21,0 m <sup>2</sup>	115 cm	●	-	-
1604	-	336 cm	43 cm	223 cm	4 - 14	4	19,9 m <sup>2</sup>	120 cm	●	-	-



1605

1606

1607

1608

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction	Ropes options	
									steel	inox	wood
1605	-	336 cm	43 cm	223 cm	4 - 14	4	27,2 m <sup>2</sup>	200 cm	●	-	-
1606	-	336 cm	11 cm	223 cm	4 - 14	5	17,8 m <sup>2</sup>	100 cm	●	-	-
1607	-	336 cm	11 cm	223 cm	4 - 14	5	24,9 m <sup>2</sup>	200 cm	●	-	-
1608	-	336 cm	11 cm	223 cm	4 - 14	4	17,8 m <sup>2</sup>	100 cm	●	-	-



1609



1635




1630



1610



1636



1631



1633



1634




1637

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction steel	Construction inox	Construction wood	Ropes options
1609	-	336 cm	43 cm	223 cm	4 - 14	4	19,9 m <sup>2</sup>	100 cm		-	-	
1635	-	258 cm	224 cm	223 cm	4 - 14	10	23,3 m <sup>2</sup>	200 cm		-	-	
1630	-	725 cm	180 cm	225 cm	4 - 14	14	43,6 m <sup>2</sup>	200 cm		-	-	
1610	-	336 cm	50 cm	223 cm	4 - 14	3	21,8 m <sup>2</sup>	100 cm		-	-	
1636	-	260 cm	225 cm	225 cm	4 - 14	8	23,7 m <sup>2</sup>	200 cm		-	-	
1631	-	650 cm	215 cm	225 cm	4 - 14	14	39,9 m <sup>2</sup>	200 cm		-	-	
1633	-	385 cm	365 cm	225 cm	4 - 14	3	32,9 m <sup>2</sup>	70 cm		-	-	-
1634	-	365 cm	260 cm	225 cm	4 - 14	7	25,8 m <sup>2</sup>	200 cm		-	-	
1637	-	722 cm	625 cm	223 cm	4 - 14	16	51,3 m <sup>2</sup>	200 cm		-	-	



1639



1640



SEE MORE!

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction steel	Construction inox	Construction wood	Ropes options
1639	-	1109 cm	961 cm	223 cm	4 - 14	49	97,9 m <sup>2</sup>	200 cm		-	-	
1640	-	914 cm	908 cm	224 cm	4 - 14	44	112,0 m <sup>2</sup>	200 cm		-	-	

## Characteristics of the NETTIX series:



Galvanised steel construction



Stainless steel elements



HPL HEXA platforms



Ropes with steel core



Spinning elements



Durable connectors



Stainless steel chains Protective tops



Colour (ropes):



L5 - blue



L6 - black



L7 - red



L8 - beige

\*Material options apply to selected products, for more information visit: [www.vinci-play.com](http://www.vinci-play.com)

# a spring

## Rocking and swaying

The SPRING series equals pure energy on springs. It satisfies the child's natural need for unrestrained and carefree swinging.

Colourful vehicles and happy animals encourage kids to jump energetically and sway in the rhythm of body movements.

The spring riders, which are so beloved by children, allow for joyful fun which also carries great benefits for kids' development.

New!



0608-2



0651



0652



0653



0655



0654



0602



0603




0604-1

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Panels	
									HDPE	HPL
0608-2	-	70 cm	45 cm	80 cm	1 - 12	1	10,7 m <sup>2</sup>	< 60 cm		-
0651	-	74 cm	22 cm	79 cm	1 - 12	1	10,1 m <sup>2</sup>	< 60 cm		-
0652	-	71 cm	22 cm	78 cm	1 - 12	1	10,0 m <sup>2</sup>	< 60 cm		-
0653	-	72 cm	22 cm	80 cm	1 - 12	1	10,0 m <sup>2</sup>	< 60 cm		-
0655	-	72 cm	22 cm	80 cm	1 - 12	1	10,1 m <sup>2</sup>	< 60 cm		-
0654	-	80 cm	22 cm	78 cm	1 - 12	1	10,3 m <sup>2</sup>	< 60 cm		-
0602	-	82 cm	21 cm	79 cm	1 - 12	1	10,4 m <sup>2</sup>	< 60 cm		-
0603	-	80 cm	21 cm	75 cm	1 - 12	1	10,3 m <sup>2</sup>	< 60 cm		-
0604-1	-	78 cm	21 cm	77 cm	1 - 12	1	10,2 m <sup>2</sup>	< 60 cm		-



0606



0623



0616



0609



0615-1



0607-1



0622




0633







Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Panels	
									HDPE	HPL
0632	-	78 cm	43 cm	82 cm	1 - 12	1	11,1 m <sup>2</sup>	< 60 cm		-
0631	-	78 cm	43 cm	82 cm	1 - 12	1	11,1 m <sup>2</sup>	< 60 cm		-
0630	*	110 cm	82 cm	82 cm	1 - 12	2	13,8 m <sup>2</sup>	< 60 cm		-



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Panels	
									HDPE	HPL
0600-1	-	48 cm	29 cm	84 cm	1 - 12	1	9,5 m <sup>2</sup>	< 60 cm		-
0601-1	-	140 cm	29 cm	84 cm	1 - 12	2	12,6 m <sup>2</sup>	< 60 cm		-
0613-1	-	140 cm	120 cm	78 cm	1 - 12	4	14,3 m <sup>2</sup>	< 60 cm		-
0611-1	-	110 cm	110 cm	54 cm	1 - 12	4	12,5 m <sup>2</sup>	< 60 cm		-
0626	-	124 cm	21 cm	101 cm	1 - 12	2	11,7 m <sup>2</sup>	< 60 cm		-
0610	-	160 cm	21 cm	86 cm	1 - 12	2	12,9 m <sup>2</sup>	< 60 cm		-
0660	-	206 cm	181 cm	87 cm	1 - 12	6	18,8 m <sup>2</sup>	< 60 cm		-
0670	-	333 cm	25 cm	85 cm	1 - 12	4	13,6 m <sup>2</sup>	< 60 cm		-
0671	-	260 cm	116 cm	89 cm	3 - 12	8	16,0 m <sup>2</sup>	< 60 cm		-



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Panels
0627	-	493 cm	431 cm	46 cm	3 - 12	23	45,4 m <sup>2</sup>	< 60 cm	



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Panels
									HDPE HPL
0612-1	-	104 cm	27 cm	46 cm	3 - 12	1	11,3 m <sup>2</sup>	< 60 cm	
0681	-	67 cm	60 cm	55 cm	3 - 12	2	12,3 m <sup>2</sup>	< 60 cm	
0617-1	-	45 cm	45 cm	61 cm	3 - 14	1	9,3 m <sup>2</sup>	< 60 cm	
0621-1	●	150 cm	100 cm	45 cm	3 - 14	5	16,1 m <sup>2</sup>	< 60 cm	
0619	●	100 cm	100 cm	45 cm	3 - 14	3	12,6 m <sup>2</sup>	< 60 cm	
0624	-	127 cm	32 cm	46 cm	3 - 14	2	12,1 m <sup>2</sup>	< 60 cm	- -
0625	-	298 cm	167 cm	45 cm	3 - 14	4	21,8 m <sup>2</sup>	< 60 cm	- -


## Characteristics of the SPRING series:




HDPE panels



Stainless steel elements



Durable steel spring



HPL HEXA platforms

## Colour &amp; material options\*:



Colour (panels):

C11E HDPE - multicolour

C12E HDPE - grey/black



Anchoring:

- Surface

- Deep

\*Material options apply to selected products, for more information visit: [www.vinci-play.com](http://www.vinci-play.com)

# swing

## Swinging in full swing!

The SWING series includes classic equipment beloved by younger and older children.

Colourful single swings, see-saw swings, multi-swings with bird's nest seats and weight-balanced multi-swings offer a pleasant thrill for children and encourage them to play with their friends.

Rhythmic swing movement is an effective body balancing exercise that has a positive effect on the development of the muscular and nervous system.



ST0513



ST0522



ST0524



ST0525



WD1425



ST0500



ST0528



New!



ST0529

ST0530

ST0531

Product code	Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction				Seats
								steel	inox	wood	HDPE	
ST0513	● 100 cm	290 cm	170 cm	3 - 12	7	15,5 m <sup>2</sup>	105 cm	●	●	-	● ●	-
ST0522	- 240 cm	39 cm	80 cm	1 - 8	2	9,7 m <sup>2</sup>	< 60 cm	●	●	-	● ●	-
ST0524	- 310 cm	40 cm	90 cm	3 - 14	2	11,4 m <sup>2</sup>	99 cm	●	●	-	● ●	-
ST0525	- 375 cm	40 cm	90 cm	3 - 14	4	12,9 m <sup>2</sup>	99 cm	●	●	-	● ●	-
WD1425	- 270 cm	40 cm	115 cm	3 - 14	2	10,5 m <sup>2</sup>	99 cm	-	-	●	● ● ● ●	-
ST0500	- 270 cm	36 cm	80 cm	3 - 12	2	10,2 m <sup>2</sup>	99 cm	●	-	-	● ● ● ●	-
ST0528	- 181 cm	109 cm	130 cm	5 - 12	2	17,7 m <sup>2</sup>	< 60 cm	●	-	-	-	●

Product code	Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction				Colour options
								steel	inox	wood	HPL	
ST0529	● 244 cm	88 cm	75 cm	5 - 12	2	19,2 m <sup>2</sup>	78 cm	●	-	-	● ●	
ST0530	● 264 cm	102 cm	106 cm	3 - 12	2	20,8 m <sup>2</sup>	99 cm	●	-	-	● ●	
ST0531	● 218 cm	138 cm	133 cm	3 - 12	1	20,7 m <sup>2</sup>	< 60 cm	●	-	-	● ●	



**Modular system!**

More configurations available on [www.vinci-play.com](http://www.vinci-play.com)



ST1422



ST1491



ST1424



More configurations available on [www.vinci-play.com](http://www.vinci-play.com)

Available seats:



Product code	Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Colour options
								steel	inox	wood	
ST0510	-	40 cm	155 cm	180 cm	1 - 3/3 - 14	1	11,4 m <sup>2</sup>	99 cm	●	●	● ●
ST0511	-	40 cm	300 cm	180 cm	1 - 3/3 - 14	2	21,2 m <sup>2</sup>	99 cm	●	●	● ●
ST0512	-	40 cm	440 cm	180 cm	1 - 3/3 - 14	3	29,8 m <sup>2</sup>	99 cm	●	●	● ●

Product code	Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Colour options
								steel	inox	wood	
ST1421	-	195 cm	250 cm	240 cm	1 - 3/3 - 14	1	13,0 m <sup>2</sup>	130 cm	●	●	-
ST1422	-	195 cm	365 cm	240 cm	1 - 3/3 - 14	2	21,5 m <sup>2</sup>	130 cm	●	●	-
ST1491	-	195 cm	550 cm	240 cm	1 - 3/3 - 14	3	35,1 m <sup>2</sup>	130 cm	●	●	-
ST1424	-	195 cm	665 cm	240 cm	1 - 3/3 - 14	4	43,7 m <sup>2</sup>	130 cm	●	●	-
ST0520	-	195 cm	250 cm	240 cm	1+	2	12,9 m <sup>2</sup>	175 cm	●	●	-



Modular system!



Available seats:



More configurations  
available on [www.vinci-play.com](http://www.vinci-play.com)



Available seats:



Product code	נגיש (Accessibility)	Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Colour options
									steel	inox	wood	
ST1423	●	195 cm	320 cm	240 cm	3 - 12	7	18,1 m <sup>2</sup>	130 cm	●	●	-	● ● ● ● ● ● ● ●
ST1492	●	195 cm	505 cm	240 cm	1 - 3/3 - 14	8	31,8 m <sup>2</sup>	130 cm	●	●	-	● ● ● ● ● ● ● ●
ST1497	●	195 cm	575 cm	240 cm	3 - 12	14	37,0 m <sup>2</sup>	130 cm	●	●	-	● ● ● ● ● ● ● ●
ST1494	●	195 cm	615 cm	240 cm	1 - 3/3 - 14	9	40,3 m <sup>2</sup>	130 cm	●	●	-	● ● ● ● ● ● ● ●

Product code	נגישות (Accessibility)	Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Colour options
									steel	inox	wood	
WD0520	-	195 cm	250 cm	240 cm	1+	2	12,9 m <sup>2</sup>	175 cm	-	-	●	● ● ● ● ● ● ● ●
WD1421-1	-	195 cm	250 cm	240 cm	1 - 3/3 - 14	1	13,0 m <sup>2</sup>	130 cm	-	-	●	● ● ● ● ● ● ● ●
WD1422-1	-	195 cm	365 cm	240 cm	1 - 3/3 - 14	2	21,5 m <sup>2</sup>	130 cm	-	-	●	● ● ● ● ● ● ● ●
WD1491	-	195 cm	550 cm	240 cm	1 - 3/3 - 14	3	35,1 m <sup>2</sup>	130 cm	-	-	●	● ● ● ● ● ● ● ●
WD1424-1	-	195 cm	665 cm	240 cm	1 - 3/3 - 14	4	43,7 m <sup>2</sup>	130 cm	-	-	●	● ● ● ● ● ● ● ●



WD1423-1



WD1492



WD1494

**Available seats:**



WD1497

See also from the ROBINIA series : p.126



Product code	Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Colour options
								steel	inox	wood	
WD1423-1	● 195 cm	320 cm	240 cm	3 - 12	7	18,1 m <sup>2</sup>	130 cm	-	-	●	● ● ● ● ● ● ● ●
WD1492	● 195 cm	505 cm	240 cm	1 - 3/3 - 14	8	31,8 m <sup>2</sup>	130 cm	-	-	●	● ● ● ● ● ● ● ●
WD1494	● 195 cm	615 cm	240 cm	1 - 3/3 - 14	9	40,3 m <sup>2</sup>	130 cm	-	-	●	● ● ● ● ● ● ● ●
WD1497	● 195 cm	575 cm	240 cm	3 - 12	14	37,0 m <sup>2</sup>	130 cm	-	-	●	● ● ● ● ● ● ● ●





ST0515



ST0516



ST0517

**Available seats:**

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction steel	Construction inox	Construction wood	Colour options
ST0515	-	640 cm	610 cm	240 cm	1 - 3/3 - 14	5	46,4 m <sup>2</sup>	130 cm	●	-	-	
ST0516	-	560 cm	645 cm	240 cm	1 - 3/3 - 14	6	54,5 m <sup>2</sup>	130 cm	●	-	-	
ST0517	●	337 cm	238 cm	293 cm	3 - 12	1	18,1 m <sup>2</sup>	145 cm	●	-	-	



ST0509



ST0519

**Available seats:**

ST0518



ST0521

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction steel	Construction inox	Construction wood	Colour options
ST0509	●	643 cm	558 cm	281 cm	3 - 12	6	49,0 m <sup>2</sup>	130 cm	●	-	-	
ST0518	-	55 cm	400 cm	320 cm	6 - 14	1	29,1 m <sup>2</sup>	< 60 cm	●	-	-	
ST0519	-	221 cm	199 cm	242 cm	3 - 14	3	52,8 m <sup>2</sup>	130 cm	●	-	-	
ST0521	-	485 cm	306 cm	269 cm	3 - 14	4	13,5 m <sup>2</sup>	130 cm	●	-	-	

**Characteristics of the SWING series:**

Stainless steel construction or elements



Certified swing seats



Galvanised steel construction or elements



Durable connectors



Wood construction



Protective tops



Galvanised anchors



Stainless steel chains

**Colour & material options\*:**

Colour (construction parts):

- C1 - RAL6029   C4 - RAL1023   C12 - RAL7040   C8 - NCS-S-1060-G-60Y   Ci - stainless steel
- C2 - RAL3020   C6 - RAL2009   C13 - RAL9005   C3 - RAL5015   Painted steel



Construction:



Anchoring:



- Surface



- Deep

\*Material options apply to selected products, for more information visit: [www.vinci-play.com](http://www.vinci-play.com)

# hoop

## Spin, spin!

The HOOP series consists of roundabouts and spinners which drive the world of laughing children.

Spinning is an important activity for the child's development as it promotes the maturation of the nervous system, stimulates the sense of balance, strengthens the muscles and the skeletal system. At the same time it is a source of exciting sensations. For an older child, it is often a favourite place of crazy fun with friends.

Colourful carousels encourage both younger and older children to have fun together.



0703-1

**New!**

0726



0728




0708-1



0702-2



0705-2




0706-1




See also from the ROBINIA series : s.126

Product code	Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Colour options	
								steel	inox	wood	HDPE	HPL
0703-1	-	120 cm	120 cm	73 cm	3 - 12	6	21,2 m <sup>2</sup>	73 cm	-	●	● ● ● ●	
0726	●	175 cm	175 cm	92 cm	3 - 12	2	26,0 m <sup>2</sup>	92 cm	-	●	● ● ● ●	
0728	●	219 cm	219 cm	89 cm	3 - 12	6	30,1 m <sup>2</sup>	89 cm	-	●	● ● ● ●	

Product code	Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction		Colour options		
								steel	inox	wood	HDPE	HPL
0708-1	-	120 cm	120 cm	13 cm	3 - 12	4	21,2 m <sup>2</sup>	< 60 cm	-	●	-	-
0702-2	-	120 cm	120 cm	73 cm	3 - 12	4	21,2 m <sup>2</sup>	73 cm	-	●	-	-
0705-2	-	150 cm	150 cm	71 cm	3 - 12	5	23,8 m <sup>2</sup>	71 cm	-	●	-	-
0706-1	-	150 cm	150 cm	68 cm	3 - 12	8	23,8 m <sup>2</sup>	68 cm	-	●	-	-



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction steel	inox	wood	Colour options HDPE	HPL
0710	-	55 cm	55 cm	60 cm	3 - 12	1	16,2 m <sup>2</sup>	< 60 cm	-	-	-	-	-
0700-1	-	50 cm	50 cm	45 cm	3 - 12	3	15,6 m <sup>2</sup>	< 60 cm	●	-	-	-	-
0701-1	-	50 cm	50 cm	140 cm	3 - 12	1	15,6 m <sup>2</sup>	< 60 cm	●	-	-	-	-
0712	-	73 cm	73 cm	146 cm	3 - 12	2	17,6 m <sup>2</sup>	< 60 cm	-	●	-	●	-
0713	-	90 cm	42 cm	147 cm	7 - 16	1	11,4 m <sup>2</sup>	< 60 cm	-	●	-	●	-



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction steel	inox	wood	Colour options HDPE	HPL
0711	-	72 cm	72 cm	180 cm	7 - 16	4	35,4 m <sup>2</sup>	100 cm	●	-	-	-	-
0714	-	265 cm	35 cm	170 cm	5 - 12	2	34,4 m <sup>2</sup>	99 cm	●	-	-	-	●

#### Characteristics of the HOOP series:

- Stainless steel construction or elements
- Galvanised steel construction or elements
- HPL platforms
- HPL panels
- HDPE panels
- Spinning elements
- Movable elements

#### Colour & material options\*:



Anchoring:

- Surface

- Deep

\*Material options apply to selected products, for more information visit: [www.vinci-play.com](http://www.vinci-play.com)

# Robinia

## Destination: nature!

The ROBINIA series consists of playground equipment made of natural raw material - Robinia acacia wood, the most durable wood found in Europe. The wood is characterized by natural, bright colours, has high weather resistance, does not require impregnation and can be anchored directly in the ground.

The unique Robinia series has been designed in a comprehensive way to enable creating an offer containing all types of playground equipment: from tower sets with many climbing elements, through spring riders, carousels and swings, to small architecture.

New series!




Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1203	●	270 cm	270 cm	220 cm	1+	9	24,8 m <sup>2</sup>	< 60 cm
RB1334	-	130 cm	130 cm	160 cm	1+	4	16,5 m <sup>2</sup>	< 60 cm
RB1201	●	150 cm	150 cm	195 cm	1+	4	17,4 m <sup>2</sup>	< 60 cm
RB1202	●	240 cm	150 cm	195 cm	1+	8	19,9 m <sup>2</sup>	< 60 cm





Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1207	•	580 cm	340 cm	315 cm	2+	21	43,9 m <sup>2</sup>	90 cm
RB1205	-	340 cm	220 cm	315 cm	2+	8	25,7 m <sup>2</sup>	90 cm
RB1206	-	335 cm	350 cm	315 cm	2+	9	29,1 m <sup>2</sup>	90 cm





RB1211



RB1215

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1211	●	460 cm	330 cm	375 cm	3+	10	32,1 m <sup>2</sup>	150 cm
RB1215	-	630 cm	560 cm	435 cm	5+	22	51,2 m <sup>2</sup>	238 cm



RB1216



RB1217

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1216	-	680 cm	680 cm	355 cm	5+	28	60,5 m <sup>2</sup>	238 cm
RB1217	-	950 cm	890 cm	435 cm	5+	39	83,7 m <sup>2</sup>	238 cm



RB1305



RB1301



RB1302



RB1311

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1305	-	620 cm	300 cm	250 cm	3+	6	35,3 m <sup>2</sup>	130 cm
RB1301	-	295 cm	195 cm	200 cm	3+	5	21,2 m <sup>2</sup>	90 cm
RB1302	-	385 cm	340 cm	200 cm	3+	12	32,9 m <sup>2</sup>	165 cm
RB1311	-	630 cm	390 cm	250 cm	3+	22	51,2 m <sup>2</sup>	200 cm



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1231	●	490 cm	290 cm	400 cm	3+	12	29,8 m <sup>2</sup>	90 cm
RB1235	●	370 cm	300 cm	300 cm	2+	6	28,1 m <sup>2</sup>	110 cm
RB1232	●	320 cm	150 cm	160 cm	2+	9	22,2 m <sup>2</sup>	110 cm
RB1234	●	400 cm	150 cm	350 cm	1+	9	24,8 m <sup>2</sup>	110 cm
RB1233	●	590 cm	190 cm	310 cm	2+	8	33,2 m <sup>2</sup>	110 cm
RB1236	-	320 cm	180 cm	500 cm	3+	3	21,8 m <sup>2</sup>	150 cm
RB1237	-	820 cm	340 cm	400 cm	3+	20	49,4 m <sup>2</sup>	90 cm



RB1238

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1238	•	850 cm	630 cm	460 cm	3+	40	76,0 m <sup>2</sup>	150 cm





RB1241



RB1243



RB1244



RB1242



RB1245



RB1246

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1241	●	275 cm	130 cm	210 cm	1+	12	22,7 m <sup>2</sup>	< 60 cm
RB1243	●	170 cm	130 cm	135 cm	1+	10	17,4 m <sup>2</sup>	< 60 cm
RB1244	●	170 cm	130 cm	170 cm	1+	11	17,4 m <sup>2</sup>	< 60 cm
RB1242	●	400 cm	270 cm	290 cm	2+	11	31,7 m <sup>2</sup>	90 cm
RB1245	●	430 cm	230 cm	170 cm	1+	25	28,5 m <sup>2</sup>	< 60 cm
RB1246	●	830 cm	350 cm	290 cm	2+	36	51,8 m <sup>2</sup>	90 cm



RB1251



RB1252



RB1253



RB1259



RB1254

RB1258

RB1255

RB1256

RB1257

RB1260

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1251	-	20 cm	20 cm	30 cm	1+	1	8,8 m <sup>2</sup>	< 60 cm
RB1252	-	100 cm	50 cm	35 cm	1+	2	11,5 m <sup>2</sup>	< 60 cm
RB1253	-	200 cm	30 cm	50 cm	3+	3	14,1 m <sup>2</sup>	< 60 cm
RB1259	-	180 cm	65 cm	30 cm	3+	5	15,0 m <sup>2</sup>	< 60 cm
RB1254	-	400 cm	20 cm	50 cm	3+	7	21,1 m <sup>2</sup>	< 60 cm
RB1258	-	280 cm	20 cm	40 cm	3+	6	17,3 m <sup>2</sup>	< 60 cm
RB1255	-	300 cm	20 cm	50 cm	3+	6	18,2 m <sup>2</sup>	< 60 cm
RB1256	-	500 cm	170 cm	70 cm	3+	11	25,6 m <sup>2</sup>	65 cm
RB1257	-	630 cm	290 cm	70 cm	3+	16	34,0 m <sup>2</sup>	63 cm
RB1260	-	255 cm	150 cm	130 cm	3+	4	20,7 m <sup>2</sup>	< 60 cm




Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1264	-	200 cm	100 cm	160 cm	3+	4	15,6 m <sup>2</sup>	126 cm
RB1265	-	270 cm	170 cm	160 cm	3+	6	17,8 m <sup>2</sup>	126 cm
RB1266	-	180 cm	85 cm	140 cm	3+	6	16,5 m <sup>2</sup>	120 cm
RB1267	-	180 cm	100 cm	200 cm	4+	6	22,2 m <sup>2</sup>	190 cm
RB1263	-	330 cm	125 cm	99 cm	3+	12	23,9 m <sup>2</sup>	80 cm



Customise your own  
obstacle course

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1262	-	220 cm	130 cm	240 cm	5+	6	21,3 m <sup>2</sup>	238 cm
RB1271	-	260 cm	50 cm	150 cm	3+	5	17,2 m <sup>2</sup>	< 60 cm
RB1272	-	380 cm	60 cm	160 cm	3+	7	21,4 m <sup>2</sup>	< 60 cm
RB1278	-	225 cm	70 cm	30 cm	3+	5	17,0 m <sup>2</sup>	< 60 cm
RB1279	-	230 cm	140 cm	99 cm	2+	3	21,1 m <sup>2</sup>	99 cm
RB1274	-	340 cm	210 cm	120 cm	3+	16	29,7 m <sup>2</sup>	117 cm
RB1270	-	130 cm	120 cm	95 cm	1+	5	15,2 m <sup>2</sup>	< 60 cm
RB1273	-	480 cm	290 cm	180 cm	3+	11	31,2 m <sup>2</sup>	90 cm



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1283	-	450 cm	140 cm	115 cm	4+	4	28,9 m <sup>2</sup>	110 cm
RB1284	-	210 cm	75 cm	210 cm	4+	4	17,0 m <sup>2</sup>	204 cm
RB1280	-	515 cm	475 cm	170 cm	4+	6	43,8 m <sup>2</sup>	85 cm

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1383	-	700 cm	700 cm	450 cm	3+	44	95,0 m <sup>2</sup>	200 cm
RB1282	-	360 cm	50 cm	230 cm	3+	10	20,6 m <sup>2</sup>	120 cm
RB1285	-	190 cm	95 cm	180 cm	3+	3	18,7 m <sup>2</sup>	175 cm
RB1275	-	325 cm	260 cm	110 cm	3+	14	27,2 m <sup>2</sup>	110 cm
RB1277	-	240 cm	240 cm	200 cm	4+	10	32,0 m <sup>2</sup>	190 cm
RB1276	-	200 cm	195 cm	110 cm	3+	4	19,6 m <sup>2</sup>	110 cm
RB1310	-	300 cm	250 cm	200 cm	4+	11	33,2 m <sup>2</sup>	200 cm



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1319	-	780 cm	690 cm	240 cm	3+	49	75,2 m <sup>2</sup>	200 cm
RB1281	●	345 cm	330 cm	120 cm	3+	8	31,3 m <sup>2</sup>	114 cm
RB1312	-	460 cm	455 cm	240 cm	5+	22	53,4 m <sup>2</sup>	240 cm







RB1347



RB1332

**Modular system!**



Product number		Product length	Product width	Product height (A)	Age range	Number of users	Safety zone	Free-fall height	Slide height (B)	Slide length (C)	Platform height (D)
RB1291	-	215 cm	110 cm	185 cm	2+	3	17,1 m <sup>2</sup>	90 cm	90 cm	153 cm	90 cm
RB1292	-	265 cm	110 cm	210 cm	2+	4	18,6 m <sup>2</sup>	120 cm	120 cm	214 cm	120 cm
RB1293	-	310 cm	110 cm	240 cm	3+	4	19,8 m <sup>2</sup>	150 cm	150 cm	266 cm	150 cm
RB1294	-	360 cm	110 cm	270 cm	4+	3	23,4 m <sup>2</sup>	180 cm	180 cm	319 cm	180 cm
RB1295	-	205 cm	110 cm	180 cm	2+	3	16,9 m <sup>2</sup>	< 60 cm	90 cm	153 cm	25 cm
RB1296	-	250 cm	110 cm	210 cm	2+	3	17,8 m <sup>2</sup>	< 60 cm	120 cm	214 cm	25 cm
RB1297	-	290 cm	110 cm	240 cm	2+	3	18,9 m <sup>2</sup>	< 60 cm	150 cm	266 cm	25 cm
RB1298	-	335 cm	110 cm	270 cm	3+	3	19,9 m <sup>2</sup>	< 60 cm	180 cm	319 cm	25 cm
RB1299	-	375 cm	110 cm	300 cm	3+	3	21,2 m <sup>2</sup>	< 60 cm	210 cm	372 cm	25 cm




RB1333




More configurations  
available on [www.vinci-play.com](http://www.vinci-play.com)

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1347	●	100 cm	420 cm	170 cm	3+	2	20,2 m <sup>2</sup>	90 cm
RB1332	●	230 cm	155 cm	180 cm	2+	11	20,8 m <sup>2</sup>	< 60 cm
RB1333	●	565 cm	565 cm	210 cm	1+	52	70,7 m <sup>2</sup>	< 60 cm
RB1331	-	200 cm	200 cm	25 cm	1+	5	23,0 m <sup>2</sup>	< 60 cm



RB1340 RB1341 RB1342



RB1344



RB1343 RB1346 RB1345

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1340	●	130 cm	50 cm	110 cm	1+	2	13,0 m <sup>2</sup>	< 60 cm
RB1341	●	160 cm	35 cm	150 cm	1+	2	13,4 m <sup>2</sup>	< 60 cm
RB1342	●	130 cm	20 cm	140 cm	1+	2	12,2 m <sup>2</sup>	< 60 cm
RB1344	●	325 cm	325 cm	150 cm	1+	10	25,2 m <sup>2</sup>	< 60 cm
RB1343	●	130 cm	130 cm	140 cm	1+	4	15,0 m <sup>2</sup>	< 60 cm
RB1346	●	45 cm	35 cm	110 cm	1+	2	9,2 m <sup>2</sup>	< 60 cm
RB1345	●	40 cm	25 cm	100 cm	1+	2	9,6 m <sup>2</sup>	< 60 cm



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1361	-	80 cm	40 cm	90 cm	1+	1	10,8 m <sup>2</sup>	< 60 cm
RB1362	-	85 cm	40 cm	90 cm	1+	1	11,4 m <sup>2</sup>	< 60 cm
RB1363	-	90 cm	40 cm	90 cm	1+	1	11,0 m <sup>2</sup>	< 60 cm
RB1364	-	170 cm	135 cm	80 cm	3+	4	15,2 m <sup>2</sup>	< 60 cm
RB1369	●	100 cm	100 cm	50 cm	3+	3	12,4 m <sup>2</sup>	< 60 cm
RB1365	-	330 cm	25 cm	60 cm	1+	6	18,8 m <sup>2</sup>	< 60 cm





RB1372

RB1373

RB1375

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1372	-	120 cm	120 cm	75 cm	3+	4	21,3 m <sup>2</sup>	73 cm
RB1373	-	150 cm	150 cm	70 cm	3+	8	23,8 m <sup>2</sup>	68 cm
RB1375	-	265 cm	20 cm	150 cm	3+	3	16,7 m <sup>2</sup>	< 60 cm





RB1351



RB1352



RB1422



RB1491



RB1424

**Modular system!**



RB1421

**Available seats:**



**More configurations available on [www.vinci-play.com](http://www.vinci-play.com)**

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1351	-	330 cm	75 cm	99 cm	3+	2	13,4 m <sup>2</sup>	99 cm
RB1352	-	420 cm	75 cm	99 cm	3+	4	15,9 m <sup>2</sup>	99 cm
RB1422	-	210 cm	370 cm	240 cm	1+ / 3+	2	21,5 m <sup>2</sup>	130 cm
RB1491	-	210 cm	560 cm	240 cm	1+ / 3+	3	35,2 m <sup>2</sup>	130 cm
RB1424	-	210 cm	670 cm	240 cm	1+ / 3+	4	42,5 m <sup>2</sup>	130 cm
RB1421	-	210 cm	260 cm	240 cm	1+ / 3+	1	13,0 m <sup>2</sup>	130 cm

**Modular system!**




RB1423



RB0520

RB0517

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1423	●	210 cm	330 cm	240 cm	3+	7	18,1 m <sup>2</sup>	130 cm
RB1492	●	210 cm	520 cm	240 cm	1+ / 3+	8	31,8 m <sup>2</sup>	130 cm
RB1494	●	210 cm	630 cm	240 cm	1+ / 3+	9	40,3 m <sup>2</sup>	130 cm
RB1497	●	210 cm	590 cm	240 cm	3+	14	37,0 m <sup>2</sup>	130 cm
RB0520	-	210 cm	270 cm	240 cm	1+	2	12,9 m <sup>2</sup>	175 cm
RB0517	●	250 cm	355 cm	300 cm	3+	1	18,1 m <sup>2</sup>	145 cm
RB0513	●	100 cm	310 cm	180 cm	3+	7	15,5 m <sup>2</sup>	105 cm



Product code	Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	
RB0510	-	20 cm	170 cm	180 cm	1+ / 3+	1	11,4 m <sup>2</sup>	99 cm
RB0511	-	20 cm	320 cm	180 cm	1+ / 3+	2	21,5 m <sup>2</sup>	99 cm
RB0512	-	20 cm	470 cm	180 cm	1+ / 3+	3	31,0 m <sup>2</sup>	99 cm



Product code	Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	
RB0515	-	650 cm	620 cm	240 cm	1+ / 3+	5	46,5 m <sup>2</sup>	130 cm
RB0521-1	-	500 cm	320 cm	280 cm	3+	4	13,5 m <sup>2</sup>	130 cm
RB1385	-	2460 cm	340 cm	400 cm	5+	1	83,8 m <sup>2</sup>	175 cm
RB1386	-	2430 cm	300 cm	400 cm	5+	2	138,7 m <sup>2</sup>	175 cm



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1350	-	200 cm	100 cm	70 cm	-	-	-	-
RB1349	-	210 cm	180 cm	40 cm	-	-	-	-
RB1348	-	230 cm	220 cm	160 cm	-	-	-	-
RB1399	-	56 cm	15 cm	180 cm	-	-	-	-
RB1395	-	40 cm	30 cm	80 cm	-	-	-	-
RB1392	-	150 cm	45 cm	45 cm	-	-	-	-
RB1391	-	165 cm	70 cm	80 cm	-	-	-	-



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1268	-	275 cm	65 cm	120 cm	-	-	-	-
RB1396	-	180 cm	15 cm	90 cm	-	-	-	-
RB1398	-	135 cm	20 cm	110 cm	-	-	-	-
RB1397	-	170 cm	20 cm	100 cm	-	-	-	-

#### Characteristics of the ROBINIA series:

- Robinia wood construction
- Stainless steel elements
- HPL panels
- Stainless steel slides
- Ropes with steel core



New series!

Products available  
in the first quarter of 2022

## Anyone can be an athlete

The steel parts of the goals and baskets, fencing, guards and gates are hot-dip galvanised or made of durable composite and wooden elements, fully resistant to weather conditions or mechanical damages. The highest quality construction and materials are resistant to the loads associated with the use of the field. Thanks to the modularity of the size and functional design, as well as the possibility to choose the material and colour version, the Arena can be adapted to individual needs.

Adjust the size

Choose the equipment



More configurations  
available on [www.vinci-play.com](http://www.vinci-play.com)

- 1 Modular HDPE side panels
- 2 Segmental steel covers
- 3 Safety nets

- 4 Multi-module basketball baskets
- 5 System football goals
- 6 Freestanding basketball baskets
- 7 Wheelchair accessibility
- 8 System floorball goals
- 9 Optional size and shape of the field



# sport

## Want to play?

The SPORT series comprises football and hockey goals, basketball hoops and trampolines which all encourage children to take on sport challenges among their fellows. Jumping on a trampoline brings a lot of joy for every child, but it is also an effective exercise of balance, endurance and movement coordination. The equipment from this series integrates kids while releasing the spirit of sport competition.



Product code		Product length	Product width	Product height	Safety zone	Free-fall height
2002	●	188 cm	100 cm	384 cm	-	-
2003	●	200 cm	60 cm	100 cm	-	-
2022	●	247 cm	96 cm	200 cm	-	-
2036	●	170 cm	100 cm	169 cm	-	-
2200	●	150 cm	150 cm	-	13,6 m <sup>2</sup>	90 cm
2202	●	150 cm	150 cm	-	12,1 m <sup>2</sup>	90 cm

Characteristics of the SPORT series:

Galvanised steel construction or elements

Reinforced belt fabric

Surface: coloured rubber






# jumboo

**Jump to the sky!**

Jumping on the trampolines is a great fun, but also a great training! It allows you to strengthen your muscles, improve fitness and coordination, and at the same time reduce stress and tension, allowing you to relax.

Our trampolines are available in various colours and thanks to the special structure of the elements, any combination of shapes.




Product code	Product length	Product width	Product height	Age range	Safety zone	Free-fall height	Colour variants
2222	-	600 cm	375 cm	-	4 - 15	44,9 m <sup>2</sup>	90 cm
2211	-	150 cm	150 cm	-	4 - 15	12,6 m <sup>2</sup>	90 cm
2212	-	150 cm	150 cm	-	4 - 15	14,1 m <sup>2</sup>	90 cm
2213	-	200 cm	200 cm	-	4 - 15	18,3 m <sup>2</sup>	90 cm
2214	•	250 cm	150 cm	-	4 - 15	18,3 m <sup>2</sup>	90 cm
2221	-	375 cm	375 cm	-	4 - 15	30,6 m <sup>2</sup>	90 cm
2220	-	300 cm	300 cm	-	4 - 15	28,4 m <sup>2</sup>	90 cm
2223	-	743 cm	322 cm	-	4 - 15	44,2 m <sup>2</sup>	90 cm
2224	-	900 cm	674 cm	-	4 - 15	78,0 m <sup>2</sup>	90 cm


Characteristics of the JUMBOO series:




Galvanised steel construction



Stainless steel elements



Surface: coloured rubber



Durable anti-slip PA lamellas



# fitness

## Keeping fit!

The FITNESS series was created with wellness in mind, encouraging to train and lead a healthy lifestyle.

The series devices are available in several colour and material options which will allow you to create a professional outdoor gym responding to various needs.



1106



1103-1



1101



1108



1104-1



1105-1




1107-1



1102

Product code		Product length	Product width	Product height	Age range	Max. weight of user	Safety zone	Free-fall height	Construction	
								steel	inox	robinia
1106	●	134 cm	63 cm	141 cm	14+	140 kg	17,9 m <sup>2</sup>	< 60 cm		-
1101	●	101 cm	88 cm	199 cm	14+	140 kg	13,6 m <sup>2</sup>	99 cm		-
1102	●	93 cm	79 cm	199 cm	14+	140 kg	12,8 m <sup>2</sup>	99 cm		-
1103-1	●	159 cm	38 cm	132 cm	14+	140 kg	13,6 m <sup>2</sup>	< 60 cm		-
1104-1	●	77 cm	74 cm	167 cm	14+	140 kg	13,1 m <sup>2</sup>	< 60 cm		-
1105-1	●	93 cm	83 cm	167 cm	14+	140 kg	13,1 m <sup>2</sup>	< 60 cm		-
1107-1	●	101 cm	75 cm	167 cm	14+	140 kg	14,7 m <sup>2</sup>	< 60 cm		-
1108	●	77 cm	66 cm	137 cm	14+	140 kg	11,9 m <sup>2</sup>	< 60 cm		-



1109



1110



1111-1

Product code		Product length	Product width	Product height	Age range	Max. weight of user	Safety zone	Free-fall height	Construction	
								steel	inox	robinia
1109	●	85 cm	44 cm	139 cm	14+	140 kg	11,3 m <sup>2</sup>	< 60 cm		-
1110	●	85 cm	63 cm	174 cm	14+	140 kg	12,0 m <sup>2</sup>	< 60 cm		-
1111-1	●	111 cm	49 cm	132 cm	14+	140 kg	13,2 m <sup>2</sup>	89 cm		-





1112



1113



1114



1115




1116-1



1117

Product code	♿	Product length	Product width	Product height	Age range	Max. weight of user	Safety zone	Free-fall height	Construction		
									steel	inox	robinia
1112	●	79 cm	71 cm	132 cm	14+	140 kg	12,1 m <sup>2</sup>	< 60 cm	● ● ● ● ●	●	-
1113	●	214 cm	123 cm	132 cm	14+	140 kg	16,8 m <sup>2</sup>	112 cm	● ● ● ● ●	●	-
1114	●	78 cm	65 cm	142 cm	14+	140 kg	11,9 m <sup>2</sup>	< 60 cm	● ● ● ● ●	●	-
1115	●	167 cm	64 cm	166 cm	14+	140 kg	15,0 m <sup>2</sup>	< 60 cm	● ● ● ● ●	●	-
1116-1	●	188 cm	75 cm	167 cm	14+	140 kg	16,4 m <sup>2</sup>	< 60 cm	● ● ● ● ●	●	-
1117	●	79 cm	66 cm	132 cm	14+	140 kg	12,0 m <sup>2</sup>	< 60 cm	● ● ● ● ●	●	-



Product code		Product length	Product width	Product height	Age range	Max. weight of user	Safety zone	Free-fall height	Construction	
								steel	inox	robinia
1139	●	212 cm	75 cm	167 cm	14+	140 kg	18,2 m <sup>2</sup>	< 60 cm	● ● ● ● ●	● -
1143	●	171 cm	75 cm	167 cm	14+	140 kg	17,4 m <sup>2</sup>	89 cm	● ● ● ● ●	● -
1145	●	85 cm	67 cm	174 cm	14+	140 kg	12,2 m <sup>2</sup>	< 60 cm	● ● ● ● ●	● -
1131	●	220 cm	88 cm	199 cm	14+	140 kg	17,2 m <sup>2</sup>	99 cm	● ● ● ● ●	● -
1138	●	124 cm	75 cm	167 cm	14+	140 kg	16,1 m <sup>2</sup>	< 60 cm	● ● ● ● ●	● -
1146	●	86 cm	85 cm	139 cm	14+	140 kg	12,9 m <sup>2</sup>	< 60 cm	● ● ● ● ●	● -
1151	●	259 cm	75 cm	167 cm	14+	140 kg	19,4 m <sup>2</sup>	89 cm	● ● ● ● ●	● -
1132	●	105 cm	88 cm	204 cm	14+	140 kg	13,8 m <sup>2</sup>	104 cm	● ● ● ● ●	● -
1140	●	225 cm	93 cm	167 cm	14+	140 kg	18,2 m <sup>2</sup>	< 60 cm	● ● ● ● ●	● -
1147	●	134 cm	85 cm	174 cm	14+	140 kg	15,0 m <sup>2</sup>	89 cm	● ● ● ● ●	● -
1152	●	141 cm	88 cm	208 cm	14+	140 kg	14,9 m <sup>2</sup>	108 cm	● ● ● ● ●	● -
1133	●	141 cm	88 cm	204 cm	14+	140 kg	14,9 m <sup>2</sup>	104 cm	● ● ● ● ●	● -
1141	●	137 cm	93 cm	167 cm	14+	140 kg	15,8 m <sup>2</sup>	< 60 cm	● ● ● ● ●	● -
1148	●	102 cm	85 cm	174 cm	14+	140 kg	13,3 m <sup>2</sup>	< 60 cm	● ● ● ● ●	● -
1153	●	214 cm	185 cm	208 cm	14+	140 kg	21,6 m <sup>2</sup>	112 cm	● ● ● ● ●	● -
1134	●	100 cm	93 cm	199 cm	14+	140 kg	13,6 m <sup>2</sup>	99 cm	● ● ● ● ●	● -
1142	●	123 cm	78 cm	167 cm	14+	140 kg	16,5 m <sup>2</sup>	< 60 cm	● ● ● ● ●	● -
1149	●	214 cm	146 cm	174 cm	14+	140 kg	20,1 m <sup>2</sup>	112 cm	● ● ● ● ●	● -
1154	●	123 cm	88 cm	199 cm	14+	140 kg	14,3 m <sup>2</sup>	99 cm	● ● ● ● ●	● -
1137	●	183 cm	85 cm	174 cm	14+	140 kg	15,6 m <sup>2</sup>	< 60 cm	● ● ● ● ●	● -
1144	●	99 cm	85 cm	174 cm	14+	140 kg	13,2 m <sup>2</sup>	< 60 cm	● ● ● ● ●	● -
1150	●	85 cm	85 cm	174 cm	14+	140 kg	12,8 m <sup>2</sup>	< 60 cm	● ● ● ● ●	● -
1156	●	102 cm	85 cm	174 cm	14+	140 kg	13,2 m <sup>2</sup>	< 60 cm	● ● ● ● ●	● -



SEE MORE!





RB1106

RB1113

RB1116

Product code		Product length	Product width	Product height	Age range	Max. weight of user	Safety zone	Free-fall height	Construction steel	inox	robinia
RB1106	●	140 cm	65 cm	141 cm	14+	140 kg	18,2 m <sup>2</sup>	< 60 cm	-	-	●
RB1113	●	218 cm	133 cm	145 cm	14+	140 kg	20,5 m <sup>2</sup>	112 cm	-	-	●
RB1116	●	188 cm	79 cm	178 cm	14+	140 kg	16,5 m <sup>2</sup>	< 60 cm	-	-	●



RB1114

RB1110

RB1109

Product code		Product length	Product width	Product height	Age range	Max. weight of user	Safety zone	Free-fall height	Construction steel	inox	robinia
RB1117	●	89 cm	70 cm	155 cm	14+	140 kg	12,5 m <sup>2</sup>	< 60 cm	-	-	●
RB1112	●	85 cm	73 cm	145 cm	14+	140 kg	12,4 m <sup>2</sup>	< 60 cm	-	-	●
RB1108	●	84 cm	70 cm	155 cm	14+	140 kg	12,3 m <sup>2</sup>	< 60 cm	-	-	●
RB1114	●	78 cm	73 cm	155 cm	14+	140 kg	12,2 m <sup>2</sup>	< 60 cm	-	-	●
RB1110	●	85 cm	66 cm	174 cm	14+	140 kg	12,2 m <sup>2</sup>	< 60 cm	-	-	●
RB1109	●	89 cm	47 cm	139 cm	14+	140 kg	11,6 m <sup>2</sup>	< 60 cm	-	-	●

## Characteristics of the FITNESS series:

- Galvanised steel construction
- Stainless steel construction or elements
- Robinia wood construction
- HPL HEXA platforms
- HPL panels
- Polycarbonate (PC) panels
- Durable connectors
- Protective tops
- Movable elements

## Colour &amp; material options\*:

- |                                 |               |                       |               |
|---------------------------------|---------------|-----------------------|---------------|
| Colour (construction in steel): |               | Construction:         |               |
| C8 - NCS-S-1060-G-60Y           | C16 - RAL6013 | C18 - NCS-S 2040-B10G | Painted steel |
| C12 - RAL7040                   | C17 - RAL4008 | Ci - stainless steel  | Robinia wood  |
|                                 |               |                       | - Surface     |
|                                 |               |                       | - Deep        |

\*Material options apply to selected products, for more information visit: [www.vinci-play.com](http://www.vinci-play.com)

# workout

## As fit as a fiddle!

The WORKOUT series designed for development, keeping fit and returning to good physical condition. Steel and wooden structures with many bars and elements for training with the weight of your own body.

Modern design, durable materials and colour options, perfect for creating a contemporary sports ground.

New series!



2324



2301



2302



2303



2304



2305



2306

Product code	Product length	Product width	Product height	Age range	Max. weight of user	Safety zone	Free-fall height	Construction		
								steel	inox	robinia
2324	458 cm	379 cm	241 cm	14+	140 kg	39,9 m <sup>2</sup>	228 cm	● ○ ○ ○ ●	○	-
2301	194 cm	64 cm	72 cm	14+	140 kg	16,1 m <sup>2</sup>	72 cm	● ○ ○ ○ ●	○	-
2302	194 cm	68 cm	122 cm	14+	140 kg	16,3 m <sup>2</sup>	112 cm	● ○ ○ ○ ●	○	-
2303	194 cm	124 cm	122 cm	14+	140 kg	19,0 m <sup>2</sup>	112 cm	● ○ ○ ○ ●	○	-
2304	342 cm	13 cm	138 cm	14+	140 kg	18,2 m <sup>2</sup>	127 cm	● ○ ○ ○ ●	○	-
2305	151 cm	82 cm	83 cm	14+	140 kg	14,4 m <sup>2</sup>	< 60 cm	● ○ ○ ○ ●	○	-
2306	158 cm	82 cm	83 cm	14+	140 kg	14,6 m <sup>2</sup>	< 60 cm	● ○ ○ ○ ●	○	-



2307

2308

2309

2310



2311

2312

2313

2314




2315

2323


2325

Product code	Product length	Product width	Product height	Age range	Max. weight of user	Safety zone	Free-fall height	Construction	steel	inox	robinia
2307	168 cm	12 cm	241 cm	14+	140 kg	12,7 m <sup>2</sup>	130 cm	● ○ ○ ○ ●	○	-	-
2308	234 cm	12 cm	241 cm	14+	140 kg	24,5 m <sup>2</sup>	231 cm	● ○ ○ ○ ●	○	-	-
2309	123 cm	12 cm	241 cm	14+	140 kg	19,7 m <sup>2</sup>	229 cm	● ○ ○ ○ ●	○	-	-
2310	123 cm	12 cm	241 cm	14+	140 kg	18,9 m <sup>2</sup>	230 cm	● ○ ○ ○ ●	○	-	-
2311	153 cm	123 cm	347 cm	14+	140 kg	29,2 m <sup>2</sup>	245 cm	● ○ ○ ○ ●	○	-	-
2312	123 cm	86 cm	351 cm	14+	140 kg	25,5 m <sup>2</sup>	249 cm	● ○ ○ ○ ●	○	-	-
2313	123 cm	12 cm	241 cm	14+	140 kg	11,3 m <sup>2</sup>	126 cm	● ○ ○ ○ ●	○	-	-
2314	233 cm	122 cm	241 cm	14+	140 kg	20,6 m <sup>2</sup>	139 cm	● ○ ○ ○ ●	○	-	-
2315	233 cm	59 cm	242 cm	14+	140 kg	17,2 m <sup>2</sup>	139 cm	● ○ ○ ○ ●	○	-	-
2323	348 cm	233 cm	241 cm	14+	140 kg	32,6 m <sup>2</sup>	240 cm	● ○ ○ ○ ●	○	-	-
2325	489 cm	453 cm	347 cm	14+	140 kg	50,5 m <sup>2</sup>	245 cm	● ○ ○ ○ ●	○	-	-



Product code		Product length	Product width	Product height	Age range	Max. weight of user	Safety zone	Free-fall height	Construction	
								steel	inox	robinia
2326	●	543 cm	344 cm	241 cm	14+	140 kg	54,8 m <sup>2</sup>	228 cm	● ● ● ● ●	● -
2327	●	608 cm	499 cm	251 cm	14+	140 kg	64,6 m <sup>2</sup>	228 cm	● ● ● ● ●	● -
2328	●	789 cm	600 cm	347 cm	14+	140 kg	84,4 m <sup>2</sup>	245 cm	● ● ● ● ●	● -
2329	●	1137 cm	789 cm	351 cm	14+	140 kg	129,1 m <sup>2</sup>	249 cm	● ● ● ● ●	● -
2399	-	104 cm	12 cm	204 cm	-	-	-	-	● ● ● ● ●	● -





Product code		Product length	Product width	Product height	Age range	Max. weight of user	Safety zone	Free-fall height	Construction	steel	inox	robinia
RB2301	●	198 cm	69 cm	72 cm	14+	140 kg	16,4 m <sup>2</sup>	72 cm	-	-	-	●
RB2302	●	75 cm	198 cm	130 cm	14+	140 kg	16,7 m <sup>2</sup>	112 cm	-	-	-	●
RB2303	●	198 cm	131 cm	130 cm	14+	140 kg	19,5 m <sup>2</sup>	112 cm	-	-	-	●
RB2304	●	354 cm	19 cm	146 cm	14+	140 kg	19,0 m <sup>2</sup>	127 cm	-	-	-	●
RB2305	●	153 cm	89 cm	90 cm	14+	140 kg	14,7 m <sup>2</sup>	< 60 cm	-	-	-	●
RB2306	●	160 cm	89 cm	90 cm	14+	140 kg	14,9 m <sup>2</sup>	< 60 cm	-	-	-	●
RB2307	●	175 cm	18 cm	250 cm	14+	140 kg	14,0 m <sup>2</sup>	130 cm	-	-	-	●
RB2308	●	242 cm	19 cm	250 cm	14+	140 kg	26,4 m <sup>2</sup>	231 cm	-	-	-	●
RB2309	●	130 cm	19 cm	250 cm	14+	140 kg	21,4 m <sup>2</sup>	229 cm	-	-	-	●
RB2310	●	131 cm	20 cm	250 cm	14+	140 kg	21,3 m <sup>2</sup>	230 cm	-	-	-	●
RB2313	●	129 cm	18 cm	250 cm	14+	140 kg	12,3 m <sup>2</sup>	126 cm	-	-	-	●
RB2311	●	157 cm	128 cm	347 cm	14+	140 kg	30,9 m <sup>2</sup>	245 cm	-	-	-	●
RB2312	●	128 cm	90 cm	351 cm	14+	140 kg	27,0 m <sup>2</sup>	249 cm	-	-	-	●



Product code		Product length	Product width	Product height	Age range	Max. weight of user	Safety zone	Free-fall height	Construction	steel	inox	robinia
RB2314	●	241 cm	129 cm	250 cm	14+	140 kg	22,1 m <sup>2</sup>	139 cm	-	-	-	●
RB2315	●	242 cm	59 cm	250 cm	14+	140 kg	17,9 m <sup>2</sup>	139 cm	-	-	-	●
RB2323	●	358 cm	241 cm	250 cm	14+	140 kg	34,7 m <sup>2</sup>	230 cm	-	-	-	●



SEE MORE!



Product code		Product length	Product width	Product height	Age range	Max. weight of user	Safety zone	Free-fall height	Construction steel	Construction inox	Construction robinia
RB2324	●	468 cm	384 cm	250 cm	14+	140 kg	42,2 m <sup>2</sup>	228 cm	-	-	●
RB2325	●	494 cm	464 cm	347 cm	14+	140 kg	52,3 m <sup>2</sup>	245 cm	-	-	●
RB2326	●	554 cm	352 cm	250 cm	14+	140 kg	57,8 m <sup>2</sup>	228 cm	-	-	●
RB2328	●	798 cm	607 cm	347 cm	14+	140 kg	92,4 m <sup>2</sup>	245 cm	-	-	●
RB2327	●	619 cm	508 cm	255 cm	14+	140 kg	68,2 m <sup>2</sup>	228 cm	-	-	●
RB2329	●	1150 cm	798 cm	351 cm	14+	140 kg	144,7 m <sup>2</sup>	249 cm	-	-	●
RB2399	-	109 cm	20 cm	210 cm	-	-	-	-	-	-	●

## Characteristics of the WORKOUT series:

- Galvanised steel construction
- Stainless steel construction or elements
- Robinia wood construction
- HPL HEXA platforms
- HPL panels
- Polycarbonate (PC) panels
- Durable connectors
- Protective tops

## Colour &amp; material options\*:

- Colour (construction in steel):
  - C8 - NCS-S-1060-G-60Y
  - C12 - RAL7040
  - C16 - RAL6013
  - C17 - RAL4008
  - C18 - NCS-S 2040-B10G
  - Ci - stainless steel

- Construction:
  - Painted steel
  - Stainless steel
  - Robinia wood

\*Material options apply to selected products, for more information visit: [www.vinci-play.com](http://www.vinci-play.com)


# park

## Small park architecture

The PARK series is a necessary complement to a kid-friendly playground.



Comfortable benches and tables, colourful litter bins, information boards and fences – all these elements ensure comfortable relaxation for children, their parents and caregivers.

The modern and aesthetically pleasing design of street furniture harmoniously blends in with the playground equipment.




New!





Product code		Product length	Product width	Product height	Colour options	Construction			
					HDPE	HPL	wood	steel	wood
WD1485	-	170 cm	14 cm	76 cm			-	-	
WD1484	-	120 cm	13 cm	76 cm			-	-	
WD1486	-	280 cm	12 cm	76 cm			-	-	
0920	-	205 cm	5 cm	90 cm	-		-		-
0927	-	105 cm	8 cm	90 cm	-		-		-
0928	-	315 cm	8 cm	90 cm	-		-		-
0921-1	-	261 cm	6 cm	116 cm		-	-		-
0922	-	112 cm	21 cm	120 cm	-	-	-		-



Product code		Product length	Product width	Product height	Colour options	Construction			
					HDPE	HPL	wood	steel	wood
WD1483	-	50 cm	10 cm	170 cm	-	-	-	-	
0906	-	50 cm	4 cm	171 cm	-	-	-		-
0907	-	59 cm	4 cm	169 cm	-	-	-		-
0908	-	170 cm	15 cm	171 cm	-	-	-		-

#### Characteristics of the PARK series:

Galvanised steel construction

Wood construction

Galvanised anchors

HDPE panels

HPL panels

#### Colour & material options\*:

Colour (panels):

C1 HPL - RAL6000

C2 HPL - RAL3000

C3 HPL - RAL5024

C9 HPL - wood pattern


C12E HDPE - grey/black




Anchoring:



- Surface



- Deep

\*Material options apply to selected products, for more information visit: [www.vinci-play.com](http://www.vinci-play.com)



**minisweet****stee!****crooc****climbo**



**sport****workout****park**

Product	Page	Product	Page	Product	Page	Product	Page	Product	Page	Product	Page	Product	Page	Product	Page
0100C1	78	0403	96	0633	107	0831	66	1115	167	1701	43	2212	162		
0101-1C1	78	0404-1	96	0651	106	0832	66	1116-1	167	1702	42	2213	162		
0102C2	79	0405-1	96	0652	106	0840	65	1117	167	1703	44	2214	162		
0103C1	78	0406	96	0653	106	0841	65	1131	168	1704	44	2220	162		
0104C9	79	0407	96	0654	106	0900-2	180	1132	168	1705	44	2221	162		
0105C3	79	0408	96	0655	106	0902-2	180	1133	168	1706	45	2222	162		
0106-1C1	78	0409	96	0660	109	0904	181	1134	168	1707	45	2223	162		
0107C3	79	0410	96	0670	109	0905-1	181	1137	168	1708	45	2224	162		
0108-2C2	79	0411	96	0671	109	0906	183	1138	168	1709	42	2301	172		
0109-1C9	79	0412	98	0681	111	0907	183	1139	168	1710	45	2302	172		
0110	81	0413-1	98	0685	72	0908	183	1140	168	1711	45	2303	172		
0111	81	0414-1	98	0700-1	124	0909	181	1141	168	1712	45	2304	172		
0112	81	0415	101	0701-1	124	0910	181	1142	168	1713	45	2305	172		
0113	81	0416-1	99	0702-2	123	0911	180	1143	168	1714	97	2306	172		
0114	81	0417-1	99	0703-1	122	0912	180	1144	168	1716	97	2307	173		
0120	72	0418-1	99	0705-2	123	0913	180	1145	168	1717	45	2308	173		
0121	72	0419-1	99	0706-1	123	0914	181	1146	168	1720	75	2309	173		
0122	72	0420	101	0708-1	123	0915	181	1147	168	1721	75	2310	173		
0200C9	82	0421	101	0710	124	0920	182	1148	168	1722	75	2311	173		
0201-1C9	82	0499	96	0711	125	0921-1	182	1149	168	1723	42	2312	173		
0202-1C1	83	0600-1	109	0712	124	0922	182	1150	168	1724	43	2313	173		
0203-1C1	83	0601-1	109	0713	124	0923	180	1151	168	1726	43	2314	173		
0204C9	82	0602	106	0714	125	0924	180	1152	168	1727	46	2315	173		
0205-1C2	83	0603	106	0726	122	0925	180	1153	168	1728	46	2323	173		
0206C3	83	0604-1	106	0728	122	0926	180	1154	168	1730-1	46	2324	172		
0207C2	83	0606	107	0800	68	0927	182	1156	168	1731	46	2325	173		
0208C3	83	0607-1	107	0801-1	68	0928	182	1601	102	1736	49	2326	174		
0209C3	83	0608-2	106	0802-1	68	0933	181	1602	102	1740	46	2327	174		
0210-1C3	85	0609	107	0804	72	0934	181	1603	102	1741	47	2328	174		
0211-1C3	85	0610	109	0806-1	72	0935	181	1604	102	1745	47	2329	174		
0212C1	83	0611-1	109	0808-1	72	0936	181	1605	103	1750	97	2399	174		
0213C2	83	0612-1	111	0809	72	0938	181	1606	103	1760	75	3001-1	36		
0214C3	85	0613-1	109	0810	64	0940	181	1607	103	1761	75	3002-1	36		
0300	86	0615-1	107	0811	64	1101	164	1608	103	1762	75	3003-1	36		
0300S1	86	0616	107	0812	64	1102	164	1609	104	1763	75	3004-1	36		
0301	87	0617-1	111	0813	64	1103-1	164	1610	104	1770	75	3027-1	37		
0301S1	87	0619	111	0814C9	82	1104-1	164	1630	104	1771	75	3028-1	36		
0302	88	0621-1	111	0815-2C9	82	1105-1	164	1631	104	1772	75	3029-1	39		
0302S1	88	0622	107	0816	77	1106	164	1632	102	1780	49	3030-1	37		
0303	86	0623	107	0817	77	1107-1	164	1633	104	1790	47	3031-1	39		
0304	86	0624	111	0820	64	1108	164	1634	104	2002	160	3040-1	36		
0305	86	0625	111	0821	65	1109	165	1635	104	2003	160	3041-1	39		
0306	86	0626	109	0822	65	1110	165	1636	104	2022	160	3045-1	39		
0310	86	0627	110	0823	77	1111-1	165	1637	104	2036	160	3060-1	40		
0330	91	0630	108	0824	65	1112	167	1638	102	2200	160	3080	41		
0401	96	0631	108	0825	64	1113	167	1639	105	2202	160	3101	51		
0402	96	0632	108	0830	66	1114	167	1640	105	2211	162	3102	51		

Product	Page														
3103	51	RB1235	133	RB1295	144	RB1399	156	ST0525	112	WD1434	55	WD1485	182		
3104	51	RB1236	133	RB1296	144	RB1421	152	ST0528	112	WD1436	55	WD1486	182		
3105	51	RB1237	133	RB1297	144	RB1422	152	ST0529	113	WD1437	52	WD1487	93		
3106	51	RB1238	134	RB1298	144	RB1423	153	ST0530	113	WD1438	56	WD1491	117		
3107	51	RB1241	136	RB1299	144	RB1424	152	ST0531	113	WD1439	59	WD1492	118		
3108	51	RB1242	136	RB1301	132	RB1491	152	ST1421	115	WD1440	66	WD1494	118		

## LEGEND

	Colour variants
	Facilitated access for children with disabilities
	Spinning elements
	Reinforced belt fabric
	Carousel platforms made of HPL
	Polycarbonate (PC) panels
	Steel construction and/or elements made of hot-dip galvanised and powder coated steel
	HPL - the highest quality, water and UV resistant high pressure laminated panels
	Connectors, screws, washers and nuts made of stainless steel and/or galvanised steel protected with plastic caps
	Polypropylene (PP) or Nylon combination ropes with steel core
	Stainless steel (AISI 304 or 316)
	Anchoring options:
	- deep to the ground – 55 cm
	- to concrete with plates – 5 cm
	- to concrete with plates – 55 cm
	Rubber / PP protective tops
	HDPE - high density polyethylene panels
	Stainless steel or PE tube slides
	Climbing stones
	Attested stainless steel chains
	UV printed PC panels
	Construction made of impregnated laminated wood, post dimensions: 90 x 90 mm
	Steel spring 20 mm, sand-blasted, iron phosphated and double powder coated
	Stainless steel or fiberglass slides with side panels made of HDPE or HPL
	Tunnels made of durable, vandal-proof, double-layered material
	Certified swing seats:
	- Flat seats of rubber compound with aluminium insert
	- Toddler seats for small children with soft gripping
	Platforms and climbing walls made from anti-slip and waterproof plywood or HPL HEXA panels – effective protection against environmental factors and wear-resistant

\*The colours of the products in this catalogue may not correspond to the actual ones. Vinci Group reserves the right to make any changes and upgrades of its products at any time without notice. Information provided in this catalogue was accurate at the time of printing. Vinci Group accepts no responsibility for any loss or damage caused to any person or company as a result of any error, omission or misleading information, and this catalogue does not oblige to any form of contract.



**vinci**  
play

**PLAYGROUND EQUIPMENT**

[www.vinci-play.com](http://www.vinci-play.com)



**vinci  
play**



9 Seminaryjna St.  
99-400 Łowicz, Poland

e-mail: [info@vinci-play.com](mailto:info@vinci-play.com)  
mob: +48 793 404 991 / +48 780 047 378  
tel: +48 (42) 203 24 99 ext. 22 or 26  
fax: +48 (22) 300 15 91

[www.vinci-play.com](http://www.vinci-play.com)